

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>ACURA</b>												
CL 2.2 (YA1)	1997	4011.140	1.3	1.3	4.1140	1.7	1.7					
CL 2.3 (YA1)	98-99	4011.140	1.3	1.3	4.1140	1.7	1.7					
CL 3.2 (Incl. Type S) (YA4)	01-03	4041.140	2.0	1.7				4040.310	29(t)	4040.312	23	4040.320
Integra, 2 & 4-door (Incl. GS-R) (DA9)	90-93	4010.140	1.4	1.0	4.1040	1.8	1.5					
Integra, 2 & 4-door (Incl. GS, GS-R, RS, LS) (DC2/4)	94-01	4020.140	1.3	1.3	4.2040	1.7	1.7	4017.310	26	4017.312	17	4017.321
Integra Type R (DC2)	97-01	4020.140	0.8	0.8	4.2040	1.2	1.2	4017.310	26			
RSX (Incl. Type S) (DC5)	02-04	4054.140	1.0	1.4	4.5440	1.5	1.8	4054.310	25(t)	4054.312	23	4054.320
RSX (Incl. Type S) (DC5)	05-06	4065.140	1.0	1.4	4.6540	1.5	1.8	4065.310	29(t)			
TL 2.5	95-98	4011.140	1.2	1.0	4.1140	1.7	1.7					
TL 3.2 (Incl. Type S) (UA5)	99-03	4041.140	2.1	1.6				4040.310	27(t)	4040.312	23	4040.320
TL 3.2 (Exc. Type S) (UA6)	04-08	4044.140	1.0	1.0								
TL TYPE-S, 3.5L V6	07-08	4070.140	1.0	1.0								
TL 3.5L V6 (UA8)	09-13	4079.140	1.2	1.0								
TSX (CL9)	04-08	4045.140	1.6	1.4	4.4540	1.9	1.6					
TSX 2.4L I4, (Exc. Turbodiesel) (CU2)	09-13	4077.140	1.0	1.0								
TSX, 3.5L V6 (CU4)	10-11	4079.140	0.8	0.8								
<b>AUDI</b>												
A3, Sportback, 4 Cyl, 2WD (8P)	06-13	1591.140	1.2	1.2	4.8515	2.0	1.6	8598.310	26(a)	8598.312	23(a)	8598.320
A3, Sportback, 2.0 TFSI, Quattro (8P)	09-13	15112.140	1.2	1.2								
A3, Sportback, 2.0 TDI, 2WD (8P)	10-13	15114.140	1.2	1.2				8598.310	26(a)	8598.312	23(a)	8598.320
A3, Sportback, Quattro, V6 (8P)	06-09	15100.140	1.2	1.2								
A4, Sedan, 4 Cyl, 2WD, (B6/B7)	02-08	1576.140	1.2	1.2				1579.310	32	1579.312	24(a)	1579.320

Continued

1-800-222-8811

Footnotes - see page 74

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT	Complete Kit Front & Rear	PRO-KIT + PRO-DAMPER	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT	Axle Kit Incl. Left & Right	
Part #	Part #	Part #	Part #	Part #	
				Degrees of Adjustment	
				5.67125K 5.67320K 5.67265K	Front +/- 1.50 Front +1.50 / +3.00 Rear +3.50 / -2.00
				5.67125K 5.67320K 5.67265K	Front +/- 1.50 Front +1.50 / +3.00 Rear +3.50 / -2.00
4041.880	4041.840	4041.780	4041.680	5.67125K 5.67320K 5.67090K	Front +/- 1.50 Front +1.50 / +3.00 Rear +4.00 / -2.00 Control Arm
				5.67135K 5.67330K 5.67030K 5.69200K(ap) 5.69250K	Front +/- 1.50 Front +1.50 / +3.00 Rear Arm +2.00 / -5.00 Rear Performance Control Arm Rear Toe Adjuster
4020.880(bt)	4017.840	4020.780(bo)	4020.680(bp)	5.67135K 5.67330K 5.67030K 5.69450K	Front +/- 1.50 Front +1.50 / +3.00 Rear Arm +2.00 / -5.00 Rear Toe Adjuster
	4017.840 (be)	4020.780 (be)(bo)		5.67135K 5.67330K 5.67030K 5.69450K	Front +/- 1.50 Front +1.50 / +3.00 Rear Arm +2.00 / -5.00 Rear Toe Adjuster
4054.880(bt)				5.81260K(T8) 5.81280K(T7) 5.67230K 5.69400K	Front +/- 1.75 Front +/- 1.75 Rear Upper Arm +6.00 / -4.00 Rear Performance Control Arm
				5.81280K 5.67230K 5.69400K	Front +/- 1.75 Rear Upper Arm +6.00 / -4.00 Rear Performance Control Arm
				5.67165K 5.67360K 5.67265K	Front +/- 1.50 Front +1.50 / +3.00 Rear +3.50 / -2.00
4041.880	4041.840	4041.780	4041.680	5.67125K 5.67320K 5.67090K	Front +/- 1.50 Front +1.50 / +3.00 Rear +4.00 / -2.00 Control Arm
				5.67125K 5.67095K	Front +/- 1.50 Rear +4.00 / -2.00
				5.67125K 5.67320K 5.67095K	Front +/- 1.50 Front +1.50 / +3.00 Rear +4.00 / -2.00
				5.67135K 5.67330K 5.67540K	Front +/- 1.50 Front +1.50 / +3.00 Rear adj. arm set +/- 3.00
				5.67125K 5.67320K 5.67290K	Front +/- 1.50 Front +1.50 / +3.00 Rear adj arm -2.00 / +4.00
				5.67135K 5.67330K 5.67540K	Front +/- 1.50 Front +1.50 / +3.00 Rear adj. arm set +/- 3.00
				5.67135K 5.67330K 5.67540K	Front +/- 1.50 Front +1.50 / +3.00 Rear adj. arm set +/- 3.00
1591.880(bt)					
15114.880					
1576.880				5.81350K	Front +/- 1.50

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>AUDI (continued)</b>												
A4, Sedan, 2.0 TFSI (Incl. 2WD, Quattro & Adaptive Suspension) (B8)	09-13	15105.140	1.4	1.2	4.10515	1.8	1.4	15105.310	28	15105.312	23	15105.320
A4, Sedan, 6 Cyl, 2WD (B6/B7)	02-08	1577.140	1.2	1.2				1579.310	32	1579.312	24(a)	1579.320
A4, Sedan, 4 Cyl, Quattro (B6/B7)	02-08	1579.140	1.2	1.2				1579.310	32	1579.312	24(a)	1579.320
A4, Sedan, 6 Cyl, Quattro (B5)	11/94-01/99	1535.140	1.4	1.3				1531.310	30	n/a	n/a	
A4, Sedan, 6 Cyl, Quattro (B5)	02/99-2001	1535.140	1.4	1.3				1531.310	30	n/a	n/a	
A4, Sedan, 6 Cyl, Quattro (B6/B7)	02-08	1578.140	1.2	1.2				1579.310	32	1579.312	24(a)	1579.320
A4, Sedan, 3.2 FSI (Incl. Quattro, Automatic Transmission Adaptive Suspension) (B8)	2009	15106.140	1.4	1.4				15105.310	28	15105.312	23	15105.320
A4, Avant (Wagon), 4 Cyl, Quattro (B5)	02/99-01	1539.140	1.2	1.2				1531.310	30	n/a	n/a	
A4, Avant (Wagon), 4 Cyl, Quattro (B6/B7)	02-08	1584.140	1.2	1.2				1579.310	32	1579.312	24(a)	1579.320
A4, Avant (Wagon) 2.0 TFSI (Incl. Quattro & Automatic Suspension) (B8)	09-12	15107.140	1.2	1.2				15105.310	28	15105.312	23	15105.320
A4, Avant (Wagon), 6 Cyl, Quattro (B6/B7)	02-08	1585.140	1.2	1.2								
A4, Cabriolet, 4 Cyl, 2WD (8H/B6/B7)	03-08	1587.140	1.0	1.0								
A5, Coupe, 2.0 TFSI (Incl. Quattro) (B8)	08-13	15109.140	1.0	0.8				15105.310	28	15105.312	23	15105.320
A5, Coupe, 3.2 FSI (Incl. Multitronic; Exc. Quattro) (B8)	08-11	15109.140	1.0	0.8				15105.310	28	15105.312	23	15105.320
A5, Coupe, 3.2 FSI, Quattro (Exc. Multitronic) (B8)	08-10	15101.140	1.0	0.8				15105.310	28	15105.312	23	15105.320
A5, Cabriolet, 2.0 TFSI (B8)	10-13	15115.140	1.0	0.6				15105.310	28	15105.312	23	15105.320
A5, Cabriolet, 2.0 TFSI, Quattro (B8)	10-13	15116.140	1.0	0.8				15105.310	28	15105.312	23	15105.320
A6, Sedan, 6 Cyl, 2WD (C5)	04/97-10/00	1559.140	1.4	1.3								
A6, Sedan, 6 Cyl, 2WD (C5)	11/00-04	1559.140	1.4	1.3								
A6, Sedan, 6 Cyl, 2WD (C6)	05-11	1589.140	1.2	1.2								
A6, Sedan, 6 Cyl, Quattro (C5)	04/97-10/00	1562.140	1.4	1.3								
A6, Sedan, 6 Cyl, Quattro (C5)	11/00-04	1562.140	1.4	1.3								
A6, Sedan, 6 Cyl, Quattro (C6)	05-11	1592.140	1.2	1.2								
NEW A6, Sedan, 3.0 TFSI 6 Cyl, Quattro (C7)	12-13	15118.140	1.2	1.0								
A6, Sedan, V8, Quattro (C5)	00-04	1580.140	1.2	1.2								
A6, Sedan, V8, Quattro (C6)	05-11	1595.140	1.2	1.2								
A6, Avant (Wagon), 6 Cyl, Quattro (C5)	04/97-10/00	1566.140	1.2	1.2								
A6, Avant (Wagon), 6 Cyl, Quattro (C5)	11/00-04	1566.140	1.2	1.2								
A6, Avant (Wagon), 6 Cyl, Quattro (C6)	05-11	1593.140	1.2	1.2								
NEW A7, Sedan, 3.0 TFSI 6 Cyl, Quattro	12-13	15118.140	1.2	0.8								
A8, Sedan, V8, Quattro (D2)	97-02	1581.140	1.2	1.2								
S4, Sedan, 2.7 T, Quattro (B5S)	00-02	1568.140	1.7	1.3				1531.310	30	n/a	n/a	
NEW S4, Sedan, 3.0 TFSI, Quattro (Exc. Leveling Control) (B8)	10-13	15106.140	0.8	0.6								
S4, Avant (Wagon), 2.7 T, Quattro (B5S)	00-02	1569.140	1.7	1.3				1531.310	30	n/a	n/a	
S5, Coupe, 4.2 FSI, Quattro (B8)	08-11	15101.140	1.0	0.8				15105.310	28	15105.312	23	15105.320
S5, Cabriolet, 3.0 TFSI, Quattro (B8)	10-11	15103.140	1.0	0.6				15105.310	28	15105.312	23	15105.320
TT, Coupe, 4 Cyl, 2WD (Exc. Roadster & Convertible) (TTC)	99-06	1567.140	1.1	1.1								
TT, Coupe / Roadster / Convertible, 4 Cyl, Quattro (TTR)	00-06	1570.140	1.1	1.1								
TT 3.2L Quattro (TTR)	04-06	1588.140	1.2	1.2								
TT, Coupe/Roadster, 2.0 TFSI, FWD (8J)	08-10	1596.140	1.0	0.8								
TT, Coupe/Roadster, 2.0 TFSI, Quattro(8J)	09-13	1597.140	1.0	0.8								
TT, Coupe/Roadster, 3.2L V6, Quattro(8J)	08-10	1598.140	1.0	0.8								
TTS, Coupe/Roadster, 2.0 TFSI, Quattro (8J)	09-13	1597.140	1.0	0.8								
<b>BMW</b>												
128i, Coupe, 3.0L 6 Cyl (E82)	08-13	2097.140	1.2	1.2				2085.310	28	2085.312	15	2085.320
135i, Coupe, 3.0L 6 Cyl Twin-Turbo (E82)	08-13	2097.140	1.2	1.2				2085.310	28	2085.312	15	2085.320
128i, Convertible, 3.0L 6 Cyl (E82)	08-13	2091.140	0.8	0.5				2085.310	28	2085.312	15	2085.320

<b>PRO-PLUS</b>	<b>PRO-DAMPER</b>	<b>PRO-SYSTEM</b>	<b>PRO-SYSTEM-PLUS</b>	<b>PRO-ALIGNMENT</b>	
<b>PRO-KIT + ANTI-ROLL-KIT</b>	<b>Complete Kit Front &amp; Rear</b>	<b>PRO-KIT + PRO-DAMPER</b>	<b>PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT</b>	<b>Axle Kit Incl. Left &amp; Right</b>	<b>Degrees of Adjustment</b>
<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	
15105.880 (bt)				5.81360K	Front + / - 1.50
1577.880					
1579.880				5.81350K	Front + / - 1.50
1535.880					
1535.880				5.81350K	Front + / - 1.50
1578.880					
15106.880				5.81360K	Front + / - 1.50
1539.880				5.81350K	Front + / - 1.50
1584.880				5.81350K	Front + / - 1.50
15107.880				5.81360K	Front + / - 1.50
				5.81350K	Front + / - 1.50
15109.880					
15109.880					
15101.880					
15115.880					
15116.880					
				5.81350K	Front + / - 1.50
				5.81350K	Front + / - 1.50
				5.81350K	Front + / - 1.50
				5.81350K	Front + / - 1.50
				5.81350K	Front + / - 1.50
				5.81350K	Front + / - 1.50
1568.880					
				5.81360K	Front + / - 1.50
1569.880					
15101.880				5.81360K	Front + / - 1.50
15103.880				5.81360K	Front + / - 1.50
				5.81340K	Front + / - 1.00
				5.71500K	Rear + / - 1.00
				5.81340K	Front + / - 1.00
				5.81340K	Front + / - 1.00
2097.880				5.72190K	Front +3.00 / -1.00
2097.880				5.72190K	Front +3.00 / -1.00
2091.880				5.72190K	Front +3.00 / -1.00

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>BMW (continued)</b>												
135i, Convertible, 3.0L 6 Cyl Twin-Turbo (E82)	08-13	2091.140	0.8	0.5				2085.310	28	2085.312	15	2085.320
2002, 4 Cyl., Incl. Tii Models (E10)	66-76	2001.140	1.0	1.0								
325e / 325i / 325is, 2 & 4-door, 6 Cyl (Exc. Convertible & ix Models) (E30)	11/82-12/90	2003.140	1.6	1.4				2003.310	20(a)	2003.312	16(a)	2003.320
325i Convertible, 6 Cyl (E30)	05/86-05/93	2010.140	1.7	0.8				2003.310	20(a)	2003.312	16(a)	2003.320
325i, 2 & 4-door, 6 Cyl (E36)	12/90-05/92	2021.140	1.3	1.3				2021.310	28(a)	2021.312	21(a)	2021.321
325i / 328i, 2 & 4-door, 6 Cyl (Exc. Convertible) (E36)	06/92-04/99	2033.140	1.3	1.3				2021.310	28(a)	2021.312	21(a)	2021.321
323i / 325i / 328i / 330i, 2 & 4 door (Exc. Sport Wagon, xi & xiT Models) (E46)	99-05	2067.140	1.4	1.4	4.6720	1.8	1.8	2066.310	27(a)	2066.312	21	2066.320
325Ci / 328Ci / 330Ci, Convertible (Incl. & Sport Packages; Exc. xi Models) (E46)	01-06	2067.140	1.0	0.8	4.6720	1.7	1.5	2066.310	27(a)	2066.312	21	2066.320
325i Sport Wagon (Exc. xi Models) (E46)	00-05	2067.140	1.2	1.2	4.6720	1.7	1.5	2066.310	27(a)	2066.312	21	2066.320
325xi / 330xi (E46)	00-05	2089.140	1.2	1.0								
325i / 328i / 330i Sedan (E90)	06-11	2085.140	1.2	1.0	4.8520	2.0	1.4	2085.310	28	2085.312	15	2085.320
328i Coupe, 3.0L 6 Cyl (E90)	07-13	2091.140	1.0	0.8				2085.310	28	2085.312	15	2085.320
335i Sedan, 3.0L 6 Cyl Twin-Turbo (E90)	07-11	2092.140	1.4	1.0				2085.310	28	2085.312	15	2085.320
335i Coupe, 3.0L 6 Cyl Twin-Turbo (E92)	07-13	2092.140	1.0	0.8				2085.310	28	2085.312	15	2085.320
328i / 335i Convertible (E93)	07-13	2099.140	1.2	0.6				2085.310	28	2085.312	15	2085.320
328i Sport Wagon, 3.0L 6 Cyl (E91)	06-11	20106.140	1.2	1.0	4.10620	1.9	1.4					
<b>NEW</b> 328i, Sedan, 2.0L 4 Cyl. Turbo (F30)	12-13	20121.140	I/D	I/D								
<b>NEW</b> 335i, Sedan, 3.0L 6 Cyl. Turbo (F30)	12-13											
525i / 535i, 6 Cyl. (Exc. 4V-M50 TU) (E34)	01/88-03/97	2013.140	1.2	1.0								
530i / 540i, V8 (Incl. S/Lev.) (E34)	01/92-03/97	2013.140	1.3	1.0								
525i / 528i / 530i, 6 Cyl (Exc. S/Lev.) (E39)	97-03	2053.140	1.3	1.0				2053.310(b1)	27(a)	2053.312(b1)	18	2053.320(b1)
540i, V8 (Exc. Sport Wagon & Self-Leveling Models) (E39)	97-03	2054.140	1.5	1.0				2054.310	28	2053.312	18	2054.320
525i / 528i / 530i, 6 Cyl (E60)	04-10	2077.140	1.2	1.2	4.2077	2.0	1.2	2077.310	25	2077.312	16(a)	2077.320
545i / 550i, Sedan, V8 (E60)	04-10	2078.140	1.2	1.2				2077.310	25	2077.312	16(a)	2077.320
<b>NEW</b> 523i / 528i / 520d Sedan (Exc. AWD & Leveling Control) (F10)	10-13	20111.140	1.0	1.0								
535i, Sedan, F10, Exc. AWD & Leveling Control	10-13	20112.140	1.0	0.6								
550i Sedan (Exc. AWD & Leveling Control) (F10)	10-13	20113.140	0.8	0.8								
645ci / 650i (Exc. Cabrio) (E63)	1/04-10	2083.140	1.2	1.2								
645ci / 650i, Cabrio (E64)	4/04-10	2084.140	1.2	1.2								
650i Coupe, 4.4L V8 (F13)	12-13	20116.140	1.0	0.8								
<b>NEW</b> 650i Convertible, 4.4L V8 (F12)	12-13	20117.140	1.0	0.8								
740i, V8 (Incl. iL models; Exc. S/Lev.) (E38)	07/94-01	2048.140	1.3	1.0								
745i / 745iL / 750i, (Exc. S/Lev. Air Suspension Rear) (E65)	02-08	2081.140	1.2	1.2								
740i (Exc. AWD, Leveling Control & 740iL) (F01)	09-12	20110.140	1.0	0.8								
750i (Exc. AWD, Leveling Control & 750iL) (F01)	09-12	20107.140	1.0	0.8								
840ci / 840i / 850i, 8 & 12 Cyl (E31)	90-97	2022.140	1.0	0.8								
<b>NEW</b> 1 M, Coupe (E82)	2011	20120.140	1.0	0.5				20100.310	29(a)	20100.312	25(a)	20100.312
M3, 3.0L 6 Cyl (E36)	94-95	2041.140	1.0	0.8				2033.310	26(a)	2033.312	24(a)	2033.320
M3, 2 & 4-door, 3.2L 6 Cyl (Incl. Convertible) (E36)	96-99	2059.140	1.0	0.8				2033.310	26(a)	2033.312	24(a)	2033.320

Continued

1-800-222-8811

Footnotes - see page 74

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT	Complete Kit Front & Rear	PRO-KIT + PRO-DAMPER	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT	Axle Kit Incl. Left & Right	
Part #	Part #	Part #	Part #	Part #	
				Degrees of Adjustment	
2091.880				5.72190K	Front +3.00 / -1.00
2003.880				5.72065K	Front +3.00 / -1.00
2010.880				5.72065K	Front +3.00 / -1.00
2021.880				5.72070K	Front +3.00 / -1.00
2033.880				5.72070K	Front +3.00 / -1.00
				5.72110K	Rear +3.00 / -1.00 Performance Control Arm
				5.67110K	Rear +3.00 / -1.00
2067.880(bt)				5.72080K	Front +3.00 / -1.00
				5.72110K	Rear +3.00 / -1.00 Performance Control Arm
2067.880(bt)				5.72080K	Front +3.00 / -1.00
				5.67110K	Rear +3.00 / -1.00
				5.72110K	Rear +3.00 / -1.00 Performance Control Arm
2067.880(bt)				5.72080K	Front +3.00 / -1.00
				5.72110K	Rear +3.00 / -1.00 Performance Control Arm
2085.880(bt)				5.72190K	Front +3.00 / -1.00
2091.880				5.72190K	Front +3.00 / -1.00
2092.880				5.72190K	Front +3.00 / -1.00
2092.880				5.72190K	Front +3.00 / -1.00
2099.880				5.72190K	Front +3.00 / -1.00
				5.72190K	Front +3.00 / -1.00
2053.880				5.72080K(bm)	Front +3.00 / -1.00
2054.880				5.72180K(cd)	Front +3.00 / -1.00
2077.880(bt)					
2078.880					
20120.880					
2041.880				5.72070K	Front +3.00 / -1.00
				5.72110K	Rear +3.00 / -1.00
2059.880				5.72070K	Front +3.00 / -1.00
				5.72110K	Rear +3.00 / -1.00

Footnotes - see page 74

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>BMW (continued)</b>												
M3, 6 Cyl (Incl. Convertible) (E46)	01-06	2072.140	0.6	0.9				2072.310	29(a)	2072.312	25(a)	2072.321
M3, 2 & 4 Door, 4.0L V8 (Incl. EDC, Exc. Convertible) (E92)	08-11	20100.140	0.8	0.6				20100.310	29(a)	20100.312	25(a)	20100.312
M3, 4.0L V8 Convertible (Incl. EDC) (E93)	08-11	20101.140	0.8	0.6								
M5, 5.0L V10 (E60)	06-10	2088.140	1.2	0.6								
NEW M5 Sedan, 4.4L V8 (F10)	2012	20118.140	I/D	I/D								
M6 Coupe, 5.0L V10 (E63)	05-10	2090.140	1.0	0.6								
X3 (E83)	04-10	2079.540	1.2	1.2								
NEW X3, xDrive35i	11-12	20119.540	1.0	0.5								
X5, 3.0 (Exc. Leveling Control) (E53)	01-06	2076.540	1.2	1.2						2074.312	26	
X5, 3.0 (Exc. Leveling Control) (E70)	07-12	2093.540	1.2	1.0								
X5, xDrive35d, 3.0L 6 Cyl. Turbo Diesel, (Exc. Leveling Control) (E70)	09-12	2093.540	1.2	1.0								
X6, 35i (Incl. Diesel; Exc. Leveling Control, Hybrid) (E71)	08-12	20103.540	0.8	0.8								
Z3 Coupe, 6 Cyl (Exc. M-Coupe) (E36/7)	10/98-02	2068.140	1.2	1.2								
Z4 Roadster, 2.5i & 3.0i (E85)	03-06	2073.140	1.2	1.2								
Z4 Coupe 3.0L 6 Cyl. (E85)	06-08	20102.140	1.2	0.8								
NEW Z4 sDrive28i, 2.0L 4 Cyl. Turbo. (Exc. AWD & Leveling Control) (E89)	12-13	20108.140	1.2	0.8								
Z4 sDrive30i, 3.0L 6 Cyl. (Exc. AWD & Leveling Control) (E89)	09-11	20108.140	1.2	0.8								
NEW Z4 sDrive35i & sDrive35is, 3.0L 6 Cyl. Turbo (Exc. AWD & Leveling Control) (E89)	09-13	20109.140	0.8	0.4								
Z4 M-Coupe (Incl. Roadster) (E85)	06-08	2095.140	0.8	0.4								
<b>BUICK</b>												
Century, RWD (G-Body)	78-81	3803.140	1.0	0.8								
Grand National, RWD (G-Body)	78-88	3803.140	1.0	0.8								
Regal, RWD (Incl. T-Type) (G-Body)	78-88	3803.140	1.0	0.8								
Regal, FWD, 6 Cyl (Incl. Supercharged) (W-Body)	97-02	3865.140	1.4	1.3								
NEW Regal GS, 2.0L 4 Cyl	12-13	38158.140	I/D	I/D								
Skylark GS, V8, Small Block (A-Body)	64-67	3855.140	1.3	1.0								
Skylark GS, V8, Small Block (A-Body)	68-72	3856.140	1.3	1.0								
<b>CADILLAC</b>												
NEW ATS, 3.6L V6	2013	38163.140	I/D	I/D								
CTS Coupe, 3.6L V6, RWD	11-13	38146.140	0.8	0.9								
NEW CTS Coupe, 3.6L V6, AWD	11-13	38147.140	I/D	I/D								
CTS-V Coupe, 6.2L V8, RWD	11-13	38148.140	0.9	1.1								
CTS Sedan, 3.2L V6	03-07	3878.140	1.2	1.2				3878.310	28(t)	3878.312	22(t,a)	3878.320
CTS Sedan, 3.6L V6 (Exc. AWD)	08-13	38136.140(aw)	0.8	1.0								
CTS-V Sedan, 6.2L V8, RWD	09-13	38141.140	0.6	1.1								
NEW CTS-V Wagon, 6.2L V8, RWD	11-13	38141.140	0.7	1.0								
Escalade, V8 (2WD)(Incl. EXT)	02-06	3882.520(r)	adj.	2.0				3882.310	35(t)	3882.312	32(t)	3882.320
Escalade, V8 (2WD)(Incl. EXT)	02-06	3887.520	adj.	3.0				3882.310	35(t)	3882.312	32(t)	3882.320
Escalade, V8 (2WD)(Incl. EXT)	02-06	3887.530(e)	1-3	3.0				3882.310	35(t)	3882.312	32(t)	3882.320
Escalade, 6.2L V8 (2WD/4WD)(Incl. Autoride)	07-13	38129.540	2.0	2.0				38106.310	38(t)	3882.312	32(t)	38106.320
NEW Escalade, 6.2L V8 (2WD/4WD)(Incl. Autoride)	07-13	38153.540	2.0	3.0				38106.310	38(t)	3882.312	32(t)	38106.320
NEW Escalade ESV, 6.2L V8 (4WD)(Incl. Autoride)	07-13	38130.540	2.0	2.0				38106.310	38(t)	3882.312	32(t)	38106.320
NEW Escalade, 6.2L V8 (4WD)(Incl. Autoride)	07-13	38154.540	2.0	3.0				38106.310	38(t)	3882.312	32(t)	38106.320
<b>CHEVROLET</b>												
Aveo 5 & Sedan, 1.6L 4 Cyl. (T200/T250)	06-11	38119.140	1.3	1.0								

Continued

1-800-222-8811

Footnotes - see page 74

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT
PRO-KIT + ANTI-ROLL-KIT Part #	Complete Kit Front & Rear Part #	PRO-KIT + PRO-DAMPER Part #	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT Part #	Axle Kit Incl. Left & Right Part #
				Degrees of Adjustment
2072.880 20100.880				5.72110K Rear +3.00 / -1.00
				5.81280K Front +/- 1.75
				5.72070K 5.72090K 5.72110K 5.72090K Front +3.00 / -1.00 Front +3.00 / -1.00 Rear +3.00 / -1.00 Front +3.00 / -1.00
				5.72090K Front +3.00 / -1.00
				5.81260K 5.81260K Front +/- 1.75 Rear +/- 1.75
3878.880				
3882.880 3882.880 3882.880				
38129.880 38153.880 38130.880 38154.880				
				5.81250K 5.75200K Front +/- 1.75 Rear +/- 1.50

Footnotes - see page 74



MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>CHEVROLET (continued)</b>												
NEW Sonic Sedan (Incl. Hatchback) (T300)	12-13	38160.140	1.2	1.4								
<b>Camaro - V6</b>												
Camaro, V6 (Incl. Convertible) (F-Body)	93-97							3831.310	35(t)	3831.312	25(t)	3831.320
Camaro, V6 (Incl. Convertible) (F-Body)	98-03	3870.240	1.4	1.4				3831.310	35(t)	3831.312	25(t)	3831.320
Camaro, 3.6L V6 (Incl. LS & LT)	10-12	38143.140	1.0	1.3				38144.310	29(t,a)	38144.312	29(t,a)	38144.320
Camaro, 3.6L V6 (Incl. LS & LT)	2013											
<b>Camaro - V8</b>												
Camaro, V8, Small Block (F-Body)	67-69	3848.120(z)	1.0	n/a								
Camaro, V8, Small Block (F-Body)	70-81	3852.120(z)	1.0	n/a								
Camaro, V8 (Incl. Z28 & Convertible) (F-Body)	82-92	3801.140	1.0	1.0	4.0138(c)	1.6	1.3					
Camaro, V8 (Incl. Z28 & Convertible) (F-Body)	93-97	3831.140	1.3	1.3	4.3138(c)	1.8	1.8	3831.310	35(t)	3831.312	25(t)	3831.320
Camaro, V8 (Exc. Convertible) (F-Body)	98-03	3870.140	1.2	1.2	4.7038(c)	1.6	1.4	3831.310	35(t)	3831.312	25(t)	3831.320
Camaro, 6.2L V8 SS	10-11	38144.140	1.0	1.0				38144.310	29(t,a)	38144.312	29(t,a)	38144.320
NEW Camaro, 6.2L V8 SS	2012	38144.140	1.0	1.0				38144.310	29(t,a)	38161.312	29(t,a)	38161.320
NEW Camaro, 6.2L V8 SS	2013	38144.140	1.0	1.0				38162.310	29(t,a)	38161.312	29(t,a)	38162.320
Camaro Convertible, 6.2L V8 SS	11-12	38144.140	1.0	1.2				38144.310	29(t,a)	38144.312	29(t,a)	38144.320
Camaro Convertible, 6.2L V8 SS	2013											
Cavalier, 4 & 6 Cyl (Incl. Z24) (J-Body)	95-04	3860.140	1.4	1.4	4.6038	1.7	2.3	3860.310	26	3860.312	22	3860.320 (w)
Chevelle, V8, Small Block (Incl. SS) (A-Body)	64-67	3855.140	1.3	1.0								
Chevelle, V8, Small Block (Incl. SS) (A-Body)	68-72	3856.140	1.5	1.3								
Cobalt	05-10	3899.140	1.6	1.8	4.9938	2.0	2.5	3899.310	29(t)	3899.312	25(t)	3899.320
Cobalt SS, (Incl. 4-door)	05-10	3899.140	0.0	0.5	4.9938	1.0	1.3	3899.310	29(t)	3899.312	25(t)	3899.320
Corvette, C5	97-04	38124.510(av)	0-2.0	0-2.0				38124.310	29(t)	38124.312	25(t)	38124.320
Corvette C5 Z51	97-04	38124.510(av)	0-2.0	0-2.0				38124.310	29(t)	38124.312	25 (t)	38124.320
Corvette C5 Z06	01-04	38124.510(av)	0-2.0	0-2.0				38124.310	29(t)	38124.312	25 (t)	38124.320
Corvette C6	05-13	38126.510(av)	0-2.0	0-2.0				38126.310	32(t)	38126.312	29(t,a)	38126.320
Corvette, C6 Z51	05-11	38126.510(av)	0-2.0	0-2.0				38126.310	32(t)	38126.312	29(t,a)	38126.320
Corvette, C6 Grand Sport	10-13	38126.510(av)	0-2.0	0-2.0				38126.310	32(t)	38126.312	29(t,a)	38126.320
Corvette C6 Z06	06-13	38126.510(av)	0-2.0	0-2.0				38126.310	32(t)	38126.312	29(t,a)	38126.320
NEW Cruze Sedan, 1.4L Cyl. Turbo	11-13	38149.140	1.2	1.2								
NEW Cruze Sedan, 1.8L Cyl.	11-13	38149.140	0.8	1.2								
El Camino, V8 (G-Body)	78-87	3803.140	1.0	1.0								
Impala SS	94-96	3837.140	1.2	1.0								
Malibu, V8, Small Block (A-Body)	68-72	3856.140	1.3	1.3								
Malibu, 3.6L V6	08-12	38103.140	1.4	1.4								
Monte Carlo, RWD, V8 (Incl. SS) (G-Body)	78-88	3803.140	1.0	0.8								
SSR	03-06	3892.540	1.0	1.6								
<b>CHRYSLER</b>												
NEW 300, 2WD V6 (Exc. AWD)	05-10	2871.140	1.6	1.6	4.7328	2.0	2.0	2873.310	30	2871.312	16	2873.320(aq)
NEW 300, 2WD V6	11-13	28101.140	1.2	1.3	4.10128	I/D	I/D	2895.310	35	2895.312	19	2895.320
NEW 300C, 2WD, V8 (Exc. AWD, SRT8 S/LEV)	05-10	2873.140	1.6	1.6	4.7328	2.0	2.0	2873.310	30	2871.312	16	2873.320
NEW 300C, 2WD, V8 (Exc. AWD, SRT8 S/LEV)	11-13	28102.140	1.5	1.2	4.10228	I/D	I/D	2895.310	35	2895.312	19	2895.320
NEW 300C, 2WD, V8 (Incl. SRT-8) (Exc. AWD)	05-10							2873.310	30	2871.312	16	2873.320
NEW 300C, 2WD, V8 SRT-8 (Exc. AWD)	12-13	28103.140	I/D	I/D	4.10328	I/D	I/D	2895.310	35	2895.312	19	2895.320

Continued

1-800-222-8811

Footnotes - see page 74

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT	Complete Kit Front & Rear	PRO-KIT + PRO-DAMPER	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT	Axle Kit Incl. Left & Right	Degrees of Adjustment
Part #	Part #	Part #	Part #	Part #	
				5.81260K	Front + / - 1.75
3870.881					
38143.880	38144.840	38143.780	38143.680	5.81280K	Front +/-1.75
3831.880(bt)					
3870.880(bt)					
38144.880	38144.840	38144.780	38144.680	5.81280K	Front +/-1.75
38161.880	38144.840	38161.780	38161.680	5.81280K	Front +/-1.75
38162.880	38144.840	38162.780	38162.880	5.81280K	Front +/-1.75
38144.880	38144.840	38144.780	38144.680	5.81280K	Front +/-1.75
3860.880(bt)				5.81260K	Front + / - 1.75
3899.880(bt)				5.81250K	Front + / - 1.75
3899.880(bt)				5.81250K	Front + / - 1.75
38124.880					
38124.880(av)					
38124.880					
38126.880(av)					
38126.880					
38126.880					
38126.880					
				5.81250K	Front +/- 1.75
				5.81250K	Front + / - 1.75
2871.880(bt)	2873.840	2871.780(bo)	2871.680(bp)	5.66030K(ce) 5.66045K(ck) 5.66050K	Front + / - 2.00 Control Arm Front + / - 2.00 Control Arm Rear + / - 1.50
28101.880	28110.840	28101.780(bo)	28101.680(bp)	5.66045K 5.66050K	Front + / - 2.00 Control Arm Rear + / - 1.50
2873.880(bt)	2873.840	2873.780(bo)	2873.680(bp)	5.66030K(ce) 5.66045K(ck) 5.66050K	Front + / - 2.00 Control Arm Front + / - 2.00 Control Arm Rear + / - 1.50
28102.880	28110.840	28102.780(bo)	28102.680(bp)	5.66045K 5.66050K	Front + / - 2.00 Control Arm Rear + / - 1.50
	2873.840			5.66030K(ce) 5.66045K(ck) 5.66050K	Front + / - 2.00 Control Arm Front + / - 2.00 Control Arm Rear + / - 1.50
28103.880	28110.840	28103.780(bo)	28103.680(bp)	5.66045K 5.66050K	Front + / - 2.0 Control Arm Rear + / - 1.50

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	Part #
<b>CHRYSLER (continued)</b>												
300C, AWD, V8 (Exc. 2WD)	05-10	2879.140	1.5	1.7								
NEW 300C, AWD, V8 (Exc. 2WD)	11-12	28104.140	I/D	I/D				2895.310	35	2895.312	19	2895.320
Aspen, V8, 2WD/4WD	07-09	2868.520	adj.	3.0								
Crossfire, 6 Cyl (Incl. Roadster) (ZH)	04-07	2552.140(am)	1.1	1.3								
Neon, 2 & 4-door (Incl. R/T & ACR Models)	95-99				4.1528	1.6	1.6					
Neon, 4-door (Incl. R/T & ACR Models)	00-06	2820.140	1.5	1.5	4.2028	2.0	2.4	2820.310	24	2820.312(bk)	22(a)	2820.320(bk)
Neon SRT-4, 4-door, 2.4L Turbo	03-06	2820.140	1.6	1.8	4.2028	2.0	2.4	2820.310	24	2820.312	22(a)	2820.320
PT Cruiser, 4 Cyl (Incl. Turbo, "F" Package & Limited Edition Models)	00-10	2860.140	1.6	2.0						2860.312	22(a)	
PT Cruiser, Convertible 4 Cyl	04-10	2860.140	1.6	2.0						2860.312	22(a)	
Sebring, 4 & 6 Cyl (Exc. Convertible) (JL)	95-98	2817.140	1.8	1.8								
Sebring, Coupe, 6 Cyl (Incl. LX & LXi Models)	01-05	6035.140	1.5	1.3	4.3560	2.0	2.0					
Town & Country, 6 Cyl (Exc. Lxi, LWB, AWD & S/Lev. Models)	96-00	2825.130(d)	1.7	1.3								
<b>DODGE</b>												
Avenger, 4 & 6 Cyl (JL)	95-00	2817.140	1.8	1.8								
Caliber (Incl. SE & SXT)	07-09				4.8128	2.0	1.8					
Caliber SRT-4	08-09	2884.140	1.2	1.0								
Caravan, 4 & 6 Cyl (Exc. Grand Caravan, AWD & S/Lev. Models)	96-00	2825.130(d)	1.7	1.3								
Challenger SE 3.5L V6 (LC)	09-10	2895.140	1.6	1.6	4.9528	1.9	2.0	2895.310	35(a)	2895.312	19(a)	2895.320
NEW Challenger SE 3.6L V6 (LC)	11-13	2895.140	1.4	1.5	4.11228	I/D	I/D	2895.310	35	2895.312	19	2895.320
NEW Challenger R/T 5.7L HEMI V8 (LC)	09-10	2895.140(bg)	1.7	1.7	4.9528(bg)	2.0	2.1	2895.310	35(a)	2895.312	19(a)	2895.320
NEW Challenger R/T 5.7L HEMI V8 (LC)	11-13	28111.140(ci)	1.4	1.7	4.11128(ci)	I/D	I/D	2895.310	35	2895.312	19	2895.320
NEW Challenger SRT-8, 6.1l V8 HEMI (LC)	08-10	2895.140	0.8	0.8	4.9528	1.1	1.2	2895.310	35(a)	2895.312	19(a)	2895.320
NEW Challenger SRT-8, 6.4L V8 392 (LC)	2011	28111.140	0.5	1.0	4.11128	I/D	I/D	2895.310	35	2895.312	19	2895.320
NEW Challenger SRT-8, 6.4L V8 392 (LC)	12-13	28110.140	I/D	I/D	4.11028	I/D	I/D	2895.310	35	2895.312	19	2895.320
NEW Charger, 2WD, V6 (Incl. SE, SXT)	06-10	2876.140	1.4	1.7				2873.310	30	2871.312	16	2873.320(aq)
NEW Charger, 2WD, V6 (Incl. SE, SXT)	11-13	28105.140	1.2	1.4	4.10528	I/D	I/D	2895.310	35	2895.312	19	2895.320
Charger, 2WD, V8 (Incl. R/T, Daytona R/T) (Exc. SRT8 S/LEV)	06-10	2876.140	1.5	1.9				2873.310	30	2871.312	16	2873.320
NEW Charger, 2WD, V8 (Incl. R/T, Daytona R/T) (Exc. SRT8 S/LEV)	11-13	28105.140	1.3	1.5	4.10528	I/D	I/D	2895.310	35	2895.312	19	2895.320
Charger, 2WD, V8 (Incl. R/T, Daytona R/T, SRT8 S/LEV)	06-10							2873.310	30	2871.312	16	2873.320
NEW Charger SRT-8, 6.4L V8	12-13	28106.140	I/D	I/D	4.10628	I/D	I/D	2895.310	35	2895.312	19	2895.320

Continued

1-800-222-8811

Footnotes - see page 74

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT	Complete Kit Front & Rear	PRO-KIT + PRO-DAMPER	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT	Axle Kit Incl. Left & Right	Degrees of Adjustment
Part #	Part #	Part #	Part #	Part #	
28104.880				5.66050K	Rear + / - 1.50
				5.66050K	Rear + / - 1.50
				5.81260K	Front + / - 1.75
				5.81250K	Rear + / - 1.75
2820.880(bk)(bt)				5.81260K	Front + / - 1.75
				5.81250K(ar)	Rear + / - 1.75
				5.67210K	Rear Toe/Camber Arm + / - 3.50
2820.880(bt)				5.81260K	Front + / - 1.75
				5.81250K	Rear + / - 1.75
				5.67210K	Rear Toe/Camber Arm + / - 3.50
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.67170K	Front + / - 1.50
				5.73620K	Rear +3.00 /-0.75
				5.73620K	Rear +3.00 / -0.75
				5.81260K	Front + / - 1.75
				5.67170K	Front + / - 1.50
				5.73620K	Rear +3.00 / -0.75
				5.81260K	Front + / - 1.75
2895.880(bt)	2873.840	2895.780(bo)	2895.680(bp)	5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
2895.880	28110.840	28112.780(bo)	28112.680(bp)	5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
2895.880(bg)(bt)	2873.840	2895.780(bo)	2895.680(bp)	5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
28111.880(ci)(bt)	28110.840	28111.780(bo)	28111.680(bp)	5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
2895.880(bt)	2873.840	2895.780(bo)	2895.680(bp)	5.66030K(ce)	Front + / - 2.00 Control Arm
				5.66045K(ck)	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
28111.880(bt)	28110.840	28111.780(bo)	28111.680(bp)	5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
28110.880(bt)	28110.840	28110.780(bo)	28110.680(bp)	5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
2876.880	2873.840	2880.780	2880.680	5.66030K(ce)	Front + / - 2.00 Control Arm
				5.66045K(ck)	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
28105.880	28110.840	28105.780(bo)	28105.680(bp)	5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
2876.880	2873.840	2876.780	2876.680	5.66030K(ce)	Front + / - 2.00 Control Arm
				5.66045K (ck)	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
28105.880	28110.840	28105.780(bo)	28105.680(bp)	5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
	2873.840			5.66030K(ce)	Front + / - 2.00 Control Arm
				5.66045K(ck)	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50
28106.880				5.66045K	Front + / - 2.00 Control Arm
				5.66050K	Rear + / - 1.50

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>DODGE (continued)</b>												
NEW Dart, 2.0L 4 Cyl.	2013	28113.140	1.0	1.0	4.11328	1.7	1.7					
Magnum, 2WD, V6 (Incl. R/T) (Exc. AWD, SRT8 S/LEV)	05-08	2873.140	1.3	1.3	4.7328	2.0	2.0	2873.310	30	2871.312	16	2873.320(aq)
Magnum, 2WD, V8, (Incl. R/T) (Exc. AWD, SRT 8 S/LEV)	05-08	2873.140	1.3	1.4	4.7328	2.0	2.0	2873.310	30	2871.312	16	2873.320
Magnum, 2WD, V8 (Incl. SRT8 S/LEV) (Exc. AWD)	05-08							2873.310	30	2871.312	16	2873.320
Neon, 2 & 4-door (Incl. R/T & ACR Models)	95-99				4.1528	1.6	1.6					
Neon, 4-door (Incl. R/T & ACR Models)	00-06	2820.140	1.5	1.5	4.2028	2.0	2.4	2820.310	24	2820.312(bk)	22(a)	2820.320(bk)
Neon SRT-4, 4-door, 2.4L Turbo	03-06	2820.140	1.6	1.8	4.2028	2.0	2.4	2820.310	24	2820.312	22(a)	2820.320
Nitro, 3.7L V6 (Incl. SLT)	07-11	2885.540	1.8	1.6								
Stealth RT, Base & ES models, 2WD (Exc. '95> w/ sunroof)	91-96	2813.140	1.5	1.3								
Stratus, 2-door, 6 Cyl	01-05	6035.140	1.5	1.5	4.3560	2.0	2.0					
Viper, Coupe & Roadster, 10 Cyl. (Incl. GTS)	96-02	2830.140	1.0	1.0								
Viper, Coupe & Roadster (Exc. ACR)	03-09	2830.140	1.0	1.0								
<b>EAGLE</b>												
Talon, 2WD, 4 Cyl (Incl. Turbo)	89-94				4.1060	1.5	1.4					
Talon, 2WD, 4 Cyl (Incl. Turbo)	95-99	6014.140	1.2	1.2								
Talon, AWD, 4 Cyl (Incl. Turbo)	95-99	6015.140	1.3	1.3								
<b>FIAT</b>												
500, Hatchback 1.4L 4 Cyl. (Incl. Convertible) (312)	12-13	3040.140	1.0	1.4	4.4030	1.6	1.8					
500 Abarth, 1.4L 4 Cyl. Turbo (312)	12-13	3040.140	0.7	1.2	4.4030	1.3	1.5					
<b>FORD</b>												
Edge, 3.5L V6, (FWD/AWD) (U387)	07-12	35117.540	1.7	1.3								
NEW Edge, 2.0L EcoBoost (FWD/AWD)	2012	35117.540	1.3	1.0								
NEW Edge, 3.5L V6, (FWD/AWD)	2012	35117.540	1.3	1.0								
NEW Edge Sport, 3.7L V6 w/Ti-VCT (FWD/ AWD)	2012	35117.540	1.3	1.0								
NEW Fiesta, 4 & 5 door, 1.6L 4 Cyl	11-13	35123.140	1.0	1.1	4.12335	1.8	2.0	35123.310	25(t)	35123.312	22(t)	35123.320
Focus, 3-Door & 4-Door (Incl. LX, SE, ZTS, ZX3 & Sports Models)	00-05	3588.140	1.4	1.5	4.8835	2.0	2.2	3588.310	22	3588.312(as)	25	3588.320(as)
Focus, 5-Door	00-05	3588.140	1.4	1.6	4.8835	2.0	2.2	3588.310	22	3588.312(as)	25	3588.320(as)
Focus, 3-Door, 4-Door & 5-Door (Incl. LX, SE, ZTS, ZX3 & Sports Models)	06-07							3588.310	22	3588.312(as)	25	3588.320(as)
Focus, 3-Door, 4-Door & 5-Door (Incl. LX, SE, ZTS, ZX3 & Sports Models)	08-11	35119.140	1.1	1.2	4.11935	1.6	1.6					
NEW Focus, 4-Door & 5-Door	12-13	35134.140	0.8	0.8	4.13435	1.5	1.5	35134.310	25(t)	35134.312	25(t,a)	35134.320
NEW Focus ST, 2.0L 4 Cyl. Turbo	2013	35140.140	1.0	1.2	4.14035	1.5	1.7	35140.310	27	35140.312	25(t,a)	35140.320
Fusion 3.0L V6 (Exc. AWD)	06-12	35107.140	1.6	1.6								
NEW Fusion Sport, 3.5L V6	2012	35137.140	I/D	I/D								
NEW Fusion, 2.5L 4 Cyl. (Incl. 1.6L & 2.0L 4 Cyl Turbo)	2013	35141.140	I/D	I/D								

Continued

1-800-222-8811

Footnotes - see page 74

<b>PRO-PLUS</b>	<b>PRO-DAMPER</b>	<b>PRO-SYSTEM</b>	<b>PRO-SYSTEM-PLUS</b>		<b>PRO-ALIGNMENT</b>
<b>PRO-KIT + ANTI-ROLL-KIT</b>	<b>Complete Kit Front &amp; Rear</b>	<b>PRO-KIT + PRO-DAMPER</b>	<b>PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT</b>	<b>Axle Kit Incl. Left &amp; Right</b>	<b>Degrees of Adjustment</b>
<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	
2873.880(bt)	2873.840	2873.780(bo)	2873.680(bp)	5.66030K 5.66050K	Front + / - 2.00 Control Arm Rear + / - 1.50
2873.880(bt)	2873.840	2873.780(bo)	2873.680(bp)	5.66030K 5.66050K	Front + / - 2.00 Control Arm Rear + / - 1.50
	2873.840			5.66030K 5.66050K	Front + / - 2.00 Control Arm Rear + / - 1.50
				5.81260K 5.81250K	Front + / - 1.75 Rear + / - 1.75
2820.880(bk)(bt)				5.81260K 5.81250K	Front + / - 1.75 Rear + / - 1.75
2820.880(bt)				5.67210K	Rear Toe/Camber Arm + / - 3.50
				5.81260K 5.81250K 5.67210K	Front + / - 1.75 Rear + / - 1.75 Rear Toe/Camber Arm + / - 3.50
				5.81280K 5.73620K	Front + / - 1.75 Rear +3.00 / -0.75
				5.81250K 5.67170K 5.73620K	Front + / - 1.75 Front + / -1.50 Rear +3.00 / -0.75
				5.67170K 5.73620K	Front + / -1.50 Rear +3.00 / -0.75
35123.880(bt)					
3588.880(as)(bt)	3588.840	3588.780(bo)	3588.680(as)(bp)	5.81320K 5.81310K 5.67420K	Front + / - 1.00 Rear + / - 1.00 Rear -1.50 to + 5.00
3588.880(as)(bt)	3588.840	3588.780(bo)	3588.680(as)(bp)	5.81320K 5.81310K 5.67420K	Front + / - 1.00 Rear + / - 1.00 Rear -1.50 to + 5.00
				5.81320K 5.81310K 5.67420K	Front + / - 1.00 Rear + / - 1.00 Rear -1.50 to + 5.00
				5.81320K 5.81310K 5.67420K	Front + / - 1.00 Rear + / - 1.00 Rear -1.50 to + 5.00
				5.81320K 5.81310K 5.67420K	Front + / - 1.00 Rear + / - 1.00 Rear -1.50 to + 5.00
35134.880(bt)				5.67420K	Rear -1.50 to + 5.00
35140.880(bt)				5.67420K	Rear -1.50 to + 5.00
				5.67115K	Front + / -1.50

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>FORD (continued)</b>												
<b>Mustang Coupe - 4 &amp; 6 Cyl</b>												
Mustang Coupe, 4 Cyl & 6 Cyl (Incl. Turbo & SVO) (FOX)	79-93	3518.140	1.2	1.0				3510.310	36(t)	3510.312	25	3510.320
Mustang Coupe, 6 Cyl (Exc. Convertible) (SN95)	94-04	3518.140	1.5	1.5				3518.310	35(t)	3510.312	25	3518.320
Mustang Coupe, 6 Cyl (Incl. Convertible) (S197)	05-09	35100.140	1.3	1.4	4.10035	1.6	2.0	35101.310	35(t,a)	35101.312 35129.312	22 25(a)	35101.320 35131.320
Mustang Coupe, 6 Cyl (S197)	2010	35101.140	1.3	1.4	4.10135	1.5	1.9	35101.310	35(t,a)	35101.312 35129.312	22 25(a)	35101.320 35131.320
Mustang Coupe, 3.7L V6	11-13	35125.140	0.8	1.2	4.12535	1.1	1.7	35125.310	36(t,a)	35125.312 35129.312	25 25(a)	35125.320 35129.320
<b>Mustang Coupe - V8</b>												
Mustang Coupe, V8 (Exc. Convertible) (FOX)	79-93	3510.140	1.2	1.0	4.1035	1.7	1.5	3510.310	36(t)	3510.312	25	3510.320
Drag Launch Kit _____		9310.140										
Mustang Coupe, V8-4.6 & 5.0 (Exc. IRS & Convertible) (SN95)	94-04	3510.140	1.1	1.1	4.1035	2.0	1.8	3518.310	35(t)	3510.312	25	3518.320
Drag Launch Kit _____		9310.140										
Mustang Coupe, V8 (Incl. Convertible) (Exc. IRS) (S197)	05-10	35101.140	1.4	1.5	4.10135	1.6	2.0	35101.310	35(t,a)	35101.312 35129.312	22 25(a)	35101.320 35131.320
Mustang Coupe, 5.0L V8	11-13	35125.140	1.0	1.5	4.12535	1.3	2.0	35125.310	36(t,a)	35125.312 35129.312	25 25(a)	35125.320 35129.320
<b>NEW</b> Mustang Boss 302	12-13	35125.140	0.6	1.0	4.12535	1.0	1.8	35125.310	36(t,a)	35125.312 35129.312	25 25(a)	35125.320 35129.320
Mustang Cobra Coupe (FOX)	79-93	3510.140	1.2	1.0	4.1035	1.7	1.5	3510.310	36(t)	3510.312	25	3510.320
Drag Launch Kit _____		9310.140										
Mustang Cobra Coupe (Exc. IRS & Convertible) (SN95)	94-98	3510.140	1.1	1.1	4.1035	2.0	1.8	3518.310	35(t)	3510.312	25	3518.320
Drag Launch Kit _____		9310.140										
Mustang Cobra Coupe (w/IRS) (SN95)	99-02	3590.140	1.4	1.4				3518.310	35(t)	3590.312	29	3590.320
Mustang Cobra Coupe (w/IRS) (SN95)	03-04	3594.140	1.0	1.4				3518.310	35(t)	3590.312	29	3590.320
Mustang, Mach 1 Coupe, V8 (SN95)	03-04	3510.140	1.1	1.0	4.1035	1.3	1.4	3518.310	35(t)	3510.312	25	3518.320
Drag Launch Kit _____		9310.140										
Shelby GT500, Coupe, 5.4L V8 Supercharged (S197)	07-10	35115.140	1.5	1.7	4.11535	1.7	2.2	35101.310	35(t,a)	35115.312 35129.312	24 25(a)	35115.320 35131.320
Shelby GT500, Coupe, 5.4L V8 Supercharged	11-13	35115.140	1.0	1.2	4.11535	1.2	1.7	35125.310	36(t,a)	35125.312 35129.312	25 25(a)	35125.320 35129.320
<b>Mustang Convertible - 6 Cyl</b>												
Mustang Convertible, 6 Cyl (SN95)	94-98	3531.140	1.5	1.5				3518.310	35(t)	3510.312	25	3518.320
Mustang Convertible, 6 Cyl (SN95)	99-04	3510.140	1.1	1.1	4.1035	1.7	1.5	3518.310	35(t)	3510.312	25	3518.320
Mustang Convertible, 6 Cyl (S197)	05-09	35100.140	1.3	1.5	4.10035	1.6	2.0	35101.310	35(t,a)	35101.312 35129.312	22 25(a)	35101.320 35131.320
Mustang Convertible, 6 Cyl (S197)	2010	35101.140	1.3	1.5	4.10135	1.5	2.0	35101.310	35(t,a)	35101.312 35129.312	22 25(a)	35101.320 35131.320
Mustang Convertible, 3.7L V6	11-13	35125.140	1.0	1.0	4.12535	1.4	1.5	35125.310	36(t,a)	35125.312 35129.312	25 25(a)	35125.320 35129.320

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT	Complete Kit Front & Rear	PRO-KIT + PRO-DAMPER	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT	Axle Kit Incl. Left & Right	
Part #	Part #	Part #	Part #	Part #	
				Degrees of Adjustment	
3518.881				5.3510K(at)	Front + / - 2.75
3518.880	3514.840	3518.780	3518.680	5.81280K 5.3518K(at)	Front + / - 1.75 Front + / - 2.75
35100.880(bt) 35133.880(bt)	35101.840	35100.780(bo)	35100.680(bp) 35133.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
35101.880(bt) 35131.880(bt)	35101.840	35101.780(bo)	35101.680(bp) 35131.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
35125.880(bt) 35129.880(bt)	35125.840	35125.780(bo)	35125.680(bp) 35129.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
3510.880(bt)	3514.840	3510.780(bo)	3510.680(bp)	5.3510K(at)	Front + / - 2.75
3510.881(bt)	3514.840	3510.780(bo)	3517.680(bp)	5.81280K	Front + / - 1.75
35101.880(bt) 35131.880(bt)	35101.840	35101.780(bo)	35101.680(bp) 35131.680(bp)	5.3518K(at) 5.81260K 5.72345K 5.72045K	Front + / - 2.75 Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
35125.880(bt) 35129.880(bt)	35125.840	35125.780(bo)	35125.680(bp) 35129.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
35125.880(bt) 35129.880(bt)				5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
3510.880(bt)	3514.840	3510.780(bo)	3510.680(bp)	5.3510K(at)	Front + / - 2.75
3510.881(bt)	3514.840	3510.780(bo)	3517.680(bp)	5.3518K(at)	Front + / - 2.75
3590.880 3594.880				5.3518K(at)	Front + / - 2.75
3510.881(bt)	3514.840	3510.780(bo)	3517.680(bp)	5.3518K(at)	Front + / - 2.75
35115.880(bt) 35132.880(bt)	35101.840	35115.780(bo)	35115.680(bp) 35132.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
35128.880(bt) 35130.880(bt)	35101.840	35115.780(bo)	35128.680(bp) 35130.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
3531.880	3514.840	3531.780	3531.680	5.3518K(at)	Front + / - 2.75
3510.881(bt)	3514.840	3510.780(bo)	3517.680(bp)	5.3518K(at)	Front + / - 2.75
35100.880(bt) 35133.880(bt)	35101.840	35100.780(bo)	35100.680(bp) 35133.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
35101.880(bt) 35131.880(bt)	35101.840	35101.780(bo)	35101.680(bp) 35131.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
35125.880(bt) 35129.880(bt)	35125.840	35125.780(bo)	35125.680(bp) 35129.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar



MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>FORD (continued)</b>												
<b>Mustang Convertible - V8</b>												
Mustang Convertible, V8-5.0 (FOX)	83-93	3514.140	1.2	1.0				3510.310	36(t)	3510.312	25	3510.320
Mustang Convertible, V8-4.6 & 5.0 (Exc. IRS) (SN95)	94-04	3530.140	1.3	1.4				3518.310	35(t)	3510.312	25	3518.320
Mustang Convertible, V8 (S197)	05-10	35101.140	1.4	1.6	4.10135	1.6	2.3	35101.310	35(t,a)	35101.312 35129.312	22 25(a)	35101.320 35131.320
Mustang Convertible, 5.0L V8	11-13	35125.140	1.0	1.0	4.12535	1.4	1.5	35125.310	36(t,a)	35125.312 35129.312	25 25(a)	35125.320 35129.320
Mustang Cobra Convertible (Exc. IRS) (SN95)	94-98	3530.140	1.3	1.4				3518.310	35(t)	3510.312	25	3518.320
Mustang Cobra Convertible (w/IRS) (SN95)	99-02	3590.140	1.5	1.5				3518.310	35(t)	3590.312	29	3590.320
Mustang Cobra Convertible (w/IRS) (SN95)	03-04	3594.140	1.0	1.4				3518.310	35(t)	3590.312	29	3590.320
Shelby GT500, Conv., 5.4L V8 Supercharged (S197)	07-10	35115.140	1.2	1.8				35101.310	35(t,a)	35115.312 35129.312	24 25(a)	35115.320 35131.320
Shelby GT500, Convertible, 5.4L V8 Supercharged	2011	35128.140	I/D	I/D	4.12835	I/D	I/D	35125.310	36(t,a)	35125.312 35129.312	25 25(a)	35125.320 35129.320
Taurus SHO, 3.5L V6 EcoBoost, AWD	10-12	35124.140	0.8	1.2								
Taurus SE & SEL, 3.5L V6, FWD	10-12	35127.140	0.8	1.4								
Thunderbird, 6 Cyl (Exc. Super Coupe)	89-97	3522.140	1.2	1.0								
<b>HONDA</b>												
Accord, 2 & 4 door, 4 Cyl (Incl. Wagon)	90-97	4011.140	1.2	1.2	4.1140(x)	1.8	1.7					
Accord, 2 & 4-door, 4 Cyl (Incl. EX, DX & LX)	98-02	4040.140	1.5	1.5	4.4040	2.0	2.0	4040.310	27(t)	4040.312	23	4040.320
Accord, 2 & 4-door, 6 Cyl (Incl. EX, DX & LX)	98-02	4041.140	1.5	1.5				4040.310	27(t)	4040.312	23	4040.320
Accord, 2 & 4-door, 4 Cyl	03-07	4045.140	1.2	1.3	4.4540	1.9	1.4					
Accord, 2 & 4-door, 2.4L I4	08-12	4077.140	1.2	1.0	4.7740	1.5	1.4					
Accord, 2 & 4-door, V6 (Exc. Hybrid)	03-05	4044.140	1.3	1.2	4.4440	1.9	1.4					
Accord, 2-door, 3.5L V6	08-12	4076.140	1.2	1.0								
Accord, 4-door, 3.5L V6 (Exc. Hybrid)	08-12	4082.140	1.4	1.4								
Accord, 2.4L 4 Cyl.	2013	4090.140	I/D	I/D								
Accord, 3.5L V6	2013	4089.140	I/D	I/D								
Civic / CRX (Exc. Wagon)	88-91	4007.140	1.2	1.0								

Continued

1-800-222-8811

Footnotes - see page 74

<b>PRO-PLUS</b>	<b>PRO-DAMPER</b>	<b>PRO-SYSTEM</b>	<b>PRO-SYSTEM-PLUS</b>	<b>PRO-ALIGNMENT</b>	
<b>PRO-KIT + ANTI-ROLL-KIT</b>	<b>Complete Kit Front &amp; Rear</b>	<b>PRO-KIT + PRO-DAMPER</b>	<b>PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT</b>	<b>Axle Kit Incl. Left &amp; Right</b>	<b>Degrees of Adjustment</b>
<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	
3514.880	3514.840	3514.780	3514.680	5.3510K(at)	Front + / - 2.75
3530.880	3514.840	3530.780	3530.680	5.3518K(at)	Front + / - 2.75
35101.880(bt) 35131.880(bt)	35101.840	35101.780(bo)	35101.680(bp) 35131.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
35125.880(bt) 35129.880(bt)	35125.840	35125.780(bo)	35125.680(bp) 35129.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
3530.880	3514.840	3530.780	3530.680	5.3518K(at)	Front + / - 2.75
3590.880				5.3518K(at)	Front + / - 2.75
3594.880				5.3518K(at)	Front + / - 2.75
35115.880 35132.880	35101.840	35115.780	35115.680 35132.680	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
			35130.680(bp)	5.81260K 5.72345K 5.72045K	Front + / - 1.75 Rear Trailing Arms Rear Adj. Panhard bar
				5.67145K 5.67340K 5.67265K	Front + / - 1.50 Front +1.50 / +3.00 Rear +3.50 / -2.00
4040.880(bt)	4041.840	4040.780(bo)	4040.680(bp)	5.67125K 5.67320K 5.67090K	Front + / - 1.50 Front +1.50 / +3.00 Rear +4.00 / - 2.00 Control Arm
4041.880	4041.840	4041.780	4041.680	5.67125K 5.67320K 5.67090K	Front + / - 1.50 Front +1.50 / +3.00 Rear +4.00 / - 2.00 Control Arm
				5.67135K 5.67320K 5.67290K	Front + / - 1.50 Front +1.50 / +3.00 Rear Adj arm -2.00 / +4.00
				5.67135K 5.67330K 5.67540K	Front + / - 1.50 Front +1.50 / +3.00 Rear Adj. arm set + / -3.0
				5.67135K 5.67320K 5.67290K	Front + / - 1.50 Front +1.50 / +3.00 Rear Adj arm -2.00 / +4.00
				5.67135K 5.67330K 5.67540K	Front + / - 1.50 Front +1.50 / +3.00 Rear Adj. arm set + / -3.0
				5.67135K 5.67330K 5.67540K	Front + / - 1.50 Front +1.50 / +3.00 Rear Adj. arm set + / -3.0
				5.67125K 5.67320K 5.67030K 5.69200K(ap) 5.69460K 5.69250K	Front + / - 1.50 Front +1.50 / +3.00 Rear Arm +2.00 / - 5.00 Performance Control Arm Toe Adjuster Toe Adjuster

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	Part #
<b>HONDA (continued)</b>												
Civic, 2 & 4-door	92-95	4017.140	1.4	1.2	4.1740	1.6	1.6	4017.310(h)	26	4017.312(ch)	17	4017.321(h)(ch)
Civic, 2 & 4-door (Incl. EX, DX, HX, LX, & Hatchback Models)	96-00	4018.140	1.5	1.3	4.1740	1.8	1.8	4018.310(h)	26	4018.312(cg)	17	4018.320(h)
Civic, 2 & 4-door (Incl. EX, DX, HX, & LX Models) (Exc. Hybrid)	01-02	4051.140	1.0	1.0	4.5140	1.4	1.4	4051.310	26	4051.312(bh)	16(a)	4051.320(bh)
Civic, 2 & 4-door (Incl. EX, DX, HX, & LX Models) (Exc. Hybrid)	03-05	4051.140	1.0	1.0	4.5140	1.4	1.4	4051.310	26	4051.312(bh)	16(a)	4051.320(bh)
Civic, 2 & 4-door, 4 Cyl, 2WD (Incl. Hybrid) (FG2/FA5)	06-11	4031.140	1.0	1.2	4.3140(br)	1.4	1.4	4031.310(br)	30	4031.312(bd)(br)	19(a)	4031.320(bd)(br)
Civic Si	99-00	4018.140	1.5	1.1	4.1740	1.6	1.6			4018.312	17	
Civic Si	02-05	4056.140	1.0	1.1	4.5640	1.4	1.5					
Civic Si, Coupe, 2.0L 4 Cyl. (FG2)	06-11	4031.140	1.0	1.2	4.3140	1.4	1.4	4031.310	30	4031.312	19(a)	4031.320
Civic Si Sedan, 2.0L 4 Cyl. (FA5)	07-11	4031.140	1.2	1.0	4.3140	1.4	1.4	4031.310	30	4031.312	19(a)	4031.320
<b>NEW</b> Civic, Coupe, 4 Cyl.	12-13	4087.140	1.2	1.0	4.8740	I/D	I/D	4087.310	24	4031.312	19(a)	4087.320
<b>NEW</b> Civic, Sedan, 4 Cyl., Exc. Hybrid	12-13	4087.140	1.0	0.7	4.8740	I/D	I/D	4087.310	24	4031.312	19(a)	4087.320
<b>NEW</b> Civic Si, Coupe, 2.4L 4 Cyl	12-13	4088.140	1.2	1.2	4.8840	1.8	1.5	4087.310	24	4031.312	19(a)	4087.320
<b>NEW</b> Civic Si, Sedan, 2.4L 4 Cyl	12-13	4088.140	1.2	1.2	4.8840	1.8	1.5	4087.310	24	4031.312	19(a)	4087.320
CR-Z	11-12	4085.140	1.0	1.0								
Del Sol (Exc. DOHC V-Tec)	93-97	4017.140	1.2	1.2	4.1740	1.8	1.8	4017.310(h)	26	4017.312(ch)	17	4017.321(h)(ch)
Element, (2WD/AWD)	03-06	4063.540	1.7	1.7								
Element, (2WD/AWD), 2.4L I4	07-11	4075.540	1.5	2.0								
Element SC, (2WD/AWD), 2.4L I4	07-11	4075.540	1.0	1.5								
Fit, 4 Cyl, (Incl. Sport)	09-13	4081.140	1.2	1.4								
Insight	10-13	4083.140	1.0	1.0								
Prelude, (Exc. SH Option)	97-02	4035.140	1.3	1.3								
S2000	00-09	4043.140(bn)	1.0	1.0				4043.310	32(t,a)	4043.312	29(t,a)	4043.320

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT	Complete Kit Front & Rear	PRO-KIT + PRO-DAMPER	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT	Axle Kit Incl. Left & Right	
Part #	Part #	Part #	Part #	Part #	
				Degrees of Adjustment	
4017.880(bt)(h)(ch)	4017.840	4017.780(bo)	4017.680(h)(bp)	5.67135K 5.67330K 5.67030K 5.69200K(ap) 5.69250K 5.69450K	Front + / - 1.50 Front +1.50 / +3.00 Rear Arm +2.00 / - 5.00 Performance Control Arm Rear Toe Adjuster Rear Toe Adjuster
4018.880(bt)(h)(cg)	4018.840	4018.780(bo)	4018.680(h)(bp)	5.67135K 5.67330K 5.62010K  5.62010K 5.67030K 5.69450K 5.69100K	Front -1.50 / +1.50 Front +1.50 / +3.00 Front -0.50 / +3.50 (Control Arm w/ Ball Joint) Front +3.50 / -2.50 Rear Arm +2.00 / - 5.00 Rear Toe Adjuster Performance Control Arm
4051.880(bh)				5.81260K 5.67230K	Front + / - 1.75 Rear Upper Arm +6.00 / -4.00
4051.880(bh)				5.81280K 5.67230K	Front + / - 1.75 Rear Upper Arm +6.00 / -4.00
4031.880(bd)(br)(bt)				5.81260K 5.67470K	Front + / - 1.75 Rear + / - 3.00
	4018.840	4018.780(bo)		5.62010K 5.62010K 5.67030K 5.81280K 5.67230K	Front -0.50 / +3.50 (Control Arm w/Ball Joint) Front +3.50 / -2.50 Rear Arm +2.00 / - 5.00 Front + / - 1.75 Rear Upper Arm +6.00 / -4.00
4031.880(bt)				5.81280K 5.67470K	Front + / - 1.75 Rear + / - 3.00
4031.880(bt)				5.81280K 5.67470K	Front + / - 1.75 Rear + / - 3.00
4087.880(bt)				5.81280K 5.67470K	Front + / - 1.75 Rear + / - 3.00
4087.880(bt)				5.81280K 5.67470K	Front + / - 1.75 Rear + / - 3.00
4088.880(bt)				5.81280K 5.67470K	Front + / - 1.75 Rear + / - 3.00
4088.880(bt)				5.81280K 5.67470K	Front + / - 1.75 Rear + / - 3.00
4017.880(bt)(h)(ch)	4017.840	4017.780(bo)	4017.680(h)(bp)	5.81260K 5.67135K 5.67330K 5.67030K 5.69200K(ap) 5.69250K 5.69450K 5.67430K  5.69400K 5.81280K 5.67430K 5.81280K 5.67430K 5.81260K	Front + / - 1.75 Front + / - 1.50 Front +1.50 / +3.00 Rear Arm +2.00 / - 5.00 Performance Control Arm Toe Adjuster Rear Toe Adjuster Rear Arm-4.00/+6.00  Performance Control Arm Front + / - 1.75 Rear Arm-4.00/+6.00 Front + / - 1.75 Rear Arm-4.00/+6.00 Front +/- 1.75
				5.67155K 5.67350K 5.67165K 5.67360K	Front + / - 1.50 Front +1.50 / +3.00 Rear + / - 1.50 Rear +1.50 / +3.00
4043.880				5.67220K 5.67220K(cf)	Front +1.50 / -1.50 Rear +1.50 / -1.50

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	Part #
<b>HYUNDAI</b>												
Genesis Coupe, 2.0L 4Cyl. Turbo (Incl. R-Spec & Track)	09-12	4244.140	1.2	1.3	4.4442	1.4	1.6	4244.310	29(t,a)	4244.312	22(t,a)	4244.320
Genesis Coupe, 3.8L V6 (Incl. R-Spec & Track)	09-12	4244.140	1.0	1.2	4.4442	1.4	1.6	4244.310	29(t,a)	4244.312	22(t,a)	4244.320
Sonata, 2.4L 4 Cyl & 3.3L V6 (NF)	06-10	4240.140	1.2	1.2								
NEW Sonata, 2.4L 4 Cyl. (YF)	11-13	4246.140	1.0	0.8								
Tiburon, 4 Cyl & 6 Cyl	03-08	4220.140	1.1	1.1	4.2042	1.6	1.6					
Tucson, 4 Cyl & 6 Cyl	05-08	4239.540	1.4	1.0								
NEW Veloster, 1.6L 4 Cyl	12-13	4247.140	1.2	1.2								
<b>INFINITI</b>												
FX35, 2WD / AWD (S50)	03-08	6366.540	1.2	1.2								
FX35, 2WD / AWD (S51)	09-12	63101.540	1.0	1.0								
FX45, 2WD / AWD (S50)	03-08	6366.540	1.2	1.2								
NEW FX50, 2WD / AWD (S51)	09-12	63102.540	I/D	I/D								
G20, 4 Cyl	06/98-01	6336.140	1.2	1.2								
NEW G25, Sedan	11-13	6390.140	1.4	1.4								
G35, 4-door (V35)	02-06	6363.140	1.1	1.1				6364.310	34(t,a)	6364.312	22(t,a)	6364.320
G35, Coupe, 3.5L V6 (V35)	03-07	6365.140	1.1	1.0	4.6563	1.6	1.4	6364.310	34(t,a)	6364.312	22(t,a)	6364.320
G35, Sedan, 3.5L V6 (Incl. "S", Exc. AWD) (V36)	07-08	6383.140	1.4	1.3				6393.310	32(t,a)	6393.312	29(t,a)	6393.320
G35x, Sedan, 3.5L V6 AWD (V36)	07-08	6399.140	1.4	1.2								
G37, Coupe, 3.7L V6 (Incl. "S" & Active Steer. Exc. AWD) (V36)	08-13	6388.140	1.2	0.8				6393.310	32(t,a)	6393.312	29(t,a)	6393.320
G37x, Coupe, 3.7L V6 AWD (V36)	09-13	6394.140	1.9	1.6								
NEW G37 Coupe IPL	11-13	63105.140	1.2	0.5								
G37, Sedan, 3.7L V6 (Incl. "S", Exc. AWD) (V36)	09-13	6390.140	1.5	1.2				6393.310	32(t,a)	6393.312	29(t,a)	6393.320
I30, 6 Cyl	95-99	6334.140	1.5	1.3								
I30, 6 Cyl	00-01	6350.140	1.3	1.0								
I35, 6 Cyl	02-04	6350.140	1.3	1.0								
M35, 3.5L V6, RWD (Exc. AWD) (Y50)	06-10	6376.140	1.6	1.0								
M45, 4.5L V8 (Y50)	06-10	6376.140	1.6	1.0								
M37, 3.7L V6 (Y51)	10-12	6398.140	1.2	0.8								
NEW M56, 5.6L V8 (Y51)	10-12	6397.140	I/D	I/D								
<b>JAGUAR</b>												
X-Type, 6 Cyl (W/O Cats)	02-05	4512.140	1.4	1.4								
XF, 4.2L V8	08-10	4513.140	1.2	1.0								



MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>JEEP</b>												
Grand Cherokee, 2WD / 4WD, 6 Cyl & 8 Cyl	99-04	2837.540	1.0	1.3				2837.310	34(a)	2837.312	18(a)	2837.320
Grand Cherokee, 2WD / 4WD, 8 Cyl (Exc. SRT8) (WK)	05-10	2839.540	1.2	1.2								
Grand Cherokee, 2WD / 4WD V6 (Exc. SRT8)	11-13	28108.540	1.0	2.0								
Grand Cherokee, 2WD / 4WD V8 (Exc. SRT8)	11-13	28108.540	1.6	1.8								
Grand Cherokee, SRT-8, 6.1L V8 HEMI	06-10	2892.540	1.0	1.1								
NEW Grand Cherokee, SRT-8, 6.4L V8 HEMI Liberty (KJ)	12-13 9/01-07	28109.540 2869.540	0.8 1.2	1.1 1.2								
<b>KIA</b>												
Forte Koup, 4 Cyl 2-door	10-13	4617.140	1.2	1.0								
Forte, Sedan, 4 Cyl 4-door	10-13	4617.140	1.2	1.2								
NEW Optima, Sedan (TF)	11-13	4619.140	1.2	0.8								
Rio, 4-door	08/00-05	4610.140	1.2	1.2								
Soul, 4 Cyl.	09-13	4616.140	1.0	1.0								
Sportage V6	05-09	4614.540	1.2	1.2								
<b>LEXUS</b>												
NEW CT200h	11-13	82107.140	1.0	1.0								
GS 300 (JZS1)	98-05	8255.140	1.0	1.0								
GS 300/350, V6 (Exc. AWD)	06-11	8285.140	1.3	1.2								
GS 400 (UZS1)	98-00	8255.140	1.0	1.0								
GS 430 (UZS1)	01-05	8255.140	1.2	1.2								
GS 430, V8, 2WD	06-08	8285.140	1.5	1.0								
IS 250, 2.5L V6, 2WD	06-13	8288.140	1.4	1.0								
IS 300, (Incl. Sport Cross) (JCE1)	01-05	8260.140	1.0	1.0	4.6082	1.4	1.4	8260.310	28	8260.312	17(a)	8260.320
IS 350, 3.5L V6, 2WD	06-13	8287.140	1.0	0.8								
IS-F, 5.0L V8	08-11	8289.140	0.7	0.3								
RX 330 / 350 / 400h	6/03-08	8282.540	1.2	1.2								
<b>LINCOLN</b>												
LS, V8 & V6	00-06	3592.140	1.0	1.1								
MKX, 3.5L V6 (FWD/AWD) (U388)	07-11	35117.540	1.7	1.3								
NEW MKX, 3.7L V6 (FWD/AWD)	2012	35117.540	1.3	1.0								
Zephyr (Exc. AWD)	2006	35107.140	1.6	1.6								
<b>MAZDA</b>												
2 (DE)	11-13	5555.140	1.2	1.2								
3, (Incl. 5-door)	04-09	5545.140	1.4	1.2	4.4555	1.8	1.6					
3, 4 Cyl. (Incl. 5-door)	10-11	5553.140	1.2	1.1	4.5355	2.0	2.0					
NEW 3, 4 Cyl. (Incl. 5-door)	12-13	5553.140	1.2	1.2	4.5355	2.2	2.0					
Mazdaspeed3, 2.3L 4Cyl. Turbo	07-09	5549.140	0.8	0.7								
Mazdaspeed3, 2.3L 4Cyl. Turbo	10-12	5554.140	1.0	0.6								
6, 4 Cyl	03-08	5542.140	1.5	1.4								
6, 2.5L 4 Cyl.	09-13	5550.140	1.2	1.2								
6, V6, 2WD	03-08	5543.140	1.5	1.4								
6, 3.7L V6, 2WD	09-13	5551.140	1.2	1.4								
6, Wagon, 4 Cyl	03-07	5547.140	1.6	1.6								
6, Wagon, 6 Cyl	03-07	5548.140	1.6	1.6								
Mazdaspeed6, 4 Cyl Turbo, AWD	06-07	5543.140	1.5	1.4								

Continued

1-800-222-8811

Footnotes - see page 74





MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	Part #
<b>MAZDA (continued)</b>												
Miata	90-93	5515.140	1.0	1.0				5517.310	24(a)	5517.312	15(a)	5517.320(aa)
Miata	94-98	5515.140	1.0	1.0				5515.310	24(a)	5517.312	15(a)	5515.320(ab)
Miata	99-05	5535.140	1.3	1.3				5530.310	27	5517.312	15(a)	5530.320
Miata / MX-5	06-13	5536.140	1.5	1.3				5536.310	25(t)	5536.312	16(t,a)	5536.320
Protegé	99-04	5540.140	1.4	1.8								
Protegé 5	01-04	5541.140	1.4	1.2								
RX-8	03-11	5544.140	1.2	0.8								
<b>MERCEDES</b>												
B200, (Incl. Turbo) (W245)	05-08	2574.140	1.2	1.2								
C220 (Exc. S/Lev) (W202)	01/96-00	2544.140	1.7(v)	1.8(v)								
C220 / C230 (Exc. Kompressor & S/Lev) (W202)	96-00	2544.140	1.7(v)	1.8(v)								
NEW C230K (Incl. Sport & Kompressor; Exc. S/Lev) (W202)	96-00	2545.140	1.7(v)	1.8(v)								
C230 / C230K, Sedan (W203)	00-07	2582.140	1.2(v)	1.2(v)								
C240 / C320 / C350, Sedan, Exc. AWD & S/Lev (W203)	06/00-07	2563.140	1.2(v)	1.2(v)								
C280 (W202)	01/96-05/00	2545.140	1.2(v)	1.2(v)								
C300 / C350, Sedan, Exc. AWD & S/Lev (W204)	07-12	2578.140	1.2(v)	1.2(v)				2578.310	28	2578.312	21	2578.320
C36, 6 Cyl (W202)	01/96-05/00	2545.140	1.2(v)	1.2(v)								
C-Class, Sports Coupe, 4 Cyl (W203)	02-04	2564.140	1.2(v)	1.2(v)								
CLK230, (Exc. Kompressor & Cabrio) (W208)	06/97-02	2544.140	1.7(v)	1.9(v)								
CLK320 / CLK430, (Exc. Cabrio) (W208)	06/97-02	2545.140	1.2(v)	1.2(v)								
CLK320 / CLK430 / CLK500, 6 Cyl & 8 Cyl (Incl. Cabrio) (W209)	06/02-08	2563.140	1.2(v)	1.2(v)								
CLK350, V6 (Incl. Cabrio) (W209)	06-08	2563.140	1.2(v)	1.2(v)								
E300D / E320 / E430, (Exc. S/Lev, 4-Matic & Wagon) (W210)	11/97-02	2557.140	1.2(v)	1.2(v)								
E320 & E320 CDI Sedan (Exc. S/Lev, 4-Matic & Wagon) (W211)	03-05	2566.140	1.4(v)	1.2(v)				2566.310(cc)	34	2566.312(cc)	21	2566.320(cc)
E320 / E420, (Exc. S/Lev, 4-Matic & Wagon) (W210)	06/95-10/97	2540.140	1.4(v)	1.6(v)								
E350, V6 (Exc. S/Lev, 4-Matic & Wagon) (W211)	06-09	2577.140	1.2(v)	1.2(v)								
E350, Coupe 3.5L V6 (Exc. AWD & Agility Control Package) (C207)	10-13	2578.140	1.2(v)	1.2(v)								
NEW E350 Coupe	12-13	2584.140	I/D	I/D								
E350, Cabriolet 3.5L V6 (Exc. AWD & Agility Control Package) (A207)	11-13	2578.140	1.2(v)	1.2(v)								
E350, Sedan 3.5L V6 (Exc. 4-Matic & S/Lev) (W212)	10-13	2581.140	1.2(v)	1.2(v)								
ML320 / ML430, (Rear Springs Only) (W163)	10/97-05	2558.120(k)	adj.	1.4								
ML350 / ML500 (W164)	06-11	2573.540	1.4	1.4								
SLK200 / SLK230K / SLK320 (R170)	09/96-04	2552.140	1.2(v)	1.2(v)								
<b>MERCURY</b>												
Capri, 4 Cyl (Incl. Turbo)	79-89	3518.140	1.2	1.0								
Capri, V8	79-86	3510.140	1.2	1.0	4.1035	1.7	1.5	3510.310	36	3510.312	25	3510.320
Drag Launch Kit		9310.140										
Cougar, 6 Cyl (Exc. Supercharged model)	89-97	3522.140	1.2	1.0								
Milan, I4 & V6 (Exc. AWD)	06-10	35107.140	1.0	1.2								
<b>MINI</b>												
Clubman, Incl. "S" & "JCW" model	08-13	5706.140	1.1	0.9				5705.310	26	5705.312	20(a)	5705.320

Continued

1-800-222-8811

Footnotes - see page 74



MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT					
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear	
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	Part #	
<b>MINI (continued)</b>													
Cooper, (Exc. "S" model)	06/01-02/02								5701.310	26	5701.312	19(a)	5701.320
Cooper, 1.6L (Incl. "S" model)	03/02-06								5701.310	26	5701.312	19(a)	5701.320
Cooper Convertible 1.6L (Incl. "S" model)	05-06								5701.310	26	5701.312	19(a)	5701.320
Cooper, Inc. "S" & "JCW" model	07-13	5705.140	1.2	1.2					5705.310	26	5705.312	20(a)	5705.320
Cooper Convertible, S	09-13	5706.140	1.2	0.8					5705.310	26	5705.312	20(a)	5705.320
<b>MITSUBISHI</b>													
3000 GT, Base model, 2WD (Exc. '95> w/ electric sunroof)	91-99	2813.140	1.5	1.3									
Eclipse, 2WD (Incl. Turbo)	89-94				4.1060	1.5	1.4						
Eclipse, 2WD (Incl. GS, GS-T, RS & Turbo; Exc. Spyder GS-T)	95-99	6014.140	1.2	1.2									
Eclipse GSX, AWD (Exc. Spyder GS-T)	95-99	6015.140	1.3	1.3									
Eclipse Spyder GS, 2WD (Exc. AWD & Spyder GS-T)	96-99	6015.140	1.6	1.6									
Eclipse, 2WD, V6 (Incl. GT, GTS, GT & GTS Spyder)	00-05	6035.140	1.6	1.4	4.3560	2.0	2.0						
Eclipse, 4 Cyl (Exc. Spyder)	06-10	6036.140	1.2	1.4				6036.310	25(s,a)	6036.312	25(t,a)	6036.320	
Eclipse, 4 Cyl (Exc. Spyder)	11-12	6036.140	0.7	0.9				6036.310	25(s,a)	6036.312	25(t,a)	6036.320	
Eclipse (Incl. GT & SE) 6 Cyl (Exc. Spyder)	06-10	6036.140	1.4	1.5				6036.310	25(s,a)	6036.312	25(t,a)	6036.320	
Eclipse (Incl. GT & SE) 6 Cyl (Exc. Spyder)	11-12	6036.140	0.9	1.0				6036.310	25(s,a)	6036.312	25(t,a)	6036.320	
EVO VIII	03-05	6041.140	1.0	1.0									
EVO IX, 2.0 Turbo (Incl. GSR, RS & MR)	06-07	6041.140	1.0	1.0									
EVO X, 2.0 Turbo (Incl. GSR)	08-13	6049.140	1.2	1.0				6049.310	29(t,a)	6049.312	25(t,a)	6049.320	
EVO X, MR, 2.0 Turbo (Incl. SE)	08-13	6049.140	1.6	1.0				6049.310	29(t,a)	6049.312	25(t,a)	6049.320	
Lancer 2.0L I4 & 2.4L I4 (Incl. DE, ES& GTS)	08-13	6048.140	1.2	0.8	4.4860	1.7	1.2						
Lancer Ralliart 2.0L I4 Turbo (Incl. Sportback)	09-12	6050.140	1.2	1.2	4.5060	1.7	1.6						
Lancer Sportback 2.0L I4 & 2.4L I4	09-13	6048.140	1.2	1.0	4.4860	1.7	1.4						
<b>NISSAN</b>													
200SX, (Incl. SE & SE-R)	95-98				4.3563	1.9	1.9						
240SX (Exc. Convertible)	88-94				4.1063	2.2	2.1						
300ZX, (Incl. Convertible & 2+2, Exc. Turbo)	90-96	6319.140	0.8	0.8									
300ZX, Turbo	90-96	6320.140	0.8	0.8									
350Z, 3.5L (Z33)	03-08	6364.140	1.0	1.0	4.6463	1.2	1.2	6364.310	34(t,a)	6364.312	22(t,a)	6364.320	
350Z Roadster, Convertible (Z33)	03-08	6364.140	1.0	1.0				6364.310	34(t,a)	6364.312	22(t,a)	6364.320	
370Z, 3.7L V6 Coupe (Z34)	09-13	6393.140	0.9	0.8				6393.310	32(t,a)	6393.312	29(t,a)	6393.320	
370Z, 3.7L V6 Convertible (Z34)	10-13	6393.140	1.2	1.2				6393.310	32(t,a)	6393.312	29(t,a)	6393.320	
370Z, 3.7L V6 Nismo Coupe (Z34)	10-13	63103.140	1.0	0.5				6393.310	32(t,a)	6393.312	29(t,a)	6393.320	

Continued

1-800-222-8811

Footnotes - see page 74

<b>PRO-PLUS</b>	<b>PRO-DAMPER</b>	<b>PRO-SYSTEM</b>	<b>PRO-SYSTEM-PLUS</b>	<b>PRO-ALIGNMENT</b>	
<b>PRO-KIT + ANTI-ROLL-KIT</b>	<b>Complete Kit Front &amp; Rear</b>	<b>PRO-KIT + PRO-DAMPER</b>	<b>PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT</b>	<b>Axle Kit Incl. Left &amp; Right</b>	<b>Degrees of Adjustment</b>
<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	
				5.67620K	Front + / - 2.00
				5.67610K	Rear Arm + / - 4.00
				5.67620K	Front + / - 2.00
				5.67610K	Rear Arm + / - 4.00
5705.880				5.67630K	Front + / - 2.00
				5.67610K	Rear Arm + / - 4.00
5706.880					
				5.81250K	Front + / - 1.75
				5.81250K	Front + / - 1.75
				5.67170K	Front + / - 1.50
				5.73620K	Rear +3.00 / - 0.75
				5.67170K	Front + / - 1.50
				5.73620K	Rear +3.00 / - 0.75
				5.67170K	Front + / - 1.50
				5.73620K	Rear +3.00 / - 0.75
				5.81280K	Front + / - 1.75
				5.73620K	Rear +3.00 / - 0.75
6036.880				5.81280K	Front + / - 1.75
6036.880				5.81280K	Front + / - 1.75
6036.880				5.81280K	Front + / - 1.75
6036.880				5.81280K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
6049.880				5.81260K	Front + / - 1.75
6049.880				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81250K	Front + / - 1.75
				5.81250K	Front + / - 1.75
				5.67710K	Front Camber -1.00 to + 3.00
				5.67720K	Front Caster + / - 1.50
				5.67765K	Rear Camber + / - 3.00
				5.67740K	Rear Toe + / - 2.00
6364.880 (bt)				5.72125K	Front +3.50 to -1.50
				5.72055K	Rear + / - 3.00
				5.72050K	Rear Arm+ / - 4.00
6364.880				5.72125K	Front +3.50 to -1.50
				5.72055K	Rear + / - 3.00
				5.72050K	Rear Arm+ / - 4.00
6393.880				5.72130K	Front + / - 2.50
				5.72260K	Rear + / - 4.00
				5.72265K	Rear + / - 3.00
6393.880				5.72130K	Front + / - 2.50
				5.72260K	Rear + / - 4.00
				5.72265K	Rear + / - 3.00
63103.880				5.72130K	Front + / - 2.50
				5.72260K	Rear + / - 4.00
				5.72265K	Rear + / - 3.00

Footnotes - see page 74

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	Part #
<b>NISSAN (continued)</b>												
Altima, 4 Cyl	02-06	6361.140	1.3	1.3								
Altima, 6 Cyl	02-06	6360.140	1.0	1.0								
Altima Sedan, 2.5L I4	07-12	6382.140	1.4	0.8								
Altima Sedan, 3.5L V6	07-12	6381.140	1.4	1.2								
Altima Coupe, 2.5L I4	08-12	6386.140	1.4	1.0								
Altima Coupe, 3.5L V6	08-12	6385.140	1.4	1.0								
Cube, 1.8L 4 Cyl.	09-13	6395.140	1.3	1.0	4.9563	1.8	1.5					
GT-R, 3.8L V6 Twin Turbo	09-13	6389.140	0.8	0.5				6389.310	35(t,a)	6389.312	16(t,a)	6389.320
NEW Juke, 1.6L 4 Cyl. Turbo (Exc. AWD) (F15)	11-13	63104.540	1.2	1.2								
NEW Juke, F15, 1.6L 4 Cyl. Turbo, AWD	11-13	63106.540	1.4	1.1								
Maxima	95-99	6334.140	1.5	1.3								
Maxima	00-03	6350.140	1.3	1.0								
Maxima	04-06	6369.140	2.0	0.8								
Maxima, 3.5L V6, (Incl. CVT)	07-08	6369.140	2.0	0.8								
Maxima, 3.5L V6, (Incl. CVT)	09-12	6392.140	1.3	1.4								
Sentra, (Incl. SE, SE-R & GXE)	95-99				4.3563	1.9	1.9					
Sentra, SER Spec V, 4 Cyl	02-06	6362.140	1.2	1.0				6362.310	25	6362.312	19(a)	6362.320
Versa, 1.8L 4 Cyl	07-11	6379.140	1.4	1.3								
<b>OLDSMOBILE</b>												
Cutlass & 442, RWD, V8, Small Block (A-Body)	64-66	3855.140	1.0	1.0								
Cutlass & 442, RWD, V8, Small Block (A-Body)	68-72	3856.140	1.3	1.3								
Cutlass, RWD, 6 Cyl & 8 Cyl (G-Body)	78-88	3803.140	1.0	0.8								
Intrigue, 6 Cyl (W-Body)	97-02	3865.140	1.0	1.0								
<b>PLYMOUTH</b>												
Laser, 2WD (Incl. Turbo, Exc. AWD) (G)	89-94				4.1060	1.5	1.4					
Neon, 2 & 4-door (Incl. R/T & ACR Models)	95-99				4.1528	1.6	1.6					
Neon, 4-door (Incl. R/T & ACR Models)	00-01	2820.140	1.5	1.5	4.2028	2.0	2.4	2820.310	24	2820.312(bk)	22(a)	2820.320(bk)
Voyager, 4 Cyl & 6 Cyl(Exc. Grand Voyager, AWD & S/Lev)	96-00	2825.130(d)	1.7	1.3								
<b>PONTIAC</b>												
Fiero, 4 Cyl & 6 Cyl (Incl. GT)	84-87	3802.140	0.8	0.8								
<b>Firebird - V6</b>												
Firebird, V6 (Incl. Convertible) (F-Body)	93-97							3831.310	35(t)	3831.312	25(t)	3831.320
Firebird, V6 (Incl. Convertible) (F-Body)	98-03	3870.240	1.4	1.4				3831.310	35(t)	3831.312	25(t)	3831.320
<b>Firebird - V8</b>												
Firebird, V8, Small Block (F-Body)	67-69	3848.120(z)	1.0	n/a								
Firebird, V8, Small Block (F-Body)	70-81	3852.120(z)	1.0	n/a								
Firebird, V8 (Incl. Trans AM & Convertible) (F-Body)	82-92	3801.140	1.0	1.0	4.0138(c)	1.6	1.3					
Firebird, V8 (Incl. Trans AM & Convertible) (F-Body)	93-97	3831.140	1.3	1.3	4.3138(c)	1.8	1.8	3831.310	35(t)	3831.312	25(t)	3831.320
Firebird, V8 (Incl. Trans AM & Convertible) (F-Body)	98-03	3870.140	1.2	1.2	4.7038(c)	1.6	1.4	3831.310	35(t)	3831.312	25(t)	3831.320

Continued

1-800-222-8811

Footnotes - see page 74

<b>PRO-PLUS</b>	<b>PRO-DAMPER</b>	<b>PRO-SYSTEM</b>	<b>PRO-SYSTEM-PLUS</b>	<b>PRO-ALIGNMENT</b>	
<b>PRO-KIT + ANTI-ROLL-KIT</b>	<b>Complete Kit Front &amp; Rear</b>	<b>PRO-KIT + PRO-DAMPER</b>	<b>PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT</b>	<b>Axle Kit Incl. Left &amp; Right</b>	
<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	<b>Part #</b>	
				<b>Degrees of Adjustment</b>	
				5.81260K	Front + / - 1.75
				5.72055K	Rear + / - 3.00
				5.72050K	Rear Arm+ / - 4.00
				5.81260K	Front + / - 1.75
				5.72055K	Rear + / - 3.00
				5.72050K	Rear Arm+ / - 4.00
				5.81260K	Front + / - 1.75
				5.72055K	Rear + / - 3.00
				5.81260K	Front + / - 1.75
				5.72055K	Rear + / - 3.00
				5.81260K	Front + / - 1.75
				5.72055K	Rear + / - 3.00
				5.81260K	Front + / - 1.75
6389.880				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81250K	Front + / - 1.75
6362.880				5.81250K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81260K	Rear + / - 1.75
				5.81260K	Front + / - 1.75
				5.81250K	Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81250K(ar)	Rear + / - 1.75
2820.880(bk)(bt)				5.81260K	Front + / - 1.75
				5.81250K(ar)	Rear + / - 1.75
				5.67210K	Rear Toe/Camber Arm + / - 3.50
				5.81260K	Front + / - 1.75
3870.881					
3831.880(bt)					
3870.880(bt)					

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>PONTIAC (continued)</b>												
Grand Am, 4 Cyl & 6 Cyl (N-Body)	99-05	3875.140	1.2	1.3								
Grand Prix, 6 Cyl (Incl. GTP-Supercharged) (W-body)	97-03	3865.140	1.0	1.0								
GTO, V8, Small Block (A-Body)	64-67	3855.140	1.3	1.3								
GTO, V8, Small Block (A-Body)	68-72	3856.140	1.3	1.3								
GTO	04-07	3897.140	1.0	0.8								
G5, 2-door, Incl. GT	07-09	3899.140	1.0	1.3								
G6, 2 & 4-door, V6, (Exc. Convertible)	05-09	38103.140	1.5	1.7								
G8, 3.6L V6	08-09	38137.140	1.0	1.0								
G8, 6.0L V8	08-09	38137.140	1.0	1.0								
Le Mans, V8, Small Block (A-Body)	64-67	3855.140	1.3	1.3								
Le Mans, V8, Small Block (A-Body)	68-72	3856.140	1.3	1.3								
Sunfire, 2 & 4-door, 4 Cyl (Incl. SE, GT & Convertible) (J-Body)	95-04	3860.140	1.4	1.4								
Tempest, V8, Small Block (A-Body)	64-67	3855.140	1.3	1.3								
Tempest, V8, Small Block (A-Body)	68-72	3856.140	1.3	1.3								
Vibe, 4 Cyl	03-08	8272.140	1.2	1.2								
<b>PORSCHE</b>												
911/964, Coupe, Cabrio & Targa (2WD/ AWD, Exc. Turbo) (964)	89-94	7201.140	1.3	1.0								
911/993, Coupe, Cabrio & Targa (2WD/ AWD, Exc. Turbo) (993)	95-98	7208.140	1.3	1.0								
911/996, C2 Coupe & Cabrio (2WD, Exc. Turbo) (996)	98-04	7213.140	1.0	1.0				7212.310	24	7213.312	22(t,a)	7213.320
911/996, C4 Coupe (AWD, Exc. Turbo) (996)	98-04	7214.140	1.0	1.0				7214.310	24(a)	7213.312	19(a)	7214.320
911/996, C4 Turbo Coupe (AWD) (996)	99-04	7214.140	1.0	1.0				7214.310	24(a)	7215.312	24(a)	7215.320
911/997, C2 Coupe (Incl.S, PASM) (997)	05-11	7217.140	1.2	1.2								
911/997, C2 Cabriolet (Incl. S, PASM) (997)	05-11	7217.140	1.2	1.2								
911/997, C4 Coupe (997)	05-11	7222.140	0.8	0.8								
911/997, 3.6L 6Cyl. Turbo (Incl. PASM & AWD; Exc. Convertible) (997)	06-11	7220.140	0.8	0.8				7217.310	25(t,a)	7217.312	22(t,a)	7217.320
Boxster,(Incl. Boxster S) (986)	97-04							7212.310	24	7212.312	22(t,a)	7212.320
Cayenne, (W/O Height adjustable Susp.)	03-06	7216.540	1.4	1.4								
Cayman S, 3.4L 6 Cyl (Incl. PASM)	06-12	7219.140(bu)	1.2	1.2								
NEW 911/991, 991, 3.4L	12-13	7223.140	0.8	0.5								
NEW 911/991, S, 991, 3.8L	12-13	7223.140	0.8	0.5								
<b>SAAB</b>												
9-3, 4 Cyl Turbo (Incl. Convertible, Coupe, Sedan, Viggen & SE) (YS3D)	02/98-02	7807.140	1.2	1.2								
9-3, Sedan (YS3F)	03-05	7809.140	1.2	1.2								
9-5, Sedan, 4 Cyl & 6 Cyl (YS3E)	03/98-08/01	7806.140	1.2	1.2								
<b>SATURN</b>												
Astra, 1.8L 4Cyl	08-09	38139.140	1.0	1.0								
Aura Sedan V6	07-09	38103.140	1.3	1.7								
<b>ION</b>												
SKY, 2.4L 4 Cyl	07-09	38111.140	1.2	1.2	4.11138	1.6	1.6					
<b>SCION</b>												
NEW FR-S	2013	82105.140	1.0	1.0	4.10582	1.4	1.4	82105.310	25(a)	82105.312	19(a)	82105.320
tC (ANT10)	05-10	8284.140	1.2	1.2	4.8482	2.0	2.0					
tC, 2.5L 4 Cyl. (AGT20)	11-12	82101.140	1.0	1.0	4.10182	1.3	1.7					
xA (NCP61)	04-06				4.8182	2.0	2.0					

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT Part #	Complete Kit Front & Rear Part #	PRO-KIT + PRO-DAMPER Part #	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT Part #	Axle Kit Incl. Left & Right Part #	
				Degrees of Adjustment	
				5.81250K 5.81250K	Front + / - 1.75 Rear + / - 1.75
				5.81260K 5.81260K	Front + / - 1.75 Rear + / - 1.75
				5.81260K 5.81250K 5.81250K 5.81260K 5.81260K	Front + / - 1.75 Front + / - 1.75 Front + / - 1.75 Front + / - 1.75 Front + / - 1.75
				5.81260K	Front + / - 1.75
				5.81290K	Front + / - 1.75
7213.880					
7214.880					
7214.880					
7220.880					
				5.81250K 5.81250K	Front + / - 1.75 Front + / - 1.75
				5.81250K	Front + / - 1.75
82105.880 (bt)				5.81290K 5.67485K	Front + / - 1.75 Rear + 2.00
				5.81260K 5.75800K	Front + / - 1.75 Rear + / - 1.50

Footnotes - see page 74



MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>SCION (continued)</b>												
xB (NCP31)	04-06				4.8182	2.0	2.0					
xB (AZE151)	08-12	8290.140	1.0	1.2	4.9082	1.2	2.2					
xD (ZSP110)	08-12	8293.140	1.2	1.0	4.9382	1.7	1.4					
<b>SMART</b>												
SMART Fortwo	05-07	2572.140	1.0	1.0								
SMART Fortwo, 1.0L 3 Cyl. (Incl. Cabriolet) (451)	08-13	2579.140	0.8	0.8								
<b>SUBARU</b>												
NEW BRZ, Z10, 2.0L 4Cyl.	2013	82105.140	1.0	1.0	4.10582	1.4	1.4	82105.310	25(a)	82105.312	19(a)	82105.320
Impreza, 4 Cyl	93-01	7705.140	1.0	1.2								
Impreza RS, 2 & 4-door, 4 Cyl, AWD	01-03	7710.140	1.3	1.0								
Impreza RS, 2 & 4-door, 4 Cyl, AWD	04-06	7714.140	1.2	1.0								
Impreza, 2.5L, 4 Cyl	08-11	7717.140	1.2	1.2						7717.312	22(t,a)	
NEW Impreza, 2.0L, 4 Cyl. 4 & 5-door	2012	7724.140	I/D	I/D								
Legacy, 2.5GT (B14)	10-11	7722.140	1.0	1.0								
WRX, 4 Cyl Turbo (Exc. Sti, V6 & Wagon)	01-03	7710.140	1.3	1.0				7710.310	22	7710.312	22(a)	7710.320
WRX, 4 Cyl Turbo (Exc. Wagon & STi)	04-07	7714.140	1.2	1.0				7714.310	22	7714.312	22(a)	7714.320
WRX, 4 Cyl Wagon (Exc. STi)	04-07	7714.140	1.2	1.2								
WRX, 4 & 5-door, 2.5L Turbo H4, (Exc. STi )(G12)	2008	7717.140	1.4	1.2				7717.310	25(t,a)	7717.312	22(t,a)	7717.320
WRX, 4 & 5-door, 2.5L Turbo H4, (Exc. STi )(G12)	09-10	7721.140	1.4	1.2				7717.310	25(t,a)	7717.312	22(t,a)	7717.320
NEW WRX, 4 & 5-door, 2.5L Turbo H4, (Exc. STi )(G12)	2011	7721.140	0.8	0.8				7718.310	25(t,a)	7717.312	22(t,a)	7718.320
WRX STi, 4-door	04-07	7713.140	1.0	0.8				7713.310	25(t)	7713.312	25(t,a)	7713.320
NEW WRX STi, 4-door	2011	7723.140	0.8	0.8				7718.310	25(t,a)	7717.312	25(t,a)	7718.320
WRX STi, 5-door	08-11	7718.140	1.0	1.0				7718.310	25(t,a)	7717.312	22(t,a)	7718.320
<b>SUZUKI</b>												
SX4	08-13	8010.140	1.0	1.0								
<b>TOYOTA</b>												
Camry, 4 Cyl & 6 Cyl (MCV20/SXV2)	11/96-01	8249.140	1.2	1.2								
Camry, 4 Cyl (ACV30)	02-06/03	8249.140	1.4	1.1								
Camry, V6 (MNV30/31)	02-06/03	8249.140	2.0	1.2								
Camry	04-06	8273.140	1.6	1.6								
Camry, 2.4L 4 Cyl, (Incl. CE, LE, SE, XLE) (Exc. Hybrid) (ACV40)	07-11	8273.140	1.0	1.4								
Camry, 3.5L V6 (Incl. LE, SE, XLE) (GSV40)	07-11	8273.140	1.0	1.4								
NEW Camry, 3.5L V6	12-13	82106.140	I/D	I/D								

Continued

1-800-222-8811

Footnotes - see page 74

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT Part #	Complete Kit Front & Rear Part #	PRO-KIT + PRO-DAMPER Part #	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT Part #	Axle Kit Incl. Left & Right Part #	
				Degrees of Adjustment	
				5.81260K 5.75800K 5.81290K 5.81270K	Front + / - 1.75 Rear + / - 1.50 Front + / - 1.75 Front + / - 1.75
82105.880 (bt)				5.81260K 5.81260K 5.67640K 5.81260K 5.81260K 5.81260K 5.81260K 5.81260K	Front + / - 1.75 Rear + / - 1.75 Rear Camber and/or toe + / - 1.50 Front + / - 1.75 Rear + / - 1.75 Front + / - 1.75 Rear + / - 1.75 Front + / - 1.75
7710.880				5.81260K 5.81260K 5.67640K	Front + / - 1.75 Rear + / - 1.75 Rear Camber and/or toe + / - 1.50
7714.880				5.81260K 5.81260K 5.67640K 5.81260K 5.81260K 5.67640K	Front + / - 1.75 Rear + / - 1.75 Rear Camber and/or toe + / - 1.50 Front + / - 1.75 Rear + / - 1.75 Rear Camber and/or toe + / - 1.50
7717.880				5.81260K	Front + / - 1.75
7721.880				5.81260K	Front + / - 1.75
7724.880				5.81260K	Front + / - 1.75
7713.880				5.81260K 5.81260K	Front + / - 1.75 Rear + / - 1.75
7723.880				5.81260K	Front + / - 1.75
7718.880				5.81260K	Front + / - 1.75
				5.81270K 5.81290K 5.81290K 5.81270K 5.81290K 5.81270K 5.81290K 5.81270K 5.81290K 5.81270K 5.81290K 5.81270K	Rear + / - 1.75 Front + / - 1.75 Front + / - 1.75 Rear + / - 1.75 Front + / - 1.75 Rear + / - 1.75 Front + / - 1.75 Rear + / - 1.75 Front + / - 1.75 Rear + / - 1.75 Front + / - 1.75 Rear + / - 1.75

Footnotes - see page 74

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>TOYOTA (continued)</b>												
Celica, GT/ST (Incl. Turbo, Coupe, Convertible & Lftbk, Exc. All-Trac) (ST18/ST20)	10/89-99				4.0782	1.5	1.5					
Celica, GT & GTS	01/00-05							8228.310	23(a)	8228.312	22	8228.320
Corolla, CE, S, & LE, 4 Cyl	03-08	8271.140	1.1	1.1								
Corolla, LE, XLE & S	09-13	8271.140	1.4	2.0								
Corolla, XRS	09-13	8296.140	1.0	1.5								
Matrix, XR, XRS, 4 Cyl	03-08	8272.140	1.2	1.2								
MR2 (AW11)	85-90	8210.140	1.0	1.0								
MR2, (Incl. Turbo) (SW20)	91-95	8215.140	1.0	1.0								
MR2 SPYDER (ZZW30)	05/00-05	8265.140	1.2	1.2								
Prius (ZVW30)	10-13	82100.140	1.2	0.8								
Solara	04-08	8273.140	1.4	1.6								
Supra, 6 Cyl (Incl. Turbo) (MA70)	03/86-92	8211.140	1.5	1.0								
<b>VOLKSWAGEN</b>												
Beetle (Incl. 1.8-Turbo, 1.9-TDI & Sport) (1CX)	02/98-10	8567.140	1.4	1.4				1540.310	22	1540.312	25	1540.320
Beetle Convertible (1CX)	03-10	8567.140	1.4	1.4				1540.310	22			
NEW Beetle, 2.0L 4 Cyl. TSI (Exc. Conv.)	12-13	85112.140	1.2	1.2								
Cabrio, (Golf III Body), 4 Cyl (1E)	09/94-99							8502.310	23	8502.312	25	8502.320
CC, 4 Cyl. (Incl. R-Line) (3CC)	09-12	85105.140	1.0	0.8								
CC, 6 Cyl. (Incl. 4-Motion) (3CC)	09-12	85106.140	1.0	1.0								
Eos, 2.0L 4 Cyl Turbo (Exc. DSG)	07-13	85101.140	1.0	0.8				8598.310	26(a)	8598.312	23(a)	8598.320
Eos, (Incl. 2.0L 4 Cyl Turbo DSG & 3.2L VR6)	07-13	85102.140	1.0	0.8				8598.310	26(a)	8598.312	23(a)	8598.320
Golf II, 8-Valve (19E)	85-92							8502.310	23	8502.312	25	8502.320
Golf III, VIN#...<070449, 4 Cyl (Incl. 1.9 TDI; Exc. Cabrio) (1HX)	93-96							8502.310	23	8502.312	25	8502.320
Golf III, VIN#...070450>, 4 Cyl (Incl. 1.9 TDI; Exc. Cabrio) (1HX)	96-98				4.5485	2.0	2.0	8502.310	23	8502.312	25	8502.320
Golf III, VR6 (Exc. Cabrio) (1HX)	09/92-08/94							8530.310	23	8530.312	25	8530.320
Golf III, VR6 (Exc. Cabrio) (1HX)	09/94-98							8530.310	23	8530.312	25	8530.320
Golf IV, 4 Cyl (Incl. 1.8T-Turbo & 1.9TDI) (1JX)	99-06	8561.140	1.2	1.2	4.6185	1.8	1.8	1540.310	22	1540.312	25	1540.320
Golf IV, 6 Cyl (1JX)	99-05	8564.140	1.2	1.2				1540.310	22	1540.312	25	1540.320
Golf V / Rabbit, 2 & 4 door, 2.5L 5 Cyl. (1K)	06-09	85100.140	1.0	1.0	4.10085	1.5	1.4	8598.310	26(a)	8598.312	23(a)	8598.320
Golf VI, 2.5L 5 Cyl. (5K)	10-12	85100.140	1.2	1.0	4.10085	1.6	1.5	8598.310	26(a)	8598.312	23(a)	8598.320
NEW Golf VI, TDI	10-13	85114.140	1.2	1.2								
NEW Golf R	12-13	85115.140	I/D	I/D								
GTI, 2.0 4 Cyl. TSI (1K)	06-07	85100.140	1.0	1.0	4.10085	1.8	1.6	8598.310	26(a)	8598.312	23(a)	8598.320
GTI, 2.0 4 Cyl. TSI (1K)	08-09	85100.140	0.7	0.7	4.10085	1.5	1.3	8598.310	26(a)	8598.312	23(a)	8598.320
GTI, 2.0 4 Cyl. TSI (5K)	10-13	85109.140	0.8	0.8	4.10985	1.4	1.3	8598.310	26(a)	8598.312	23(a)	8598.320
Jetta II, 8-Valve (19E)	85-92							8502.310	23	8502.312	25	8502.320
Jetta III, VIN#...<070449, 4 Cyl (1HX)	93-96							8502.310	23	8502.312	25	8502.320
Jetta III, VIN#...>070450, 4 Cyl (Incl. 1.9 TDI) (1HX)	96-98				4.5485	1.8	1.8	8502.310	23	8502.312	25	8502.320
Jetta III, VR6 (1HX)	9/94-98							8530.310	23	8530.312	25	8530.320
Jetta IV, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. Wagon) (1MX)	11/98-05	8575.140	1.3	1.3	4.7585	1.8	1.8	1540.310	22	1540.312	25	1540.320
Jetta IV, 6 Cyl (Exc. Wagon) (1MX)	11/98-05	8576.140	1.2	1.2				1540.310	22	1540.312	25	1540.320

Continued

1-800-222-8811

Footnotes - see page 74

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT	
PRO-KIT + ANTI-ROLL-KIT	Complete Kit Front & Rear	PRO-KIT + PRO-DAMPER	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT	Axle Kit Incl. Left & Right	Degrees of Adjustment
Part #	Part #	Part #	Part #	Part #	
				5.81270K 5.81270K	Front +/- 1.75 Rear +/- 1.75
				5.81270K 5.67440K	Front +/- 1.75 Rear Upper Arm + 5.00 / - 1.50
				5.81270K 5.75800K	Front +/- 1.75 Rear +/- 1.50
				5.81290K 5.81290K	Front +/- 1.75 Front +/- 1.75
				5.81250K 5.81250K	Front +/- 1.75 Rear +/- 1.75
				5.81270K 5.81270K	Front +/- 1.75 Rear +/- 1.75
				5.81270K 5.81270K	Front +/- 1.75 Rear +/- 1.75
				5.81290K 5.81270K	Front +/- 1.75 Rear +/- 1.75
8567.880	1540.840	8567.780	8567.680	5.81340K 5.71500K	Front +/- 1.00 Rear +/- 0.50 to +/-1.00
	1540.840	8567.780		5.81340K	Front +/- 1.00
				5.81250K	Front +/- 1.75
85101.880 85102.880					
	8530.840			5.81250K 5.81250K	Front +/- 1.75 Front +/- 1.75
	8530.840			5.81250K	Front +/- 1.75
	8530.840 8530.840			5.81250K 5.81250K	Front +/- 1.75 Front +/- 1.75
8561.880(bt)	1540.840	8561.780(bo)	8561.680(bp)	5.81340K	Front +/- 1.00
8564.880 85100.880(bt)	1540.840	8564.780	8564.680	5.81340K	Front +/- 1.00
85100.880(bt)					
85100.880(bt) 85100.880(bt) 85109.880(bt)					
	8530.840 8530.840		(bp)	5.81250K 5.81250K 5.81250K	Front +/- 1.75 Front +/- 1.75 Front +/- 1.75
	8530.840			5.81250K	Front +/- 1.75
8575.880(bt)	1540.840	8575.780(bo)	8575.680(bp)	5.81340K 5.71500K	Front +/- 1.00 Rear +/- 0.50 to +/-1.00
8576.880	1540.840	8576.780	8576.680	5.81340K 5.71500K	Front +/- 1.00 Rear +/- 0.50 to +/-1.00

Footnotes - see page 74

MANUFACTURE / MODEL	YEAR	PRO-KIT			SPORTLINE			ANTI-ROLL-KIT				
		Part #	Approx. Lowering(in)		Part #	Approx. Lowering(in)		Front Only		Rear Only		Complete Kit Front & Rear Part #
			Front	Rear		Front	Rear	Part #	Diameter (mm)	Part #	Diameter (mm)	
<b>VOLKSWAGEN (continued)</b>												
Jetta IV, Wagon GLS, 4 Cyl (Exc. 4-Motion) (1J6)	01-05	8577.140	1.2	1.2								
Jetta IV, Wagon GLS & GLX, 6 Cyl (Exc. 4-Motion) (1J6)	01-05	8577.140	1.2	1.2								
Jetta V, Sedan, (Incl. 2.0T 4Cyl & 2.5L I5)	05-10	8598.140	1.3	1.3	4.9885	1.7	1.9	8598.310	26(a)	8598.312	23(a)	8598.320
Jetta V, Sedan, Diesel	09-10	85103.140	1.2	1.2				8598.310	26(a)	8598.312	23(a)	8598.320
Jetta, Sedan, 2.5L 5 Cyl.	11-13	85111.140	1.2	1.2								
Jetta, Sedan, 2.0L 4 Cyl. TDI	11-13	85111.140	1.3	1.4								
NEW Jetta, Sedan, GLI, 2.0L 4 Cyl. TSI	12-13	85116.140	I/D	I/D								
Jetta V, SportWagen 2.5L 5 Cyl.	09-13	85106.140	1.0	1.2				8598.310	26(a)	8598.312	23(a)	8598.320
Jetta V, SportWagen 2.0L 4 Cyl. TDI	09-13	85106.140	1.2	1.2				8598.310	26(a)	8598.312	23(a)	8598.320
Passat, Sedan, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. 4-Motion) (3B2)	06/97-10/00							1531.310	30	n/a	n/a	1531.310
Passat, Sedan, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. 4-Motion) (3B3)	11/00-05	8568.140	1.2	1.2				1531.310	30	n/a	n/a	1531.310
Passat, Sedan, 4 Cyl 2.0T (3C)	06-08	8599.140	1.2	1.2				8598.310	26(a)	8598.312	23(a)	8598.320
Passat, Sedan, 6 Cyl, Exc. 4-Motion (3B5)	11/96-10/00											
Passat, Sedan, 6 Cyl, Exc. 4-Motion (3B3)	11/00-05	8569.140	1.2	1.2								
Passat, Wagon, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. 4-Motion) (3B5)	11/96-10/00											
Passat, Wagon, 4 Cyl, Exc. 4-Motion (3B6)	11/00-05											
Passat, Wagon, 6 Cyl & TDI (Exc. 4-Motion) (3B5)	01/99-10/00	8585.140	1.2	1.2								
Rabbit / Golf V, 2 & 4 door, 2.5L 5 Cyl. (1K)	06-09	85100.140	1.0	1.0	4.10085	1.5	1.4	8598.310	26(a)	8598.312	23(a)	8598.320
Tiguan, 4 Cyl. (Incl. 4-Motion) (5N)	09-13	85107.540	1.2	1.2								
<b>VOLVO</b>												
850, GLT, Sedan & Wagon (Incl. Turbo)	92-12/96	8410.140	1.2	1.0								
850, T5R (Exc. S/Lev)	92-12/96	8410.140	1.2	1.0								
C30, T5, 2.5L 5Cyl. Turbo (Exc. R model) (P1)	07-13	8436.140	1.2	1.7								
C70, Coupe	97-05	8420.140	0.8	0.8								
C70, Coupe	06-13	8435.140	1.2	1.2								
S40, Sedan (Exc. AWD) (P1)	4/04-10	8432.140	1.2	1.2								
S40, Sedan, 2.5L 5 Cyl. Turbo (AWD) (T5)	04-11	8435.140	1.2	1.2								
S60, Sedan (Exc. AWD & Diesel)	11/00-08	8425.140	1.2	1.2								
S60R, Sedan (w/out leveling control)	04-08	8434.140	1.2	1.2								
V50, Sedan, 2.5L 5 Cyl. Turbo (AWD) (T5)	04-09	8435.140	1.2	1.2								
V70, Wagon (Exc. AWD & Diesel)	01/97-02/00	8410.140	1.2	1.2								
V70, Wagon (Incl. 2.4, 2.4T-Turbo & T5) (Exc. AWD, Diesel) (T5)	03/00-07	8426.140	1.2	1.2								

PRO-PLUS	PRO-DAMPER	PRO-SYSTEM	PRO-SYSTEM-PLUS	PRO-ALIGNMENT
PRO-KIT + ANTI-ROLL-KIT Part #	Complete Kit Front & Rear Part #	PRO-KIT + PRO-DAMPER Part #	PRO-KIT+ PRO DAMPER + ANTI-ROLL-KIT Part #	Axle Kit Incl. Left & Right Part # Degrees of Adjustment
	1540.840	8577.780		5.81340K Front + / - 1.00
	1540.840	8577.780		5.81340K Front + / - 1.00
8598.880(bt) 85103.880				
85106.880 85106.880				
8568.880				
85100.880(bt)				
				5.81250K Front + / - 1.75
				5.81250K Front + / - 1.75
				5.81250K Front + / - 1.75
				5.81310K Rear + / - 1.00
				5.67420K Rear -1.50 to + 5.00
				5.81260K Front + / - 1.75
				5.81310K Rear + / - 1.00
				5.67420K Rear -1.50 to + 5.00
				5.81260K Front + / - 1.75
				5.81260K Front + / - 1.75

Footnotes - see page 74

MANUFACTURE / MODEL	YEAR	PRO-TRUCK System			PRO-TRUCK Front Only		
		Part #	Approx. Lowering (in)		Part #	Front	Approx. Lowering (in) Type
			Front	Rear			
<b>BMW</b>							
X3	04-10	2079.540	1.2	1.2			
NEW X3, xDrive35i	11-13	20119.540	1.0	0.5			
X5, 3.0 E53 (Exc. Leveling Control)	01-06	2076.540	1.2	1.2			
X5, 3.0 E53 (W/ Air Suspension Rear)	01-06						
X5, 4.4i & 4.6si ( W/Air Suspension Rear)	00-05						
X5, 3.0 (Exc. Leveling Control) (E70)	07-09	2093.540	1.2	1.0			
X5, xDrive35i, 3.0L 6 Cyl. Turbo (Exc. Leveling Control) (E70)	11-13	2093.540	1.2	1.0			
X5, xDrive35d, 3.0L 6 Cyl. Turbo Diesel, (Exc. Leveling Control) (E70)	09-13	2093.540	1.2	1.0			
X6, 35i (Incl. Diesel; Exc. Leveling Control, Hybrid) (E71)	08-13	20103.540	0.8	0.8			
<b>CADILLAC</b>							
Escalade, V8 (2WD/4WD)(Incl. EXT)	02-06	3887.530	1-3	3.0	3887.510	1.3	Adj.Torsion Keys
Escalade, V8 6.2L (2WD/4WD)(W/ Autoride)	07-13	38129.540 38153.540	2.0 2.0	2.0 3.0	38151.520	2.0	Coil Springs
Escalade ESV, V8 6.2L (4WD)(W/ Autoride)	07-13	38130.540 38154.540	2.0 2.0	2.0 3.0	38151.520	2.0	Coil Springs
Escalade EXT, V8 6.2L (4WD)(W/ Autoride)	07-13	38130.540 38154.540	2.0 2.0	2.0 3.0	38151.520	2.0	Coil Springs
<b>CHEVROLET</b>							
Avalanche, Z66 & Z71, V8 (2WD/4WD)	02-06	3887.530	1-3	3.0	3887.510	1-3	Adj.Torsion Keys
Avalanche, V8 2WD/4WD (Exc. Autoride)	07-13	38131.540 38155.540	2.0 2.0	2.0 3.0	38152.520	2.0	Coil Springs
Avalanche, V8 (w/Autoride)	07-13	38132.540 38154.540	2.0 2.0	2.0 3.0	38151.520	2.0	Coil Springs
Astro Van, 6 Cyl (2WD)	85-05				3814.520	2.0	Coil Springs
C-10, V8 (2WD)	62-87				3816.520	2.0	Coil Springs
C-10, V8 (2WD)	73-87	3816.530	2.0	2.0	3816.520	2.0	Coil Springs
C-3500 Crew Cab Dually, (2WD)	92-98						
C-1500 Std Cab, V8-Exc. 454SS (2WD)	88-98						
C-1500 Std Cab, V8-454SS (2WD)	90-94						
C-1500 Std Cab, V8 (2WD)(Fleetside)	99-07				3881.520	2.0	Coil Springs
C-1500 Std Cab, V8 (2WD)(Stepside)	99-07				3881.520	2.0	Coil Springs
C-1500 Ext Cab, V8-Exc. 454SS (2WD)	88-98						
C-1500 Ext Cab, V8 (2WD)(Fleetside)	99-07				3881.520	2.5	Coil Springs
C-1500 SS	04-07						
C-1500 Ext Cab, V8 (2WD)(Stepside)	99-07				3881.520	2.5	Coil Springs
Silverado, 1500 Regular Cab, V8, RWD	07-13	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Silverado, 1500 Extended Cab, V8, RWD	07-13	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Silverado, 1500 Crew Cab, V8, RWD (Exc. Hybrid & AWD)	07-13	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Suburban, 1/2 ton, V8 (2WD)	73-91	3816.530	2.5	2.0	3816.520	2.5	Coil Springs
Suburban, 1500, V8 (2WD)	92-99						
Suburban, 1500, V8 (2WD/4WD)	00-06	3887.530	1-3	3.0	3887.510	1-3	Torsion Keys
Suburban, 1/2 ton, V8 (2WD/4WD)(Incl. Autoride)	07-13	38132.540 38154.540	2.0 2.0	2.0 3.0	38151.520	2.0	Coil Springs
Suburban, 1/2 ton, V8 (2WD/4WD)(Exc. Autoride)	07-13	38131.540 38155.540	2.0 2.0	2.0 3.0	38152.520	2.0	Coil Springs
SSR	03-06	3892.540	1.0	1.3			
Tahoe, V8 (2WD)	95-99						
Tahoe, V8 (2WD/4WD)	00-06	3887.530	1-3	3.0	3887.510	1-3	Torsion Keys

Continued

1-800-222-8811

Footnotes - see page 74

PRO-TRUCK Rear Only			ANTI-ROLL-KIT				PRO-PLUS	PRO-TRUCK-SHOCK	PRO-ALIGNMENT		
Part #	Approx. Lowering (in)		Front Only		Rear Only		Complete Kit Front & Rear	Part#	Part#	Axle Kit Incl. Left & Right	Degrees of Adjustment
	Front	Type	Diameter (mm)	Part#	Diameter (mm)	Part#	Part #				
					26	2074.312				5.81280K	Front +/- 1.75
					26	2074.312				5.81280K	Front +/- 1.75
					26	2074.312				5.81280K	Front +/- 1.75
3882.520(r)	2.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880		5.86350K	Front +/- 1.00
3887.520(r)	3.0	Coil Springs									
38106.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38129.880		5.86350K	Front +/- 1.00
3887.520	3.0	Coil Springs						38153.880			
38129.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38130.880		5.86350K	Front +/- 1.00
38130.520	3.0	Coil Springs						38154.880			
38129.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38130.880		5.86350K	Front +/- 1.00
38130.520	3.0	Coil Springs						38154.880			
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880			
3882.520(r)	2.0	Coil Springs									
38132.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38131.880		5.86350K	Front +/- 1.00
38131.520	3.0	Coil Springs						38155.880			
38129.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38132.880		5.86350K	Front +/- 1.00
38130.520	3.0	Coil Springs						38154.880			
3816.820	2.0	Shackle Kit									
3811.820	2.0	Shackle Kit									
3811.820	2.0	Shackle Kit									
3811.820	2.0	Shackle Kit									
3811.820	1.5	Shackle Kit							3881.840	5.86350K	Front +/- 1.00
3816.820	1.5	Shackle Kit							3881.840	5.86350K	Front +/- 1.00
3811.820	2.0	Shackle Kit									
3811.820	1.5	Shackle Kit							3881.840	5.86350K	Front +/- 1.00
3811.820	1.5	Shackle Kit									
3816.820	1.5	Shackle Kit							3881.840	5.86350K	Front +/- 1.00
3816.820	2.0	Shackle Kit								5.86350K	Front +/- 1.00
3816.820	2.0	Shackle Kit								5.86350K	Front +/- 1.00
3816.820	2.0	Shackle Kit								5.87400K	Front +/- 2.00
3816.820	2.0	Shackle Kit									
3816.820	2.0	Shackle Kit									
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880		5.86350K	Front +/- 1.00
3882.520(r)	2.0	Coil Springs									
38129.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38132.880		5.86350K	Front +/- 1.00
38130.520	3.0	Coil Springs						38154.880			
38132.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38131.880		5.86350K	Front +/- 1.00
38131.520	3.0	Coil Springs						38155.880			
3811.820	2.0	Shackle Kit								5.87400K	Front +/- 2.00
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880			
3882.520(r)	2.0	Coil Springs									

Footnotes - see page 74



MANUFACTURE / MODEL	YEAR	PRO-TRUCK System			PRO-TRUCK Front Only		
		Part #	Approx. Lowering (in)		Part #	Approx. Lowering (in)	
			Front	Rear		Front	Type
<b>CHEVROLET (continued)</b>							
Tahoe, V8, 2WD/4WD (Incl. Autoride; Exc. Hybrid)	07-13	38106.540	2.0	2.0	38151.520	2.0	Coil Springs
		38153.540	2.0	3.0			
Tahoe, V8, 2WD/4WD (Exc. Autoride, Hybrid)	07-13	38107.540	2.0	2.0	38152.520	2.0	Coil Springs
		38156.540	2.0	3.0			
Trailblazer, (Incl. EXT, 2WD/4WD; Exc. SS)	02-08	3826.540	1.5	2.3			
<b>CHRYSLER</b>							
Aspen, V8, (Incl. 2WD/4WD, Exc. Hybrid)	07-09	2868.520	Adj.	3.0			Torsion Bar
Town & Country, 6 Cyl (Exc. Lxi, LWB, AWD & Models)	96-00	2825.130(d)	1.7	1.3			
<b>DODGE</b>							
Caravan, 4 & 6 Cyl (Exc. Grand Caravan, AWD & Models)	96-00	2825.130(d)	1.7	1.3			
Durango, V6 & V8 (Exc. Hybrid)	04-09	2868.520	adj.	3.0			Torsion Bar
Nitro, 3.7L V6 (Incl. SLT)	07-11	2885.540	1.8	1.6			
<b>FORD</b>							
Edge, 3.5L V6, FWD/AWD	07-12	35117.540	1.7	1.3			
NEW Edge, 2.0L EcoBoost (FWD/AWD)	2012	35117.540	1.3	1.0			
NEW Edge, 3.5L V6, (FWD/AWD)	2012	35117.540	1.3	1.0			
NEW Edge Sport, 3.7L V6 w/Ti-VCT (FWD/AWD)	2012	35117.540	1.3	1.0			
Explorer, V6 (2WD/4WD)(Exc. Sport & Sport Trac)	01-04						
Explorer, V8 (2WD/4WD)(Exc. Sport & Sport Trac)	01-04						
F150, Lightning, PN96, (2WD)	97-04						
F150, Std. Cab, 6 Cyl, PN96 (2WD)	97-03						
F150, Std. Cab, V8 (2WD)	04-04	35112.530	2.0	1.0	35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
F150, Std. Cab, V8 (2WD)	05-08	35112.530	2.0	1.0	35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
F150, Ext. Cab, 6 Cyl, PN96 (2WD)	97-03						
F150, Lightning, (2WD)	92-95						
F150, Ext. Cab, V8 (2WD)	04-04	35112.530	2.0	1.0	35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
F150, Ext. Cab, V8 (2WD)	05-08	35112.530	2.0	1.0	35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
F150, Crew Cab, V8 (2WD)	04-04	35112.530	2.0	1.0	35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
F150, Crew. Cab, V8 (2WD)	05-08	35112.530	2.0	1.0	35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
					35112.520	2.0	Coil Springs
Ranger, Std. Cab, 6 Cyl (2WD/4WD)	98-05				3588.520	2.0	Coil Springs
<b>GMC</b>							
C-15, V8 (2WD)	62-72				3816.520	2.0	Coil Springs
C-15, V8 (2WD)	73-87	3816.530	2.0	2.0	3816.520	2.0	Coil Springs
C-1500, Std Cab, V8-Exc. 454SS (2WD)	88-98	3812.530	2.0	2.0			
C-1500, Std Cab, V8-454SS (2WD)	90-94						
C-1500, Std Cab, V8 (2WD)(Fleetside)	99-07				3881.520	2.0	Coil Springs
C-1500, Std Cab, V8 (2WD)(Stepside)	99-07				3881.520	2.0	Coil Springs
C-1500, Ext Cab, V8-Exc. 454SS (2WD)	88-98						
C-1500, Ext Cab, V8 (2WD)(Fleetside)	99-07				3881.520	2.5	Coil Springs
C-1500, Ext Cab, V8 (2WD)(Stepside)	99-07				3881.520	2.5	Coil Springs

Continued

1-800-222-8811

Footnotes - see page 74

PRO-TRUCK Rear Only			ANTI-ROLL-KIT				PRO-PLUS	PRO-TRUCK-SHOCK	PRO-ALIGNMENT		
Part #	Approx. Lowering (in)		Front Only		Rear Only		Complete Kit Front & Rear	Part#	Part#	Axle Kit Incl. Left & Right	Degrees of Adjustment
	Front	Type	Diameter (mm)	Part#	Diameter (mm)	Part#	Part #				
38106.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38106.880		5.86350K	Front +/- 1.00
3887.520	3.0	Coil Springs						38153.880			
38107.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38107.880		5.86350K	Front +/- 1.00
38150.520	3.0	Coil Springs						38156.880			
2868.520	3.0	Coil Springs								5.81260K	Rear +/- 1.75
										5.81260K	Rear +/- 1.75
2868.520	3.0	Coil Springs									
										5.81280K	Front +/- 1.75
			35	3595.310						5.86140K	Front +/- 0.75
										5.86180K	Rear +/- 0.50
			35	3595.310						5.86140K	Front +/- 0.75
										5.86180K	Rear +/- 0.50
3811.820	1.5	Shackle Kit								5.87385K	Front +/- 2.00
3811.820	1.5	Shackle Kit								5.87385K	Front +/- 2.00
35112.820	1	Shackle Kit			25	35112.312			35112.840	5.86250K	Front +/- 1.00
35112.820	1	Shackle Kit							35112.840	5.86250K	Front +/- 1.00
3811.820	1.5	Shackle Kit								5.87385K	Front +/- 2.00
3816.820	2.0	Shackle Kit									
35112.820	1.0	Shackle Kit	35			35112.312			35112.840	5.86250K	Front +/- 1.00
35112.820	1.0	Shackle Kit							35112.840	5.86250K	Front +/- 1.00
35112.820	1.0	Shackle Kit	35			35112.312			35112.840	5.86250K	Front +/- 1.00
35112.820	1.0	Shackle Kit							35112.840	5.86250K	Front +/- 1.00
3588.920	2.0	Springhanger Kit								5.87500K	Front +/- 2.00
3816.820	2.0	Shackle Kit									
3811.820	2.0	Shackle Kit									
3811.820	2.0	Shackle Kit									
3811.820	1.5	Shackle Kit						3881.840	5.86350K	5.86350K	Front +/- 1.00
3816.820	1.5	Shackle Kit						3881.840	5.86350K	5.86350K	Front +/- 1.00
3811.820	2.0	Shackle Kit									
3811.820	1.5	Shackle Kit						3881.840	5.86350K	5.86350K	Front +/- 1.00
3816.820	1.5	Shackle Kit						3881.840	5.86350K	5.86350K	Front +/- 1.00

MANUFACTURE / MODEL	YEAR	PRO-TRUCK System			PRO-TRUCK Front Only		
		Part #	Approx. Lowering (in)		Part #	Front	Approx. Lowering (in) Type
			Front	Rear			
<b>GMC (continued)</b>							
C-3500, Crew Cab Dually (2WD)	92-98						
Envoy, (2WD/4WD) (Incl. EXT; Exc. Air Suspension)	02-09	3826.540(u)	1.5	2.0			
Envoy, XL (2WD/4WD) (Exc. Air Suspension)	03-06	3826.540(u)	1.5	2.3			
Safari Van, 6 Cyl (2WD)	85-04				3814.520	2.0	Coil Springs
Sierra, 1500 Regular Cab, V8, RWD	07-13	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Sierra, 1500 Extended Cab, V8, RWD	07-13	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Sierra, 1500 Crew Cab, V8, RWD (Exc. Hybrid & RWD)	07-13	38110.530	1.7	2.4	38110.520	1.7	Coil Springs
Suburban, 1/2 ton, V8 (2WD)	73-91	3816.530	2.5	2.0	3816.520	2.5	Coil Springs
Suburban, 1500, V8 (2WD)	92-99						
Suburban, 1500, V8 (2WD/4WD)	00-06	3887.530	1.3	3.0	3887.510	1-3	Adj.Torsion Keys
Yukon, V8 (2WD)	95-99						
Yukon, V8 (2WD/4WD)(Exc. QuadraSteer)	00-06	3887.530	1.3	3.0	3887.510	1-3	Adj.Torsion Keys
Yukon Denali, V8 (AWD)(Incl. XL)	00-06	3887.530	1.3	3.0	3887.510	1-3	Adj.Torsion Keys
Yukon, 6.2L V8 (2WD/4WD)(Exc. Autoride)	07-13	38107.540	2.0	2.0	38152.520	2.0	Coil Springs
		38156.540	2.0	3.0			
Yukon Denali, 6.2L V8 (AWD)(w/ Autoride)	07-13	38129.540	2.0	2.0	38151.520	2.0	Coil Springs
		38153.540	2.0	3.0			
Yukon Denali XL, 6.2L V8 (AWD)(w/ Autoride)	07-13	38130.540	2.0	2.0	38151.520	2.0	Coil Springs
		38154.540	2.0	3.0			
Yukon XL, V8 (2WD/4WD) (Exc. Autoride)	07-13	38131.540	2.0	2.0	38152.520	2.0	Coil Springs
		38155.540	2.0	3.0			
Yukon XL, V8 (2WD/4WD) (w/ Autoride)	07-13	38130.540	2.0	2.0	38151.520	2.0	Coil Springs
		38154.540	2.0	3.0			
<b>HONDA</b>							
CR-V	02-06	4064.540	1.2	1.2			
Element	03-06	4063.540	1.7	1.7			
Element, (FWD/AWD), 2.4L I4	07-11	4075.540	1.5	2.0			
Element SC, (FWD/AWD), 2.4L I4	07-11	4075.540	1.0	1.5			
<b>HYUNDAI</b>							
Tucson, 4 Cyl & 6 Cyl	05-08	4239.540	1.4	1.0			
<b>INFINITI</b>							
FX35, 2WD / AWD	03-08	6366.540	1.2	1.2			
FX35, 2WD / AWD	09-12	63101.540	1.0	1.0			
FX45, 2WD / AWD	03-08	6366.540	1.3	1.3			
NEW FX50, 2WD / AWD (S51)	09-12	63102.540	I/D	I/D			
<b>JEEP</b>							
Grand Cherokee, 2WD / 4WD, 6 & 8 Cyl	99-04	2837.540	1.0	1.3			
Grand Cherokee, 2WD / 4WD, 8 Cyl (Exc. SRT-8) (WK)	05-10	2839.540	1.2	1.2			
NEW Grand Cherokee, 2WD / 4WD V6 (Exc. SRT8)	11-13	28108.540	1.0	2.0			
NEW Grand Cherokee, 2WD / 4WD V8 (Exc. SRT8)	11-13	28108.540	1.6	1.8			
Grand Cherokee, SRT-8, 6.1L V8 HEMI	06-10	2892.540	1.0	1.1			

PRO-TRUCK Rear Only			ANTI-ROLL-KIT				PRO-PLUS	PRO-TRUCK-SHOCK	PRO-ALIGNMENT		
Part #	Approx. Lowering (in)		Front Only		Rear Only		Complete Kit Front & Rear	Part#	Part#	Axle Kit Incl. Left & Right	Degrees of Adjustment
	Front	Type	Diameter (mm)	Part#	Diameter (mm)	Part#	Part #				
3811.820	2.0	Shackle Kit									
3816.820	2.0	Shackle Kit								5.86350K	Front +/- 1.00
3816.820	2.0	Shackle Kit								5.86350K	Front +/- 1.00
3816.820	2.0	Shackle Kit								5.86350K	Front +/- 1.00
3816.820	2.0	Shackle Kit									
3816.820	2.0	Shackle Kit								5.87400K	Front +/-2.00
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880		5.86350K	Front +/- 1.00
3882.520(r)	2.0	Coil Springs									
3811.820	2.0									5.87400K	Front +/-2.00
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880			
3882.520(r)	2.0	Coil Springs									
3887.520(r)	3.0	Coil Springs	35(t)	3882.310	32(t)	3882.312	3882.320	3887.880		5.86350K	Front +/- 1.00
3882.520(r)	2.0	Coil Springs									
38107.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38107.880		5.86350K	Front +/- 1.00
38150.520	3.0	Coil Springs						38156.880			
38106.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38129.880		5.86350K	Front +/- 1.00
3887.520	3.0	Coil Springs						38153.880			
38129.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38130.880		5.86350K	Front +/- 1.00
38130.520	3.0	Coil Springs						38154.880			
38132.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38131.880		5.86350K	Front +/- 1.00
38131.520	3.0	Coil Springs						38155.880			
38129.520	2.0	Coil Springs	38(t)	38106.310	32(t)	3882.312	38106.320	38130.880		5.86350K	Front +/- 1.00
38130.520	3.0	Coil Springs						38154.880			
										5.81280K	Front +/- 1.75
										5.81280K	Front +/- 1.75
										5.67430K	Rear Arm-4.00/+6.00
										5.69400K	Rr. Performance Control Arm
										5.81280K	Front + / - 1.75
										5.67430K	Rear Arm-4.00/+6.00
										5.69400K	Rr. Performance Control Arm
										5.81280K	Front + / - 1.75
										5.67430K	Rear Arm-4.00/+6.00
										5.69400K	Rr. Performance Control Arm
										5.81260K	Front + /-1.75
										5.81260K	Rear + / -1.75
										5.81260K	Front +/- 1.00
										5.81260K	Front +/- 1.00
			34(a)	2837.310	18(a)	2837.312	2837.320	2837.880			
										5.23410K	Front + / - 1.50

Footnotes - see page 74

MANUFACTURE / MODEL	YEAR	PRO-TRUCK System			PRO-TRUCK Front Only		
		Part #	Approx. Lowering (in)		Part #	Approx. Lowering (in)	
			Front	Rear		Front	Type
<b>JEEP (continued)</b>							
NEW Grand Cherokee, SRT-8	12-13	28109.540	0.8	1.1			
Liberty	09/01-07	2869.540	1.2	1.2			
<b>JEEP LIFT KITS</b>							
Wrangler (Incl. X, Sahara, Rubicon)	07-13				2894.620(bv)	+1.7	Coil Springs
Wrangler Unlimited (Incl. X, Sahara, Rubicon)	07-13				2894.620(bv)	+1.0	Coil Springs
<b>KIA</b>							
Sportage V6	05-09	4614.540	1.2	1.2			
<b>LEXUS</b>							
RX 330 / 350 / 400h	06/03-08	8282.540	1.2	1.2			
<b>LINCOLN</b>							
MKX, 3.5L V6, FWD/AWD	07-11	35117.540	1.7	1.3			
NEW MKX, 3.7L V6 (FWD/AWD)	2012	35117.540	1.3	1.0			
<b>MAZDA</b>							
B Series, Std Cab 6 Cyl (2WD/4WD)	98-00				3588.520	2.0	Coil Springs
<b>MERCEDES</b>							
ML320/ML430/ML350/ML500, W163, (Rear Springs Only)	10/97-05	2558.120(k)	adj.	1.4			
ML350/ML500, W164	06-11	2573.540	1.4	1.4			
<b>NISSAN</b>							
NEW Juke, 1.6L 4 Cyl. Turbo (Exc. AWD) (F15)	11-13	63104.540	1.2	1.2			
NEW Juke, 1.6L 4 Cyl. Turbo, AWD (F15)	11-13	63106.540	1.4	1.1			
<b>PLYMOUTH</b>							
Voyager, 4 Cyl & 6 Cyl (Exc. Grand Voyager, AWD & S/Lev)	96-00	2825.130(d)	1.7	1.3			
<b>PORSCHE</b>							
Cayenne, (W/O Height adjustable Susp.)	03-06	7216.540	1.4	1.4			
<b>VOLKSWAGEN</b>							
Tiguan, 4 Cyl. (Incl. 4-Motion) (5N)	09-13	85107.540	1.2	1.2			

PRO-TRUCK Rear Only			ANTI-ROLL-KIT				PRO-PLUS	PRO-TRUCK-SHOCK	PRO-ALIGNMENT		
Part #	Approx. Lowering (in)		Front Only		Rear Only		Complete Kit Front & Rear	Part#	Part#	Axle Kit Incl. Left & Right	Degrees of Adjustment
	Front	Type	Diameter (mm)	Part#	Diameter (mm)	Part#	Part #				
										5.81260K 5.81260K	Front + / - 1.75 Rear + / -1.75
										5.81290K 5.81270K	Front + / -1.75 Rear + / -1.75
										5.81280K	Front + / - 1.75
3588.920	2.0	Springhanger kit								5.87310K	Front +/- 1.75
										5.81260K	Front + / - 1.75
										5.81260K	Rear +/- 1.75

MANUFACTURE / MODEL	YEAR	Eibach COILOVER SYSTEM					
		System Type	Part #	Approx. Lowering (in)		Camber Plates Part #	Degrees of Adjustment
Front	Rear						
<b>ACURA</b>							
Integra, 2 & 4-door (Incl. GS, GS-R, RS, LS) (DC2/4)	94-01	Multi-Pro-R1	4017.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4017.713	0.0-2.7	0.0-2.7		
Integra, Type-R (DC2)	97-01	Multi-Pro-R1	4020.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4020.713	0.0-2.7	0.0-2.7		
RSX (Incl. Type S) (DC5)	02-06	Pro-Street-S	4054.711	0.8-2.0	0.8-2.0		
TL, 3.2 V6 (Exc. Type S)	04-08	Pro-Street-S	4044.711	1.4-2.6	1.4-2.6		
<b>AUDI</b>							
A3, Sportback, 2.0FSI, 2.0 TFSI, 2.0 TDI, 3.2FSI, 2WD, Quattro (8P)	06-13	Pro-Street-S	8598.711(cb)	1.4-2.6	1.4-2.6		
		Multi-Pro-R1	8598.712(cb)	0-3.0	0-3.0		
		Multi-Pro-R2	8598.713(cb)	0-3.0	0-3.0		
A4, Sedan, 2WD, 4 Cyl & 6 Cyl (B6,B7)	02-08	Pro-Street-S	1576.711	1.4-2.6	1.4-2.6		
A4, Sedan, Quattro, 4 Cyl & 6 Cyl (B5)	96-01/99	Pro-Street-S	1534.711	1.6-3.0	1.6-3.0		
A4, Sedan, Quattro, 4 Cyl & 6 Cyl (B5)	02/99-10/00	Pro-Street-S	1534.711	1.6-3.0	1.6-3.0		
A4, Avant (Wagon) Quattro, 4 Cyl & 6 Cyl (B5)	96-01	Pro-Street-S	1534.711	1.6-3.0	1.6-3.0		
S4, Sedan, Avant (Wagon) (B5S)	00-02	Pro-Street-S	1534.711	1.6-3.0	1.6-3.0		
TT, Coupe / Roadster, 2WD, 4 Cyl & 6 Cyl (Exc. Magnetic Ride) (8J)	09-12	Pro-Street-S	1596.711	0.8-2.0	0.8-2.0		
TT, Coupe / Roadster, 3.2L V6, Quattro (Exc. Magnetic Ride) (8J)	08-10	Pro-Street-S	1598.711	0.8-2.0	0.8-2.0		
<b>BMW</b>							
116i / 120i / 128i / 135i (E81,E82)	08-13	Pro-Street-S	2085.711	1.2-2.3	0.9-2.1	5.72190K	Front -1.00/+3.00
		Multi-Pro-R1	2085.712	0-2.0	0-1.6		
		Multi-Pro-R2	2085.713	0-2.0	0-1.6		
<b>NEW</b> 1M (E82)	2011	Multi-Pro-R1	20120.712	I/D	I/D		
		Multi-Pro-R2	20120.713	I/D	I/D		
328i / 335i Coupe (Exc. xi & Convertible) (E92)	07-12	Pro-Street-S	2085.711	1.2-2.3	0.9-2.1	5.72190K	Front -1.00/+3.00
		Multi-Pro-R1	2085.712	0-2.0	0-1.6		
		Multi-Pro-R2	2085.713	0-2.0	0-1.6		
325i / 328i / 330i Sedan (Exc. Sport Wagon, xi & xiT) (E90)	06-12	Pro-Street-S	2085.711	1.2-2.3	0.9-2.1	5.72190K	Front -1.00/+3.00
		Multi-Pro-R1	2085.712	0-2.0	0-1.6		
		Multi-Pro-R2	2085.713	0-2.0	0-1.6		
M3, 2 & 4-Door, 6 Cyl (Incl. Convertible) (E36)	95-99	Pro-Street-S	2059.711	1.2-2.4	0.8-1.8	5.72070K	Front -1.00/+3.00
<b>NEW</b> M3, 3.2L, E46	01-06	Multi-Pro-R1	2072.712	I/D	I/D		
		Multi-Pro-R2	2072.713	I/D	I/D		
<b>NEW</b> M3, 2 & 4-Door, 4.0L V8	08-11	Multi-Pro-R1	20100.712	I/D	I/D		
		Multi-Pro-R2	20100.713	I/D	I/D		
<b>CHEVROLET</b>							
Camaro, LS, LT, 3.6L V6	10-12	Pro-Street-S	38144.711	0-2.0	0-2.4		
		Multi-Pro-R1	38144.712	0-2.0	0-2.4		
		Multi-Pro-R2	38144.713	0-2.0	0-2.4		
Camaro, SS, 6.2L V8	10-12	Pro-Street-S	38144.711	0-2.0	0-2.4		
		Multi-Pro-R1	38144.712	0-2.0	0-2.4		
		Multi-Pro-R2	38144.713	0-2.0	0-2.4		
Camaro Convertible, 6.2L V8 SS	11-12	Pro-Street-S	38144.711	0-2.0	0-2.4		
		Multi-Pro-R1	38144.712	0-2.0	0-2.4		
		Multi-Pro-R2	38144.713	0-2.0	0-2.4		
Corvette, C5	97-04	Multi-Pro-R2	38124.713	0-2.0	0-2.0		
Corvette, C5 Z51	97-04	Multi-Pro-R2	38133.713	0-2.0	0-2.0		
Corvette, C5 Z06	01-04	Multi-Pro-R2	38125.713	0-2.0	0-2.0		
Corvette, C6	05-13	Multi-Pro-R2	38126.713	0-2.0	0-2.0		
Corvette, C6 Z51	05-11	Multi-Pro-R2	38134.713	0-2.0	0-2.0		
Corvette, C6 Grand Sport	10-13	Multi-Pro-R2	38145.713	0-2.0	0-2.0		
Corvette, C6 Z06	06-13	Multi-Pro-R2	38127.713	0-2.0	0-2.0		

MANUFACTURE / MODEL	YEAR	Eibach COILOVER SYSTEM					
		System Type	Part #	Approx. Lowering (in)		Camber Plates Part #	Degrees of Adjustment
Front	Rear						
<b>CHRYSLER</b>							
300 3.5L V6, 300C 5.7L HEMI V8, 2WD (Exc. AWD)	05-10	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0		
<b>NEW</b> 300 3.6L V6, 300C 5.7L HEMI V8, 2WD (Exc. AWD)	11-13	Pro-Street-S	28110.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	28110.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	28110.713	0.0-2.5	0.0-2.0		
300 SRT8, 6.1L HEMI V8, 2WD (Exc. AWD)	05-10	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0		
<b>NEW</b> 300 SRT8, 6.4L HEMI V8, 2WD (Exc. AWD)	2012	Pro-Street-S	28110.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	28110.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	28110.713	0.0-2.5	0.0-2.0		
Neon, 4-door (Incl. R/T & ACR Models)	00-06	Pro-Street-S	2820.711	1.4-2.6	1.4-2.6		
Neon SRT-4, 4-door, 2.4L Turbo	03-06	Pro-Street-S	2821.711	1.4-2.6	1.4-2.6		
<b>DODGE</b>							
Challenger, 3.5L V6, R/T 5.7L HEMI V8, SRT8 6.1L HEMI V8	08-10	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0		
<b>NEW</b> Challenger, 3.6L V6, R/T 5.7L HEMI V8, SRT8 6.4L HEMI V8	11-13	Pro-Street-S	28110.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	28110.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	28110.713	0.0-2.5	0.0-2.0		
Charger, 3.5L V6, R/T 5.7L HEMI V8, SRT8 6.1L HEMI V8, 2WD (Incl. Daytona R/T) (Exc. AWD)	06-10	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0		
<b>NEW</b> Charger, 3.6L V6, R/T 5.7L HEMI V8, SRT8 6.4L HEMI V8 (Exc. AWD)	11-13	Pro-Street-S	28110.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	28110.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	28110.713	0.0-2.5	0.0-2.0		
Magnum, 2WD, V6, R/T V8, SRT-8 V8 (Exc. AWD)	05-08	Pro-Street-S	2895.711	0.0-2.5	0.0-2.0		
		Multi-Pro-R1	2895.712	0.0-2.5	0.0-2.0		
		Multi-Pro-R2	2895.713	0.0-2.5	0.0-2.0		
Neon, (Incl. R/T & ACR Models)	00-06	Pro-Street-S	2820.711	1.4-2.6	1.4-2.6		
Neon SRT-4, 2.4L Turbo	03-06	Pro-Street-S	2821.711	1.4-2.6	1.4-2.6		
<b>FORD</b>							
<b>NEW</b> Focus ST, 5-Door, 2.0L 4 Cyl. Turbo	2013	Pro-Street-S	35140.711	I/D	I/D		
		Multi-Pro-R1	35140.712	I/D	I/D		
		Multi-Pro-R2	35140.713	I/D	I/D		
Mustang, All (Exc. IRS) (FOX)	79-93	Pro-Street	3510.710	1.0-2.5	1.0-2.5	5.3510K	Front +/-3.00
Mustang, All (Exc. IRS) (SN95)	94-04	Pro-Street	3510.710	1.0-2.5	1.0-2.5	5.3518K	Front +/-3.00
Mustang, All (Exc. IRS) (S197)	05-10	Pro-Street-S	35101.711	1.2-2.3	1.4-2.1		
		Multi-Pro-R1	35101.712	0.5-2.4	0.5-2.5		
		Multi-Pro-R2	35101.713	0.5-2.4	0.5-2.5		
		Drag Launch R1	9329.712	0.0-1.8	0.5		
Mustang, All	11-13	Pro-Street-S	35125.711	1.0-2.4	1.0-2.4		
		Multi-Pro-R1	35125.712	1.0-2.4	1.0-2.4		
		Multi-Pro-R2	35125.713	0.0-2.3	0.0-2.7		
		Drag Launch R1	9330.712	I/D	I/D		
Mustang Shelby GT500, Coupe, 5.4L V8 Supercharged (S197)	07-13	Pro-Street-S	35115.711	1.2-2.3	1.4-2.1		
		Multi-Pro-R1	35115.712	0.5-2.4	0.5-2.5		
		Multi-Pro-R2	35115.713	0.5-2.4	0.5-2.5		
Mustang Shelby GT500, Convertible, 5.4L V8 Supercharged (S197)	07-10	Pro-Street-S	35115.711	1.2-2.3	1.4-2.1		
		Multi-Pro-R1	35115.712	0.5-2.4	0.5-2.5		
		Multi-Pro-R2	35115.713	0.5-2.4	0.5-2.5		
<b>NEW</b> Mustang Shelby GT500, Convertible, 5.4L V8 Supercharged	2011	Pro-Street-S	35128.711	1.0-2.4	1.0-2.4		
		Multi-Pro-R1	35128.712	1.0-2.4	1.0-2.4		
		Multi-Pro-R2	35128.713	1.0-2.4	1.0-2.4		



# COILOVERS | Adjustable Ride Height Suspension Systems

MANUFACTURE / MODEL	YEAR	Eibach COILOVER SYSTEM					
		System Type	Part #	Approx. Lowering (in)		Camber Plates Part #	Degrees of Adjustment
Front	Rear						
<b>HONDA</b>							
Accord, 2 & 4-door, 4 Cyl & 6 Cyl (Incl. EX, DX & LX)	03-05	Pro-Street-S	4044.711	1.4-2.6	1.4-2.6		
Civic, 2 & 4-door	92-95	Pro-Street-S	4017.711	1.8-3.0	1.8-3.0		
		Multi-Pro-R1	4017.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4017.713	0.0-2.7	0.0-2.7		
Civic, 2 & 4-door (Incl. EX, DX, HX, LX, & Hatchback Models)	96-00	Pro-Street-S	4018.711	1.8-3.0	1.8-3.0		
		Multi-Pro-R1	4018.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4018.713	0.0-2.7	0.0-2.7		
Civic Si	99-00	Pro-Street-S	4018.711	1.8-3.0	1.8-3.0		
		Multi-Pro-R1	4018.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4018.713	0.0-2.7	0.0-2.7		
CR-Z	2011	Pro-Street-S	4085.711	0.5-2.2	0.5-2.2		
Del Sol	93-97	Pro-Street-S	4017.711	1.8-3.0	1.8-3.0		
		Multi-Pro-R1	4017.712	0.0-2.7	0.0-2.7		
		Multi-Pro-R2	4017.713	0.0-2.7	0.0-2.7		
<b>NEW</b> Fit, 4 Cyl, (Incl. Sport)	09-13	Pro-Street-S	4081.711	0.5-2.2	0.5-2.2		
S2000	00-09	Multi-Pro-R2	4043.713	0.0-2.5	0.0-2.5		
<b>HYUNDAI</b>							
Genesis Coupe, 2.0L 4Cyl. Turbo (Incl. R-Spec & Track)	09-10	Pro-Street-S	4244.711	0.0-2.2	0.0-2.2		
Genesis Coupe, 3.8L V6 (Incl. R-Spec & Track)	09-10	Pro-Street-S	4244.711	0.0-2.2	0.0-2.2		
<b>INFINITI</b>							
G35, Coupe, 3.5L V6	03-07	Pro-Street-S	6364.711	0.8-1.6	0.8-1.6		
G37, Coupe, V36, 3.7L V6	08-13	Pro-Street-S	6393.711	I/D	I/D		
G37, Coupe, V36, 3.7L V6	08-13	Multi-Pro-R1	6393.712	I/D	I/D		
G37, Coupe, V36, 3.7L V6	08-13	Multi-Pro-R2	6393.713	I/D	I/D		
<b>MAZDA</b>							
Miata	99-05	Pro-Street-S	5535.711	1.2-2.4	1.2-2.4		
MX-5 Miata	06-08	Multi-Pro-R1	5536.712	1.2-2.4	1.2-2.4		
RX-8	03-08	Multi-Pro-R1	5544.712	1.0-1.8	1.0-1.8		
<b>MERCURY</b>							
Capri, V8	79-86	Pro-Street	3510.710	1.0-2.5	1.0-2.5		
<b>MINI</b>							
Cooper, 1.6L (Incl. "S" model)	03/02-06	Pro-Street-S	5702.711	0.8-2.0	0.8-2.0	5.67620K	Front +/-2.00
Cooper, 1.6L (Incl. "S" model)	07-13	Multi-Pro-R1	5705.712	1.2-2.2	1.2-2.2	5.67630K	Front +/-2.00
		Multi-Pro-R2	5705.713	1.2-2.2	1.2-2.2		
Clubman (Incl. "S" model)	08-13	Multi-Pro-R1	5706.712	1.2-2.2	1.2-2.2	5.67630K	Front +/-2.00
		Multi-Pro-R2	5706.713	1.2-2.2	1.2-2.2		
<b>MITSUBISHI</b>							
Evolution X, (Incl. GSR, MR)	08-13	Multi-Pro-R1	6049.712	0.8-2.0	0.8-2.0		
		Multi-Pro-R2	6049.713	0.8-2.0	0.8-2.0		
<b>NISSAN</b>							
350Z, 3.5L All	03-08	Pro-Street-S	6364.711	0.8-1.6	0.8-1.6		
370Z, Coupe, Z34, 3.7L V6 (Incl. Convertible)	09-13	Pro-Street-S	6393.711	I/D	I/D		
370Z, Coupe, Z34, 3.7L V6 (Incl. Convertible)	09-13	Multi-Pro-R1	6393.712	I/D	I/D		
370Z, Coupe, Z34, 3.7L V6 (Incl. Convertible)	09-13	Multi-Pro-R2	6393.713	I/D	I/D		
<b>PLYMOUTH</b>							
Neon, 4-door (Incl. R/T & ACR Models)	00-01	Pro-Street-S	2820.711	1.4-2.6	1.4-2.6		

MANUFACTURE / MODEL	YEAR	Eibach COILOVER SYSTEM					
		System Type	Part #	Approx. Lowering (in)		Camber Plates	Degrees of Adjustment
				Front	Rear	Part #	
<b>SCION</b>							
NEW FR-S, 2.0L 4 Cyl. (ZN6)	2013	Pro-Street-S	82105.711	0-2.0	0-2.0		
		Multi-Pro-R1	82105.712	0-2.0	0-2.0		
		Multi-Pro-R2	82105.713	0-2.0	0-2.0		
<b>SUBARU</b>							
NEW BRZ, 2.0L 4 Cyl. (Z10)	2013	Pro-Street-S	82105.711	0-2.0	0-2.0		
		Multi-Pro-R1	82105.712	0-2.0	0-2.0		
		Multi-Pro-R2	82105.713	0-2.0	0-2.0		
WRX, 4 Cyl Turbo (Exc. Wagon)	04-07	Pro-Street-S	7714.711	1.0-2.2	1.0-1.8		
WRX, 4 Cyl Turbo (Exc. Wagon)	04-07	Multi-Pro-R1	7714.712	I/D	I/D		
WRX, 4 Cyl Turbo (Exc. Wagon)	04-07	Multi-Pro-R2	7714.713	I/D	I/D		
WRX, 4 Cyl Turbo (Exc. Non-Turbo, STi)	08-10	Multi-Pro-R1	7717.712	0-2.0	0-2.6		
		Multi-Pro-R2	7717.713	0-2.0	0-2.6		
WRX STi	05-07	Pro-Street-S	7713.711	0.8-2.0	0.4-1.5		
WRX STi, 4 & 5-door	08-11	Multi-Pro-R1	7718.712	0-2.0	0-2.6		
		Multi-Pro-R2	7718.713	0-2.0	0-2.6		
<b>VOLKSWAGEN</b>							
Beetle, Coupe / Convertible (Incl. 1.8-Turbo, 1.9-TDI & Sport) (1CX)	02/98-08	Pro-Street-S	8567.711	1.2-2.8	1.2-2.8	5.81340K	Front +/-1.00
Golf IV, 4 Cyl & 6Cyl (Incl. 1.8T-Turbo & 1.9 TDI)	99-06	Pro-Street-S	8567.711	1.2-2.8	1.2-2.8	5.81340K	Front +/-1.00
Golf IV, R32 3.2L V6 AWD	2004	Pro-Street-S	8597.711	1.2-2.8	1.2-2.8		
Golf VI, 2.5L 5 Cyl. (Exc. R)	10-13	Pro-Street-S	8598.711(cb)	1.4-2.6	1.4-2.6		
		Multi-Pro-R1	8598.712(cb)	0-3.0	0-3.0		
		Multi-Pro-R2	8598.713(cb)	0-3.0	0-3.0		
GTI V, 2.0 TFSI	06-09	Pro-Street-S	8598.711(cb)	1.4-2.2	1.4-2.2		
		Multi-Pro-R1	8598.712(cb)	0-2.7	0-2.7		
		Multi-Pro-R2	8598.713(cb)	0-2.7	0-2.7		
GTI VI, 2.0 TFSI	10-13	Pro-Street-S	8598.711(cb)	1.4-2.2	1.4-2.2		
		Multi-Pro-R1	8598.712(cb)	0-2.7	0-2.7		
		Multi-Pro-R2	8598.713(cb)	0-2.7	0-2.7		
Jetta IV, 4 Cyl & 6 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. Wagon) (1MX)	11/98-05	Pro-Street-S	8567.711	1.2-2.8	1.2-2.8	5.81340K	Front +/-1.00
Jetta V, Sedan, (Incl. 2.0T 4 Cyl. & 2.5L 5 Cyl.)	05-10	Pro-Street-S	8598.711(cb)	1.4-2.6	1.4-2.6		
		Multi-Pro-R1	8598.712(cb)	0-3.0	0-3.0		
		Multi-Pro-R2	8598.713(cb)	0-3.0	0-3.0		
Jetta V, Sedan TDI	09-10	Multi-Pro-R2	85103.713	0-3.0	0-3.0		
Rabbit, 5 Cyl (Incl. Coupe & Sedan)	06-09	Pro-Street-S	8598.711(cb)	1.4-2.6	1.4-2.6		
		Multi-Pro-R1	8598.712(cb)	0-3.0	0-3.0		
		Multi-Pro-R2	8598.713(cb)	0-3.0	0-3.0		

# WHEEL SPACERS | Car, Truck & SUV's



## Before

Eibach PRO-SPACERS are a simple, strong, cost-effective way to eliminate the lateral gap between your wheels and the outer fender edge, allowing you to fine-tune the look and handling performance of your wheels, either stock or custom.




## After

With the right Eibach PRO-SPACERS installed, your car takes on a wider, more aggressive stance, with the wheels and tires filling the wheel arches just the way they should. And PRO-SPACERS can help improve your handling just as they improve your look.


## Bolt Style Wheel Attachment

### System 1\*




- Spacer disc (5 mm - 8 mm) with bolt through-system
- Hub-Centric through center bore
- Fastening by using longer wheel bolts (included)

### System 2\*



- Spacer disc (10 mm - 20 mm) with bolt through-system
- Hub-Centric with centering hub
- Fastening by using longer wheel bolts (included)


### System 3/7



- Spacer disc (20 mm - 30 mm) with bolt on-system
- Hub-Centric with centering hub
- Fastening by using spacer bolts (included) and original wheel bolts (not included)


## Stud/Nut Style Wheel Attachment

### System 4/8




- Spacer disc (20 mm - 30 mm) with bolt on-system
- Hub-Centric with centering hub
- Fastening by using spacer nuts (included) and your original wheel lug nuts (not included)

### System 5



- Spacer disc (5 mm - 8 mm) with bolt through-system
- Hub-Centric through center bore
- Fastening by using longer studs (included) and your original wheel lug nuts (not included)

### System 6



- Spacer disc (10 mm - 20 mm) with bolt through-system
- Hub-Centric with centering hub
- Fastening by using longer studs (included) and your original wheel lug nuts (not included)

\* Please note: All System 1 and 2 PRO-SPACER kits include longer wheel bolts for stock/OEM wheels. Aftermarket wheels may require a different seat style (ball vs. tapered, etc.), these bolts can be ordered separately as well as the PRO-SPACER kits (System 1 and 2) are available without bolts. Please call for more information-1-800-222-8811

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
<b>ACURA</b>									
CL 2.2, 2.3, 3.0	97-99	4x114.3	64	Stud	12x1.5	5mm	S33	90.5.05.018.1	5
						15mm	S33	90.6.15.021.1	6
Integra (Exc. Type-R) (DA, DC2/4)	90-01	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
TL 2.5	95-98	4x114.3	64	Stud	12x1.5	5mm	S33	90.5.05.018.1	5
						15mm	S33	90.6.15.021.1	6
<b>AUDI</b>									
A4, Sedan, 4 Cyl., 6 Cyl., 2WD, Quattro (B5)	96-01	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm	S13	90.2.15.005.2	2
						20mm	S13	90.2.20.004.2	2
						25mm	S13	90.7.25.005.2	7
A4, Sedan, Avant (Wagon) 2WD, Quattro, S4 (B6/B7)	02-08	5x112	57.1	Bolt	14x1.5	5mm	S8,S11	90.1.05.016.2	1
						8mm	S8,S11	90.1.08.002.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7
A4, Sedan, Avant (Wagon), 2WD, Quattro (B8)	09-12	5x112	66.5	Bolt	14x1.5	12mm	S3	90.2.12.018.2	2
						15mm		90.2.15.052.2	2
						20mm		90.2.20.034.2	2
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
A4, Cabriolet, 2WD, 4 Cyl (8H/ B6/B7)	03-08	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.002.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7
S4, Sedan, Quattro, 2.7 T (B5S)	00-02	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.005.2	2
						20mm		90.2.20.004.2	2
						25mm		90.7.25.005.2	7
A5, S5, 2WD, Quattro (B8)	08-12	5x112	66.5	Bolt	14x1.5	12mm		90.2.12.018.2	2
						15mm		90.2.15.052.2	2
						20mm		90.2.20.034.2	2
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
A6, Sedan, Avant (Wagon) Quattro, 6 Cyl., V8 (C4)	07/94- 12/97	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.005.2	2
						20mm		90.2.20.004.2	2
						25mm		90.7.25.005.2	7
A6, Sedan, Avant (Wagon) Quattro, 6 Cyl., V8, S6 (C5)	01/97- 01/05	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.002.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7
A6, Sedan, Avant (Wagon), 2WD, Quattro, (C6)	05-11	5x112	57.1	Bolt	14x1.5	12mm		90.2.12.003.2	2
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7

# WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type	
<b>AUDI (continued)</b>										
A8, S8, Sedan, Quattro V8 (D2, D3)	95-09	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1	
						8mm		90.1.08.002.2	1	
						15mm		90.2.15.013.2	2	
						20mm		90.2.20.003.2	2	
						25mm		90.7.25.005.2	7	
Q5, Quattro (8R)	09-11	5x112	66.5	Bolt	14x1.5	12mm		90.2.12.018.2	2	
						15mm		90.2.15.052.2	2	
						20mm		90.2.20.034.2	2	
						25mm		90.7.25.016.2	7	
						30mm		90.7.30.007.2	7	
TT Coupe / Roadster / Convertible, 2WD, 4 Cyl. (TTR)	99-06	5x100	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1	
						8mm		S11	90.1.08.001.2	1
						15mm			90.2.15.005.2	2
						20mm			90.2.20.004.2	2
						25mm			90.7.25.003.2	7
TT, Quattro, 3.2L (TTR)	04-06	5x100	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1	
						8mm		S11	90.1.08.001.2	1
						15mm			90.2.15.005.2	2
						20mm			90.2.20.004.2	2
						25mm			90.7.25.003.2	7
<b>BMW</b>										
128i, 135i, Incl. Convertible (E82,E87)	08-13	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1	
						12mm		90.2.12.002.1	2	
						15mm		90.2.15.001.1	2	
						20mm		90.2.20.020.1	2	
						25mm		90.7.25.011.1	7	
30mm	90.7.30.002.1	7								
318i, 325e, 325i, 325is, 2 & 4-door, Convertible (E30)	11/82- 05/93	4x100	57.1	Bolt	12x1.5	5mm	S11	90.1.05.010.1	1	
						8mm		S11	90.1.08.003.1	1
						15mm		S13	90.2.15.004.1	2
						20mm			90.2.20.011.1	2
						25mm			90.7.25.001.1	7
318i, 318is, 325i, 328i, M3, 2 & 4-door, Convertible (E36)	12/90- 04/99	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1	
						15mm		90.2.15.001.1	2	
						20mm		90.7.20.010.1	7	
						25mm		90.7.25.011.1	7	
						30mm		90.7.30.002.1	7	
323i, 325i, 328i, 330i, 2 & 4-door, Sport Wagon, M3, Convertible (E46)	04/98-06	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1	
						12mm		90.2.12.002.1	2	
						15mm		90.2.15.001.1	2	
						20mm		90.2.20.020.1	2	
						25mm		90.7.25.011.1	7	
30mm	90.7.30.002.1	7								
325i, 328i, 330i, 335i, Coupe, Sedan, Convertible, Wagon (E90, E91, E92, E93)	06-13	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1	
						12mm		90.2.12.002.1	2	
						15mm		90.2.15.001.1	2	
						20mm		90.2.20.020.1	2	
						25mm		90.7.25.011.1	7	
30mm	90.7.30.002.1	7								
528e, 525i, 530i, 533i, 535i, 540i, M5 (E28, E34)	82-03/97	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1	
						15mm		90.2.15.001.1	2	
						20mm		90.7.20.010.1	7	

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
						25mm 30mm		90.7.25.011.1 90.7.30.002.1	7 7
525i, 528i, 530i, 540i, Wagon, Touring (E39)	97-03	5x120	74	Bolt	12x1.5	5mm 15mm 20mm 25mm		90.1.05.007.1 90.2.15.002.1 90.7.20.002.1 90.7.25.010.1	1 2 7 7
525i, 528i, 530i, 545i, 550i, Wagon, Touring (E60, E61)	04-08	5x120	72.5	Bolt	12x1.5	5mm 12mm 15mm 20mm 25mm 30mm	S11  S67	90.1.05.017.1 90.2.12.002.1 90.2.15.001.1 90.7.20.010.1 90.7.25.011.1 90.7.30.002.1	1 2 2 7 7 7
528i/ 535i/ 550i, Sedan, Gran Turismo, (Incl. xDrive)(F07, F10)	10-13	5x120	72.5	Bolt	14x1.25	12mm 15mm 20mm 25mm 30mm		90.2.12.002.7 90.2.15.001.7 90.2.20.020.7 90.7.25.038.7 90.7.30.032.7	2 2 2 7 7
633csi, 635csi, M6, (E24)	82-90	5x120	72.5	Bolt	12x1.5	5mm 15mm 20mm 25mm 30mm	S11	90.1.05.017.1 90.2.15.001.1 90.7.20.010.1 90.7.25.011.1 90.7.30.002.1	1 2 7 7 7
645ci, 650i, Cabrio (E63, E64)	04-10	5x120	72.5	Bolt	12x1.5	5mm 12mm 15mm 20mm 25mm 30mm	S11  S67	90.1.05.017.1 90.2.12.002.1 90.2.15.001.1 90.7.20.010.1 90.7.25.011.1 90.7.30.002.1	1 2 2 7 7 7
650i Coupe, Convertible (F12)	12-13	5x120	72.5	Bolt	14x1.25	12mm 15mm 20mm 20mm 25mm 30mm	S46	90.2.12.002.7 90.2.15.001.7 90.2.20.020.7 90.7.20.036.7 90.7.25.038.7 90.7.30.032.7	2 2 2 7 7 7
735i, 740i, 740iL, (E32)	88-94	5x120	72.5	Bolt	12x1.5	5mm 15mm 25mm 30mm	S11	90.1.05.017.1 90.2.15.001.1 90.7.25.011.1 90.7.30.002.1	1 2 7 7
740i, 750iL, (E38)	94-01	5x120	72.5	Bolt	12x1.5	5mm 12mm 15mm 20mm 25mm 30mm	S11	90.1.05.017.1 90.2.12.002.1 90.2.15.001.1 90.7.20.010.1 90.7.25.011.1 90.7.30.002.1	1 2 2 7 7 7
745i, 745iL, 750i, (E65/E66)	02-08	5x120	72.5	Bolt	14x1.5	5mm 12mm 15mm 20mm 25mm 30mm	S11	90.1.05.017.2 90.2.12.002.2 90.2.15.001.2 90.7.20.011.2 90.7.25.012.2 90.7.30.003.2	1 2 2 7 7 7

# WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
<b>BMW (continued)</b>									
740i/ 740Li/ 750i/ 750Li, (Incl. xDrive) (F01)	09-12	5x120	72.5	Bolt	14x1.25	12mm		90.2.12.002.7	2
						15mm		90.2.15.001.7	2
						20mm		90.2.20.020.7	2
						25mm		90.7.25.038.7	7
						30mm		90.7.30.032.7	7
840ci, 840i, 850i, (E31)	90-97	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
X3, (E83)	04-10	5x120	72.5	Bolt	14x1.5	5mm	S11	90.1.05.017.2	1
						12mm		90.2.12.002.2	2
						15mm		90.2.15.001.2	2
						20mm		90.2.20.020.2	2
						25mm		90.7.25.012.2	7
						30mm		90.7.30.003.2	7
X5, (E53)	00-06	5x120	72.5	Bolt	14x1.5	5mm	S11	90.1.05.017.2	1
						12mm		90.2.12.002.2	2
						15mm		90.2.15.001.2	2
						20mm		90.2.20.020.2	2
						25mm		90.7.25.012.2	7
						30mm		90.7.30.003.2	7
X5, 35i, 35d,50i (E70)	07-12	5x120	74	Bolt	14x1.25	4mm	S46	90.1.04.007.7	1
						12mm		90.2.12.014.7	2
						15mm		90.2.15.002.7	2
						20mm		90.2.20.027.7	2
						20mm		90.7.20.035.7	7
						25mm		90.7.25.032.7	7
						30mm		90.7.30.026.7	7
Z3, M-Coupe, M-Roadster, (E36/7)	96-02	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						12mm		90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
Z4 (E85)	03-08	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						12mm		90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
Z4 Roadster 30i, 35i (E89)	09-11	5x120	72.5	Bolt	12x1.5	12mm	S67	90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
Z8 (E52)	00-03	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						15mm		90.2.15.001.1	2
<b>CHEVROLET</b>									
Camaro	93-97	5x120.65	70.5	Stud	12x1.5	15mm		90.6.15.033.1	6
Camaro	10-12	5x120	67	Stud	14x1.5	15mm	S9	90.4.15.027.2	4

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
						20mm	S9	90.4.20.035.2	4
						25mm	S9	90.4.25.051.2	4
						30mm	S9	90.4.30.044.2	4
Cruze Sedan	11-13	5x105	56.5	Stud	12x1.5	15mm	S9	90.4.15.028.1	4
						20mm	S9	90.4.20.036.1	4
						25mm	S9	90.4.25.052.1	4
						30mm	S9	90.4.30.045.1	4
S-10	82-04	5x120.65	70.5	Stud	12x1.5	15mm		90.6.15.033.1	6
						20mm	S33	90.8.20.001.1	8
						25mm	S9,S47	90.8.25.005.1	8
						30mm	S9,S47	90.8.30.005.1	8
S-10	82-04	5x120.65	70.5	Stud	14x1.5	25mm		90.4.25.025.2	4
<b>CHRYSLER</b>									
300 2WD, 300C 2WD	05-10	5x115	71.4	Bolt	14x1.5	25mm	S33,S37	90.4.25.030.2	4
						30mm	S33,S37	90.4.30.017.2	4
Crossfire	04-07	5x112	66.5	Bolt	12x1.5	5mm	S6,S11	90.1.05.014.1	1
						10mm	S6	90.2.10.002.1	2
						15mm	S6	90.2.15.017.1	2
						20mm	S6	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
Neon (Front)	95-06	5x100	57.1	Stud	12x1.5	5mm	S11,S30,S33	90.5.05.032.1	5
						10mm	S30,S33	90.6.10.006.1	6
						15mm	S30,S33	90.6.15.028.1	6
						20mm	S30,S33	90.6.20.020.1	6
						30mm	S9	90.4.30.006.1	4
Neon (Rear)	95-06	5x100	57.1	Stud	12x1.5	10mm	S30,S33	90.6.10.007.1	6
						15mm	S30,S33	90.6.15.029.1	6
						20mm	S30,S33	90.6.20.021.1	6
						30mm	S9	90.4.30.006.1	4
PT Cruiser (Front)	00-10	5x100	57.1	Stud	12x1.5	5mm	S11,S30,S33	90.5.05.032.1	5
						10mm	S30,S33	90.6.10.006.1	6
						15mm	S30,S33	90.6.15.028.1	6
						20mm	S30,S33	90.6.20.020.1	6
						30mm	S9	90.4.30.006.1	4
PT Cruiser (Rear)	00-10	5x100	57.1	Stud	12x1.5	10mm	S30,S33	90.6.10.007.1	6
						15mm	S30,S33	90.6.15.029.1	6
						20mm	S30,S33	90.6.20.021.1	6
						30mm	S9	90.4.30.006.1	4
Sebring Cabrio	00-10	5x100	57.1	Stud	12x1.5	10mm	S30,S33	90.6.10.006.1	6
						15mm	S30,S33	90.6.15.028.1	6
						20mm	S30,S33	90.6.20.020.1	6
						30mm	S9	90.4.30.006.1	4
<b>DODGE</b>									
Magnum 2WD	05-10	5x115	71.4	Bolt	14x1.5	25mm	S33,S37	90.4.25.030.2	4
						30mm	S33,S37	90.4.30.017.2	4
Charger 06-12 2WD						25mm	S33,S37	90.4.25.030.2	4
						30mm	S33,S37	90.4.30.017.2	4
Challenger 11-12						25mm	S33,S37	90.4.25.030.2	4
						30mm	S33,S37	90.4.30.017.2	4



# WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
<b>FERRARI</b>									
360 Modena	99-05	5x108	67	Bolt	14x1.5	30mm		90.3.30.004.2	3
<b>FIAT</b>									
500 (312)	2012	4x98	58	Bolt	12x1.25	5mm 10mm 15mm 20mm 25mm 30mm	S3	90.1.05.011.4 90.2.10.021.4 90.2.15.020.4 90.7.20.012.4 90.7.25.006.4 90.7.30.005.4	1 2 2 7 7 7
<b>FORD</b>									
Contour	95-00	4x108	63.3	Stud	12x1.5	5mm 15mm 20mm 25mm 30mm	S33 S33 S33 S9 S9	90.5.05.004.1 90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	5 6 6 4 4
Escort	85-01	4x108	63.3	Stud	12x1.5	5mm 15mm 20mm 25mm 30mm	S33 S33 S33 S9 S9	90.5.05.004.1 90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	5 6 6 4 4
Fiesta	11-13	4x108	63.3	Stud	12x1.5	15mm 20mm 25mm 30mm	S33 S33 S9,S23 S9,S23	90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	6 6 4 4
Focus	00-06	4x108	63.3	Stud	12x1.5	5mm 15mm 20mm 25mm 30mm	S33 S33 S33 S9 S9	90.5.05.004.1 90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	5 6 6 4 4
Fusion	06-12	4x108	63.3	Stud	12x1.5	5mm 15mm 20mm 25mm 30mm	S33 S33 S33 S9,S23 S9,S23	90.5.05.004.1 90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	6 6 6 4 4
Explorer	90-04	5x114.3	70.5	Stud	1/2 UNF	25mm 30mm 35mm 45mm	S9 S9 S9 S9	90.4.25.010.3 90.4.30.005.3 90.4.35.001.3 90.4.45.001.3	4 4 4 4
Ranger	98-06	5x114.3	70.5	Stud	1/2 UNF	25mm 30mm 35mm 45mm	S9 S9 S9 S9	90.4.25.010.3 90.4.30.005.3 90.4.35.001.3 90.4.45.001.3	4 4 4 4
Mustang (FOX)	79-93	5x114.3	70.5	Stud	1/2 UNF	5mm 25mm 30mm 35mm 45mm	S9 S9 S9 S9 S9	90.5.05.038.3 90.4.25.010.3 90.4.30.005.3 90.4.35.001.3 90.4.45.001.3	5 4 4 4 4
Mustang (SN95)	94-04	5x114.3	70.5	Stud	1/2 UNF	5mm 25mm 30mm 35mm 45mm	S9, S23 S9, S23 S9, S23 S9, S23	90.5.05.038.3 90.4.25.010.3 90.4.30.005.3 90.4.35.001.3 90.4.45.001.3	5 4 4 4 4

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
Mustang, (Front) (S197)	05-12	5x114.3	70.5	Stud	1/2 UNF	5mm	S23, S37	90.5.05.038.3	5
						20mm		90.4.20.016.3	4
						25mm		90.4.25.032.3	4
						30mm		90.4.30.019.3	4
						35mm		90.4.35.005.3	4
Mustang, (Rear) (S197)	05-12	5x114.3	70.5	Stud	1/2 UNF	5mm	S23, S37	90.5.05.038.3	5
						20mm		90.4.20.017.3	4
						25mm		90.4.25.033.3	4
						30mm		90.4.30.020.3	4
						35mm		90.4.35.006.3	4
<b>GMC</b>									
S-15	82-04	5x120.65	70.5	Stud	12x1.5	15mm		90.6.15.033.1	6
S-15	82-04	5x120.65	70.5	Stud	14x1.5	25mm		90.4.25.025.2	4
<b>JEEP</b>									
Gr. Cherokee (ZJ)	93-98	5x114.3	71.5	Stud	1/2 UNF	30mm	S9	90.4.30.008.3	4
Gr. Cherokee (WH)	05-10	5x127	71.5	Stud	1/2 UNF	25mm	S9,S41	90.4.25.013.3	4
						27mm	S9,S41	90.4.27.001.3	4
						30mm	S9,S41	90.4.30.007.3	4
Wrangler (TJ)	96-06	5x114.3	71.5	Stud	1/2 UNF	30mm	S9	90.4.30.008.3	4
Wrangler (JK)	07-11	5x127	71.5	Stud	1/2 UNF	25mm	S9	90.4.25.013.3	4
						27mm	S9	90.4.27.001.3	4
						30mm	S9	90.4.30.007.3	4
<b>HONDA</b>									
Accord, 2 & 4-door, Incl. Wagon, 4 Cyl. (CB/CD)	90-02	4x114.3	64	Stud	12x1.5	5mm	S33	90.5.05.018.1	5
						15mm	S33	90.6.15.021.1	6
Civic / CRX (EF,EG,EK,EM)	84-02	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
Civic Si (EM1)	99-00	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
Civic (FA,FD,FG,FK,FN)	06-11	5x114.3	64	Stud	12x1.5	10mm	S33	90.6.10.012.1	6
						15mm	S33	90.6.15.038.1	6
						20mm	S33	90.6.20.015.1	6
						30mm	S9	90.4.30.027.1	4
Del Sol (EG)	93-97	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
Prelude, Incl. AWS	83-91	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
<b>INFINITI</b>									
G25, G35, G37, Coupe & Sedan (Incl. AWD)	03-11	5x114.3	66.1	Stud	12x1.25	5mm	S16,S33	90.5.05.030.4	5
						15mm	S16,S33	90.6.15.026.4	6
						15mm	S9,S23	90.4.15.001.4	4
						20mm	S16,S33	90.6.20.019.4	6
						20mm	S9,S23	90.4.20.003.4	4
25mm	S9,S23	90.4.25.019.4	4						
<b>LEXUS</b>									
GS 300, GS 350, GS 430	06-11	5x114.3	60	Stud	12x1.5	15mm	S33	90.6.15.034.1	6
						20mm	S9	90.4.20.013.1	4
						25mm	S9	90.4.25.029.1	4
						30mm	S9	90.4.30.016.1	4

# WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type	
<b>LEXUS (continued)</b>										
IS300	99-05	5x114.3	60	Stud	12x1.5	15mm	S33	90.6.15.034.1	6	
						20mm	S9	90.4.20.013.1	4	
						25mm	S9	90.4.25.029.1	4	
						30mm	S9	90.4.30.016.1	4	
IS 250, IS 350	06-13	5x114.3	60	Stud	12x1.5	15mm	S33	90.6.15.034.1	6	
						20mm	S9	90.4.20.013.1	4	
						25mm	S9	90.4.25.029.1	4	
						30mm	S9	90.4.30.016.1	4	
<b>MAZDA</b>										
323	89-98	4x100	54.1	Stud	12x1.5	5mm	S16,S33 S16, S24, S33	90.5.05.008.1	5	
						15mm		90.6.15.010.1	6	
3 Sedan, Mazdaspeed3, Incl. 5-door	04-09	5x114.3	67.1	Stud	12x1.5	5mm	S16,S11,S33	90.5.05.031.1	5	
						10mm		S16,S33	90.6.10.005.1	6
						15mm		S16,S33	90.6.15.027.1	6
						15mm		S1,S23	90.4.15.002.1	4
						20mm		S1,S23	90.4.20.005.1	4
25mm	S1,S23	90.4.25.016.1	4							
3 Sedan, Mazdaspeed3, Incl. 5-door	10-11	5x114.3	67.1	Stud	12x1.5	10mm	S16,S33	90.6.10.005.1	6	
						15mm		S16,S33	90.6.15.027.1	6
						15mm		S1,S23	90.4.15.002.1	4
						20mm		S1,S23	90.4.20.005.1	4
						25mm		S1,S23	90.4.25.016.1	4
6, Sedan & Wagon	03-08	5x114.3	67.1	Stud	12x1.5	5mm	S16,S11,S33	90.5.05.031.1	5	
						10mm		S3,S16,S33	90.6.10.005.1	6
						15mm		S16,S33	90.6.15.027.1	6
						15mm		S1,S23	90.4.15.002.1	4
						20mm		S1,S23	90.4.20.005.1	4
						25mm		S1,S23	90.4.25.016.1	4
MX3	92-95	4x100	54.1	Stud	12x1.5	5mm	S16,S33 S16, S24, S33	90.5.05.008.1	5	
						15mm		90.6.15.010.1	6	
Miata	90-05	4x100	54.1	Stud	12x1.5	5mm	S16,S33 S16, S24, S33	90.5.05.008.1	5	
						15mm		90.6.15.010.1	6	
MX-5	06-13	5x114.3	67	Stud	12x1.5	10mm	S16,S33	90.6.10.019.1	6	
						15mm		S16,S33	90.6.15.043.1	6
						20mm		S16,S33	90.6.20.028.1	6
						25mm		S9	90.4.25.016.1	4
						30mm		S9	90.4.30.015.1	4
RX-8	03-11	5x114.3	67.1	Stud	12x1.5	5mm	S16,S11,S33	90.5.05.031.1	5	
						10mm		S16,S33	90.6.10.005.1	6
						15mm		S16,S33	90.6.15.027.1	6
						15mm		S1,S6,S23	90.4.15.002.1	4
						20mm		S1,S23	90.4.20.001.1	4
						25mm		S1,S23	90.4.25.016.1	4
<b>MERCEDES</b>										
C-Class (W201)	82-93	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1	
						15mm		S51,S57	90.2.15.017.1	2
						20mm		S52,S57	90.2.20.007.1	2
						25mm		S6	90.7.25.009.1	7
						30mm		S6	90.7.30.001.1	7

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
C-Class (W202)	94-02	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						10mm	S48,S57	90.2.10.002.1	2
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6,S15	90.7.25.009.1	7
						30mm	S6,S15	90.7.30.001.1	7
C-Class (W203)	02-07	5x112	66.5	Bolt	12x1.5	10mm	S48,S57	90.2.10.002.1	2
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6,S15	90.7.25.009.1	7
						30mm	S6,S17	90.7.30.001.1	7
C300 / C350 (W204)	07-12	5x112	66.5	Bolt	14x1.5	10mm	S6,S57	90.2.10.002.2	2
						15mm	S57	90.2.15.017.2	2
						20mm		90.7.20.016.2	7
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
CL (W215)	98-04	5x112	66.5	Bolt	14x1.5	5mm	S6,S11	90.1.05.014.2	1
						10mm	S6	90.2.10.002.2	2
						15mm	S6	90.2.15.017.2	2
						20mm	S6	90.2.20.035.2	2
CLK (W208)	97-02	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6,S15	90.7.25.009.1	7
						30mm	S6,S15	90.7.30.001.1	7
CLK (W209)	02-08	5x112	66.5	Bolt	12x1.5	10mm	S48,S57	90.2.10.002.1	2
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6,S15	90.7.25.009.1	7
						30mm	S6,S15	90.7.30.001.1	7
CLS (W219)	05-10	5x112	66.5	Bolt	14x1.5	10mm	S6,S57	90.2.10.002.2	2
						15mm	S6,S57	90.2.15.017.2	2
						25mm	S6	90.7.25.016.2	7
						30mm	S6	90.7.30.007.2	7
E-Class (W124)	92-95	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
E-Class (W210)	95-02	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						10mm	S48,S57	90.2.10.002.1	2
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
E-Class (W211)	95-09	5x112	66.5	Bolt	14x1.5	10mm	S57	90.2.10.002.2	2
						15mm	S57	90.2.15.017.2	2
						20mm	S57	90.2.20.035.2	2
						25mm	S57	90.7.25.016.2	7
						30mm	S57	90.7.30.007.2	7

# WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
<b>MERCEDES (continued)</b>									
E350, Coupe 3.5L V6 (C207)	09-12	5x112	66.5	Bolt	14x1.5	10mm	S6,S57	90.2.10.002.2	2
						15mm	S57	90.2.15.017.2	2
						20mm		90.7.20.016.2	7
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
S-Class (W126)	79-91	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
S-Class (W140,W220)	91-06	5x112	66.5	Bolt	14x1.5	5mm	S11,S57	90.1.05.014.2	1
						10mm	S48,S57	90.2.10.002.2	2
						15mm	S51,S57	90.2.15.017.2	2
						20mm	S52,S57	90.2.20.035.2	2
SL (R107,R129)	72-81, 89-01	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
SL (R230)	03-10	5x112	66.5	Bolt	14x1.5	15mm	S6,S57	90.2.15.017.2	2
						20mm	S6,S57	90.2.20.035.2	2
						25mm	S6	90.7.25.016.2	7
						30mm	S6	90.7.30.007.2	7
SLK (R170,R171)	96-10	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						10mm	S48,S57	90.2.10.002.1	2
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
M-Class (W163)	97-05	5x112	66.5	Bolt	14x1.5	5mm	S57	90.1.05.014.2	1
						10mm	S57	90.2.10.002.2	2
						15mm	S57	90.2.15.017.2	2
						20mm	S57	90.2.20.035.2	2
						25mm	S57	90.7.25.016.2	7
						30mm	S57	90.7.30.007.2	7
M-Class (W164)	06-11	5x112	66.5	Bolt	14x1.5	10mm	S50,S53,S57	90.2.10.002.2	2
						15mm	S53,S57	90.2.15.017.2	2
						20mm	S53,S57	90.2.20.035.2	2
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
<b>MERCURY</b>									
Cougar	89-00	4x108	63.3	Stud	12x1.5	5mm	S33	90.5.05.004.1	5
						15mm	S33	90.6.15.015.1	6
						20mm	S33	90.6.20.005.1	6
						25mm	S9	90.4.25.008.1	4
						30mm	S9	90.4.30.003.1	4
Mystique	95-00	4x108	63.3	Stud	12x1.5	5mm	S33	90.5.05.004.1	5
						15mm	S33	90.6.15.015.1	6
						20mm	S9	90.6.20.005.1	6
						25mm	S9	90.4.25.008.1	4
						30mm	S9	90.4.30.003.1	4

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
Capri	79-89	5x114.3	70.5	Stud	1/2 UNF	25mm	S9	90.4.25.010.3	4
						30mm	S9	90.4.30.005.3	4
						35mm	S9	90.4.35.001.3	4
						45mm	S9	90.4.45.001.3	4
<b>MINI</b>									
Clubman, Clubman-S (N)	08-13	4x100	56	Bolt	14x1.25	5mm		90.1.05.025.2	1
						15mm		90.2.15.027.2	2
						20mm		90.2.20.016.2	2
						25mm		90.7.25.034.2	7
Cooper, Cooper-S (R50)	01-06	4x100	56	Bolt	12x1.5	5mm		90.1.05.025.1	1
						15mm		90.2.15.027.1	2
						20mm		90.2.20.016.1	2
						25mm		90.7.25.029.1	7
Cooper, Cooper-S, Convertible, Convertible-S (N)	07-13	4x100	56	Bolt	14x1.25	5mm		90.1.05.025.2	1
						15mm		90.2.15.027.2	2
						20mm		90.2.20.016.2	2
						25mm		90.7.25.034.2	7
Countryman (R60)	11-12	5x120	72.5	Bolt	14x1.25	12mm		90.2.12.002.7	2
						15mm		90.2.15.001.7	2
<b>NISSAN</b>									
350Z (Z33)	03-08	5x114.3	66.1	Stud	12x1.25	5mm	S16,S33	90.5.05.030.4	5
						10mm	S16,S33	90.6.10.004.4	6
						15mm	S16,S33	90.6.15.026.4	6
						15mm	S9,S23	90.4.15.001.4	4
						20mm	S16,S33	90.6.20.019.4	6
						20mm	S9,S23	90.4.20.003.4	4
						25mm	S9,S23	90.4.25.019.4	4
370Z (Z34)	09-13	5x114.3	66.1	Stud	12x1.25	10mm	S16,S33	90.6.10.004.4	6
						15mm	S16,S33	90.6.15.026.4	6
						15mm	S9,S23	90.4.15.026.4	4
						20mm	S16,S33	90.6.20.019.4	6
						20mm	S9,S23	90.4.20.034.4	4
						25mm	S9,S23	90.4.25.050.4	4
						30mm	S9,S23	90.4.30.043.4	4
Maxima	89-06	5x114.3	66.1	Stud	12x1.25	5mm	S16,S33	90.5.05.030.4	5
						15mm	S16,S33	90.6.15.026.4	6
						25mm	S9,S23	90.4.25.019.4	4
Murano (T50)	06-07	5x114.3	66.1	Stud	12x1.25	10mm	S16,S33	90.6.10.004.4	6
						15mm	S16,S33	90.6.15.026.4	6
						20mm	S16,S33	90.6.20.019.4	6
						20mm	S9,S23	90.4.20.003.4	4
						25mm	S9,S23	90.4.25.019.4	4
Pathfinder, (Incl. Compact Truck) (WD21,R20,R50,MD21,D22)	86-04	6x139.7	110	Stud	12x1.25	25mm	S9,S11	90.8.25.003.4	8
						30mm	S9,S11	90.8.30.003.4	8
<b>PORSCHE</b>									
911 Carrera (930,959,964,993)	63-98	5x130	71.5	Stud	14x1.5	7mm	S32	90.5.07.001.2	5
						7mm	S25,S32	90.6.07.001.2	6
						15mm	S33	90.6.15.018.2	6
						18mm	S33	90.6.18.001.2	6

# WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type	
<b>PORSCHE (continued)</b>										
911 (Incl. Cabrio, Turbo & GT3) (996)	98-05	5x130	71.5	Bolt	14x1.5	7mm	S40	90.2.07.001.2	2	
						15mm		90.2.15.018.2	2	
						18mm		90.2.18.001.2	2	
						23mm		90.2.23.001.2	2	
						18mm		S46	90.7.18.001.2	7
						21mm			90.7.21.001.2	7
						23mm			90.7.23.001.2	7
911 (997)	05-11	5x130	71.5	Bolt	14x1.5	7mm	S40	90.2.07.001.2	2	
						15mm		90.2.15.018.2	2	
						18mm		90.2.18.001.2	2	
						23mm		90.2.23.001.2	2	
						18mm		S46	90.7.18.001.2	7
						21mm			90.7.21.001.2	7
						23mm			90.7.23.001.2	7
928	77-95	5x130	71.5	Stud	14x1.5	7mm	S32	90.6.07.001.2	6	
						15mm		S33	90.6.15.018.2	6
						18mm		S33	90.6.18.001.2	6
944, 959	82-91	5x130	71.5	Stud	14x1.5	7mm	S32	90.6.07.001.2	6	
						15mm		S33	90.6.15.018.2	6
						18mm		S33	90.6.18.001.2	6
968, Coupe & Cabrio	92-95	5x130	71.5	Stud	14x1.5	7mm	S32	90.6.07.001.2	6	
						15mm		S33	90.6.15.018.2	6
						18mm		S33	90.6.18.001.2	6
Boxster (986,987)	96-10	5x130	71.5	Bolt	14x1.5	7mm	S22	90.2.07.001.2	2	
						15mm		S22	90.2.15.018.2	2
						18mm		S22	90.2.18.001.2	2
						23mm		S22	90.2.23.001.2	2
Cayenne (995)	03-10	5x130	71.5	Bolt	14x1.5	7mm	S22	90.2.07.001.2	2	
						15mm		S22	90.2.15.018.2	2
						18mm		S22	90.2.18.001.2	2
						23mm		S22	90.2.23.001.2	2
Cayman	06-12	5x130	71.5	Bolt	14x1.5	7mm	S22	90.2.07.001.2	2	
						15mm		S22	90.2.15.018.2	2
						18mm		S22	90.2.18.001.2	2
						23mm		S22	90.2.23.001.2	2
						18mm		S22	90.7.18.001.2	7
						21mm			90.7.21.001.2	7
						23mm			90.7.23.001.2	7
<b>SAAB</b>										
900, 9000	93-98	5x110	65	Bolt	12x1.5	5mm		90.1.05.013.1	1	
9.3	98-09	5x110	65	Bolt	12x1.5	5mm	S11	90.1.05.013.1	1	
						10mm		S3	90.1.10.002.1	1
						16mm		S3	90.2.16.001.1	2
						20mm		S3	90.2.20.006.1	2
9.5	98-01	5x110	65	Bolt	12x1.5	5mm	S11	90.1.05.013.1	1	
						10mm		S3	90.1.10.002.1	1
						16mm		S3	90.2.16.001.1	2
						20mm		S3	90.2.20.006.1	2
<b>SMART</b>										
Fortwo, Roadster	05-07	3x112	57.1	Bolt	12x1.5	5mm		90.1.05.026.1	1	
						15mm		90.2.15.028.1	2	
						20mm		90.2.20.017.1	2	

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
						25mm 30mm		90.7.25.035.1 90.7.30.028.1	7 7
Fortwo (Incl. Cabrio) (451)	08-13	3x112	57.1	Bolt	12x1.5	15mm 20mm 25mm 30mm		90.2.15.028.1 90.2.20.017.1 90.7.25.035.1 90.7.30.028.1	2 2 7 7
<b>SUBARU</b>									
Impreza, WRX (Exc. STI)	93-07	5x100	56	Stud	12x1.25	5mm 10mm 20mm 25mm	S11,S16,S32 S16,S33 S9 S9	90.5.05.028.4 90.6.10.003.4 90.4.20.002.4 90.4.25.017.4	5 6 4 4
Impreza, WRX, (Incl. STI)	08-11	5x100	56	Stud	12x1.25	20mm 20mm 25mm 30mm	S16,S33 S9 S9 S9	90.6.20.034.4 90.4.20.002.4 90.4.25.017.4 90.4.30.030.4	6 4 4 4
<b>TOYOTA</b>									
Yaris, 1.5L 4 Cyl (Incl. Hatchback, Sedan, S-Sedan)	07-11	4x100	54	Stud	12x1.5	10mm 12mm 15mm 20mm 30mm	S33 S33 S33 S33 S9	90.6.10.017.1 90.6.12.001.1 90.6.15.041.1 90.6.20.032.1 90.4.30.021.1	6 6 6 6 4
<b>VOLKSWAGEN</b>									
Beetle (Incl. Cabrio)	98-10	5x100	57.1	Bolt	14x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11	90.1.05.006.2 90.1.08.001.2 90.2.15.005.2 90.2.20.004.2 90.7.25.003.2	1 1 2 2 7
Corrado	88-96	5x100	57.1	Bolt	14x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11	90.1.05.006.2 90.1.08.001.2 90.2.15.005.2 90.2.20.004.2 90.7.25.003.2	1 1 2 2 7
Golf II, Golf III, Incl. Station Wagon, Cabrio (19E,1HX, 1H45, 1E/1E7)	83-99	4x100	57.1	Bolt	12x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11 S13	90.1.05.010.1 90.1.08.003.1 90.2.15.004.1 90.2.20.011.1 90.7.25.001.1	1 1 2 2 7
Golf III, Golf IV, Golf R32, Incl. Station Wagon, Cabrio (1HX,1H45,1E/1E7,1J1,1J5)	91-05	5x100	57.1	Bolt	14x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11	90.1.05.006.2 90.1.08.001.2 90.2.15.005.2 90.2.20.004.2 90.7.25.003.2	1 1 2 2 7
Golf V, Golf VI, GTI	06-13	5x112	57.1	Bolt	14x1.5	12mm 15mm 20mm 20mm 25mm 30mm	S63	90.2.12.003.2 90.2.15.013.2 90.2.20.003.2 90.7.20.017.2 90.7.25.005.2 90.7.30.012.2	2 2 2 7 7 7
Jetta (1HX0)	91-98	4x100	57.1	Bolt	12x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11 S13	90.1.05.010.1 90.1.08.003.1 90.2.15.004.1 90.2.20.011.1 90.7.25.001.1	1 1 2 2 7



# WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
<b>VOLKSWAGEN (continued)</b>									
Jetta (1HX0, 1J2,1J6)	91-05	5x100	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.005.2	2
						20mm		90.2.20.004.2	2
						25mm		90.7.25.003.2	7
Passat, Incl. Station Wagon (35 I)	88-96	4x100	57.1	Bolt	12x1.5	5mm	S11	90.1.05.010.1	1
						8mm	S11	90.1.08.003.1	1
						15mm	S13	90.2.15.004.1	2
						20mm		90.2.20.011.1	2
						25mm		90.7.25.001.1	7
Passat, Incl. Station Wagon (35 I)	96-00	5x100	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.003.2	7
Passat, Incl. Station Wagon (35 I)	96-00	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.003.2	7
CC (3CC)	09-12	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						12mm	S63	90.2.12.003.2	2
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						20mm		90.7.20.017.2	7
						25mm		90.7.25.005.2	7
30mm		90.7.30.012.2	7						
Eurovan	91-03	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.033.2	1
						15mm	S11	90.2.15.051.2	2
						20mm		90.2.20.033.2	2
						25mm		90.7.25.005.2	7
Tiguan	09-13	5x112	57.1	Bolt	14x1.5	12mm	S11	90.2.12.003.2	2
						15mm	S11	90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						20mm		90.7.20.017.2	7
						25mm		90.7.25.005.2	7
						30mm		90.7.30.012.2	7
Touareg, V6 & V8	10/02-08	5x130	71.5	Bolt	14x1.5	15mm	S35	90.2.15.018.2	2
<b>VOLVO</b>									
850	93-97	4x108	65	Bolt	12x1.75	5mm	S21	90.1.05.012.5	1
						15mm	S21	90.2.15.008.5	2
850	93-97	5x108	65	Bolt	12x1.75	5mm	S21	90.1.05.020.5	1
						15mm		90.2.15.016.5	2
C70	97-05	5x108	65	Bolt	12x1.75	5mm	S21	90.1.05.020.5	1
						15mm	S21	90.2.15.016.5	2
S70, V70	97-00	4x108	65	Bolt	12x1.75	5mm	S21	90.1.05.012.5	1
						15mm	S21	90.2.15.008.5	2
S70, V70	97-00	5x108	65	Bolt	12x1.75	5mm	S21	90.1.05.020.5	1
						15mm	S21	90.2.15.016.5	2



B+

B+

45 BePositive

46

46

COBALT

HRE WHEELS

Jetset FALL-LINE

HRE WHEELS

FALL-LINE MOTORSPORTS

FALL-LINE

BEVERAGE INTERNATIONAL

Continental TIRE sports car challenge

Continental TIRE sports car challenge

bmwMperformance.com

bmwMperformance.com

Continental

Continental TIRE

GS

BUSCH AIRGAS

FAST

HRE

TRW



- a** This Anti-Roll Bar is adjustable.
- b** Excluding vehicle with traction control.
- c** Excluding convertible.
- d** Kit includes front coil springs and rear shackle hanger kit.
- e** Kit includes rear coil springs and replacement front torsion key. Premium Ride Suspension Option must be replaced with standard shock.
- f** Kit includes Front Anti-Roll Bar only.
- g** For vehicles without factory front bar.
- h** To work with models without Factory Front Bar, the OE Lower Control Arms that supports a Front Bar will have to be purchased along with additional hardware from Honda.
- i** Excluding 4 Cyl. SVO.
- j** For EX model only.
- k** Rear springs only, front torsion bar is adjustable.
- m** Kit includes replacement rear bumpstops.
- n** Kit includes engine/transmission mount.
- o** Pro-Tronic Electronic Performance Suspension Module
- p** Excludes VR6.
- q** Front Springs only, rear air suspension is adjustable.
- r** Rear springs only, front torsion bar is adjustable. Premium Ride Suspension Option must be replaced with standard shock.
- s** Two Wheel Steering Only.
- t** This Anti-Roll Bar is tubular.
- u** Exclude vehicles with air suspension.
- v** Ride heights may be adjusted through Mercedes Pad System. Please consult your authorized Mercedes Dealer if add'l ride height adjustment is needed.
- w** Front Replaces OE. Rear attaches to Beam Axle.
- x** Not recommended for wagon.
- y** Rear Shackle Kit and Rear Springhanger Kit cannot be used together.
- z** Kit includes front springs only.
- aa** Anti-Roll-Kit fits only years 1990-1993 These components are adjustable.
- ab** Anti-Roll-Kit fits only years 1994-1998 These components are adjustable.
- ac** For C220 model only.
- ad** For C230 model only.
- ae** For E320 model only.
- af** Lorinser Proportioning valve required. Ride heights may be adjusted through Mercedes Pad Syst. Please consult your authorized Mercedes Dealer if add'l ride height adjustments needed.
- ag** Type-R vehicles will receive minimal lowering because of lower factory heights.
- ah** Excludes Gti Model.
- ai** Must order Part# 2815.320HKR if vehicles is not equipped w/ factory Rear Anti-Roll Bar.
- aj** Must order Part# 2820.320HKR if vehicles is not equipped w/ factory Rear Anti-Roll Bar.
- ak** Must order Part# 2860.320HKR if vehicles is not equipped w/ factory Rear Anti-Roll Bar.
- al** Vehicles without a Factory Front Anti-Roll Bar must purchase an additional Adapter Kit - Part# 4012.320FBHK.
- am** Ride heights may be adjusted through Chrysler Pad System. Please consult your authorized Chrysler Dealer if add'l ride height adjustment is needed.
- an** Front is adjustable Torsion Bar.
- ao** Excluding Type-R.
- ap** Performance Control Arm - provides additional wheel clearance and camber change. It is recommended to install Toe Adjusters with this control arm.
- aq** Vehicle not equipped with rear Anti-Roll bar will require additional hardware from OEM
- ar** Performance Rear Control Arm Kit available for toe and camber adjustment +/- 3.00. Part# 5.67210K.
- as** Vehicle without factory equipped rear anti-roll bar must purchase 3588.320HKR.
- at** 5.1018K must be used when installing caster camber kit 5.3510K or 5.3518K with 3510.710 Pro-Street.
- au** Including Cabrio.
- av** Kit consists of height adjustment bolts and urethane pads (not a spring kit).
- aw** Vehicles equipped with self-leveling rear dampers must replace with non self-leveling dampers such as FE1 or FE2 dampers to properly lower.
- ay** R1 Multi-Pro have rebound adjustment
- az** R2 Multi-Pro have rebound and compression adjustment
- ba** Vehicle without factory equipped rear anti-roll bar must purchase 4017.312HKR.
- bb** Vehicle without factory equipped rear anti-roll bar must purchase 4018.312HKR.
- bd** Non Si will require rear hardware kit 4031.312HKR.
- be** Type-R vehicles will require Part# 5.69200K.
- bf** Rear self-leveling dampers will need to be replaced with a non self-leveling damper. One option is OE part number 25770612.
- bg** Vehicle with load leveling rear dampers (Nivomat) must install kit 2873.840 for correct lowering.
- bh** Anti-Roll bar fits EX models ONLY. HX, LX, DX & GX models require additional OE mounting hardware to install rear bar.
- bi** For E46 M3 with E39 style upper strut mount.
- bj** Including AWD
- bk** Non SRT-4 models require aftermarket SRT-4 struts and additional hardware kit 2820.312HKR to install Eibach's Anti-Roll Kit.
- bl** Will work with Self Leveling suspension.
- bm** Vehicles without EDC.
- bn** Will lower more than 1 inch with CR models.
- bo** Sport System available
- bp** Sport System Plus available
- bq** Kit only fits model equipped with factory rear bar. We do not offer a rear hardware kit for models without rear bar.
- br** Exclude Hybrid models.
- bt** Sport Plus available
- bu** 2008+ Cayman equipped with 6mm isolator pads require 3mm isolator pads to lower.
- bv** Recommend use with longer shocks.
- bw** It is necessary to inspect for clearance between the tires and the front suspension after installation. A minimum of 5mm or more is recommended between the tire and the suspension. Some vehicles may require the addition of TUV approved wheel spacers to meet this requirement. Use Eibach Springs part no. 5mm = 90.1.05.017.1; 12mm = 90.2.12.002.1; 15mm = 90.2.15.001.1; 20mm = 90.2.20.020.1; 25mm = 90.7.25.011.1; 30mm = 90.7.30.002.1
- by** For vehicles without leveling control.
- bz** Exclude vehicles with AWD/4WD.
- ca** Exclude electronic suspension systems.
- cb** Only for vehicles with front damper diameter of 55 mm.
- cc** For use with Eibach springs only.
- cd** Vehicles with EDC.
- ce** Only for vehicles from 2005 to 2008.
- cf** Rear applications are ONLY for vehicles equipped with 17" rims or larger.
- cg** To work with non-Si models without factory rear anti-roll bar, the factory endlinks and hardware must be purchased from Honda.
- ch** To work with models without factory rear anti-roll bar, the factory endlinks, lower control arms and hardware must be purchased from Honda.
- ci** Vehicle with load leveling rear dampers (Nivomat) must install kit 28110.840 for correct lowering.
- cj** For vehicles built after 9/21/06.
- ck** Only for vehicles from 2009 to 2013.
- c1** Single adjustable compression/rebound valving.
- r1** Rear Shackle Kit only, front torsion bar is adjustable.
- T1** May require Front Alignment Kit P/N 5.83460K, (Correction: +/- 1.0 Degrees)
- T2** May require Front Alignment Kit P/N 5.87385K, (Correction: +/- 2.0 Degrees)
- T3** May require Front Alignment Kit P/N 5.87500K, (Correction: +/- 2.0 Degrees)
- T4** May require Front Alignment Kit P/N 5.83450K, (Correction: +/- 1.0 Degrees)
- T5** May require Front Alignment Kit P/N 6.13100K, (Correction: -1.0+3.0 Degrees)
- T6** May require Front Alignment Kit P/N 5.83490K, (Correction: +/- 1.0 Degrees)
- T7** RSX & RSX S-Type start VIN2C003184
- T8** RSX & RSX S-Type VIN2C003183 end

- S1** When using 15mm wheel spacers there must be at least 14mm minimum cut-outs in the wheel to take up the original bolts, (when using 20mm spacers, 9mm minimum cut-out, when using 25mm spacers 4mm minimum cut-outs). If this isn't the case, shorter bolts must be used. (System 5, 6). Otherwise the use of this spacers is not possible.
- S3** Only for use on the front axle!
- S6** Rear axle only.
- S8** Caution, for some S4 models only for use on the rear axle!
- S9** Spacers can only be used with wheels that have cut-outs (facing the hub) to clear the stock studs. Please check as follows: Original stud length (i.e. 35mm) minus spacer-thickness (i.e. 25mm) = 10mm excess stud length. The cut-out should have a depth of 11mm.
- S10** For vehicles with a center hub height up to 11mm.
- S11** The centering of the wheel is only possible with the wheelbolts! Therefore, it may be necessary to do wheel balancing on the car - to avoid possible vibration.
- S13** Some models--only for use on the front axle--rear axle center hub may be too long. Fits only up to 16mm center hub height!
- S15** When using system 3/7 (50mm), the original wheel bolts can be too long. In this case, they must be changed to shorter bolts.
- S16** Mazda / Nissan / Subaru have various wheel studs that are dependant on the model, axle or year manufactured. Before ordering, please check the knurl diameter of the original wheel studs on both axles. In our kits, we include wheel studs with a knurl diameter of 14.9mm (14.3mm for Subaru). Other Knurl diameter sizes need to be indicated when ordering!
- S17** For vehicles with a center hub height up to 16mm.
- S18** The original seat cone of the original bolts must be re-used!
- S19** For vehicles with sliding doors, check for clearance--wheel spacers of 25mm / 30mm may not allow enough room for wheels/tires.
- S21** The steering angle may need to be limited.
- S23** Do not use with vehicles equipped with steel wheels!
- S22** In combination with spacer rings, an 18-inch wheel/rim- combination is only permitted if the wheel has been already approved by the TÜV as original equipment.
- S24** With newer models, the centre stud can be more than 54,1mm diameter. In this case, the wheel spacer cannot be used.
- S25** Cannot be installed with some Turbo models--due to different front axle center hub.
- S28** When using system 3/7, the original wheel bolts are too long and need to be replaced with shorter bolts; part # 95-4-7-14-50-2817.
- S30** Wheel hub/axle needs to be disassembled for replacing standard wheel studs with longer studs.
- S32** Original studs do not need to be changed.
- S33** Original studs must be changed. Longer studs are included.
- S35** When using system 3/7, the original wheel bolts are too long and need to be replaced with shorter bolts; part # 95-4-1-14-50-2819.
- S37** When using the wheel spacers you have to verify that the wheels being used have suitable cut-outs to take up the original bolts. Without these cut-outs it is necessary to use the delivered studs in exchange to the original studs!
- S40** Only for use on models with tripartite center hub.
- S41** Not for use with some US-wheels, as these do not have the necessary cut outs.
- S46** This Kit includes additional wheelbolts to mount the wheel. When using this kit you have to use these wheelbolts as the original bolts are too long to mount the wheel.
- S47** Original bolts have to be changed against shorter bolts or cut to length.
- S48** When using System 2 (S90-2-...) you always have to fill out the checklist because of different original bolts length used on this car.
- S50** Also for front axle use from production date 14-2006 (Marking 14E06)
- S51** Also for front axle use from production date 21-2006 (Marking 21E06)
- S52** Also for front axle use from production date 35-2006 (Marking 35E06)
- S53** Not for AMG-Models!
- S57** Mercedes OEM wheels may use different bolt length. Therefore you have to examine, what bolt length is used. Please fill out the checklist! ATTENTION: If using 45mm original bolts with your (original-)wheels, you should order S90-7-20-016 or S90-7-21-002 instead, as we don't have bolts with 65mm shaft-length in our program!
- S67** When using 20mm System 7 spacers, the wheelbolts must not be longer than 13.5mm beyond the wheelhub. If this is the case the bolts must be replaced with shorter bolts. (Please follow installation instructions!)
- S68** Change of systems! System 3 spacers will be changed to System 7 spacers. If System 3 spacer is not available, you will automatically get System 7 spacers. ATTENTION! System 7 price is different from System 3.

**Your Eibach Partner:**

**USA**

Eibach Springs, Inc.  
264 Mariah Circle  
Corona, CA 92879-1751  
Phone +1 951 256 - 83 00  
Fax +1 951 256 - 83 33  
E-mail eibach@eibach.com

**Germany**

Heinrich Eibach GmbH  
Am Lennedamm 1  
57413 Finnentrop  
Phone +49 27 21 - 5 11-342  
Fax +49 27 21 - 5 11-111  
E-mail eibach@eibach.de

**Australia**

Eibach Suspension Technology P.T.Y. Ltd.  
3/4 Prosperity Parade  
Warriewood NSW 2102  
Phone +61 2-99 99-36 55  
Fax +61 2-99 99-38 55  
E-mail eibach@eibach.com.au

**China**

Eibach Springs (Taicang) Ltd.  
No. 63 Ningbo Road  
Taicang, Jiangsu  
China, 215400  
Phone +86 512 53 59 23 88  
Fax +86 512 53 59 23 89  
E-mail eibach@eibach-china.com

**Japan**

Eibach Japan Co., Ltd.  
No. 3-9-36 Yuigahama  
Kanagawa-Pref.  
Kamakura-City 248-0014  
Japan  
Phone +81 4 67 61 - 36 10  
Fax +81 4 67 61 - 36 15  
E-mail eibach@eibach.jp

**South Africa**

Eibach South Africa P.T.Y. Ltd.  
P.O. Box 2495  
North End 6045  
Port Elizabeth  
Phone +27 41 - 4 51 53 11  
Fax +27 41 - 4 53 42 74  
E-mail eibachsa@telkomsa.net

**United Kingdom**

Eibach UK  
25, Swannington Road  
Broughton Astley  
Leicestershire LE9 6TU  
Phone +44 14 55 - 28 58 51  
Fax +44 14 55 - 28 58 53  
E-mail sales@eibach.co.uk

