

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
ACURA									
CL 2.2, 2.3, 3.0	97-99	4x114.3	64	Stud	12x1.5	5mm	S33	90.5.05.018.1	5
						15mm	S33	90.6.15.021.1	6
Integra (Exc. Type-R) (DA, DC2/4)	90-01	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
TL 2.5	95-98	4x114.3	64	Stud	12x1.5	5mm	S33	90.5.05.018.1	5
						15mm	S33	90.6.15.021.1	6
AUDI									
A4, Sedan, 4 Cyl., 6 Cyl., 2WD, Quattro (B5)	96-01	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm	S13	90.2.15.005.2	2
						20mm	S13	90.2.20.004.2	2
						25mm	S13	90.7.25.005.2	7
A4, Sedan, Avant (Wagon) 2WD, Quattro, S4 (B6/B7)	02-08	5x112	57.1	Bolt	14x1.5	5mm	S8,S11	90.1.05.016.2	1
						8mm	S8,S11	90.1.08.002.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7
A4, Sedan, Avant (Wagon), 2WD, Quattro (B8)	09-12	5x112	66.5	Bolt	14x1.5	12mm	S3	90.2.12.018.2	2
						15mm		90.2.15.052.2	2
						20mm		90.2.20.034.2	2
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
A4, Cabriolet, 2WD, 4 Cyl (8H/ B6/B7)	03-08	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.002.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7
S4, Sedan, Quattro, 2.7 T (B5S)	00-02	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.005.2	2
						20mm		90.2.20.004.2	2
						25mm		90.7.25.005.2	7
A5, S5, 2WD, Quattro (B8)	08-12	5x112	66.5	Bolt	14x1.5	12mm		90.2.12.018.2	2
						15mm		90.2.15.052.2	2
						20mm		90.2.20.034.2	2
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
A6, Sedan, Avant (Wagon) Quattro, 6 Cyl., V8 (C4)	07/94- 12/97	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.005.2	2
						20mm		90.2.20.004.2	2
						25mm		90.7.25.005.2	7
A6, Sedan, Avant (Wagon) Quattro, 6 Cyl., V8, S6 (C5)	01/97- 01/05	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.002.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7
A6, Sedan, Avant (Wagon), 2WD, Quattro, (C6)	05-11	5x112	57.1	Bolt	14x1.5	12mm		90.2.12.003.2	2
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7

WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
AUDI (continued)									
A8, S8, Sedan, Quattro V8 (D2, D3)	95-09	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.002.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.005.2	7
Q5, Quattro (8R)	09-11	5x112	66.5	Bolt	14x1.5	12mm		90.2.12.018.2	2
						15mm		90.2.15.052.2	2
						20mm		90.2.20.034.2	2
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
TT Coupe / Roadster / Convertible, 2WD, 4 Cyl. (TTR)	99-06	5x100	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.005.2	2
						20mm		90.2.20.004.2	2
						25mm		90.7.25.003.2	7
TT, Quattro, 3.2L (TTR)	04-06	5x100	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.005.2	2
						20mm		90.2.20.004.2	2
						25mm		90.7.25.003.2	7
BMW									
128i, 135i, Incl. Convertible (E82,E87)	08-13	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						12mm		90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.2.20.020.1	2
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
318i, 325e, 325i, 325is, 2 & 4-door, Convertible (E30)	11/82- 05/93	4x100	57.1	Bolt	12x1.5	5mm	S11	90.1.05.010.1	1
						8mm	S11	90.1.08.003.1	1
						15mm	S13	90.2.15.004.1	2
						20mm		90.2.20.011.1	2
						25mm		90.7.25.001.1	7
318i, 318is, 325i, 328i, M3, 2 & 4-door, Convertible (E36)	12/90- 04/99	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
323i, 325i, 328i, 330i, 2 & 4-door, Sport Wagon, M3, Convertible (E46)	04/98-06	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						12mm		90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.2.20.020.1	2
						25mm		90.7.25.011.1	7
30mm		90.7.30.002.1	7						
325i, 328i, 330i, 335i, Coupe, Sedan, Convertible, Wagon (E90, E91, E92, E93)	06-13	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						12mm		90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.2.20.020.1	2
						25mm		90.7.25.011.1	7
30mm		90.7.30.002.1	7						
528e, 525i, 530i, 533i, 535i, 540i, M5 (E28, E34)	82-03/97	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
						25mm 30mm		90.7.25.011.1 90.7.30.002.1	7 7
525i, 528i, 530i, 540i, Wagon, Touring (E39)	97-03	5x120	74	Bolt	12x1.5	5mm 15mm 20mm 25mm		90.1.05.007.1 90.2.15.002.1 90.7.20.002.1 90.7.25.010.1	1 2 7 7
525i, 528i, 530i, 545i, 550i, Wagon, Touring (E60, E61)	04-08	5x120	72.5	Bolt	12x1.5	5mm 12mm 15mm 20mm 25mm 30mm	S11 S67	90.1.05.017.1 90.2.12.002.1 90.2.15.001.1 90.7.20.010.1 90.7.25.011.1 90.7.30.002.1	1 2 2 7 7 7
528i/ 535i/ 550i, Sedan, Gran Turismo, (Incl. xDrive)(F07, F10)	10-13	5x120	72.5	Bolt	14x1.25	12mm 15mm 20mm 25mm 30mm		90.2.12.002.7 90.2.15.001.7 90.2.20.020.7 90.7.25.038.7 90.7.30.032.7	2 2 2 7 7
633csi, 635csi, M6, (E24)	82-90	5x120	72.5	Bolt	12x1.5	5mm 15mm 20mm 25mm 30mm	S11	90.1.05.017.1 90.2.15.001.1 90.7.20.010.1 90.7.25.011.1 90.7.30.002.1	1 2 7 7 7
645ci, 650i, Cabrio (E63, E64)	04-10	5x120	72.5	Bolt	12x1.5	5mm 12mm 15mm 20mm 25mm 30mm	S11 S67	90.1.05.017.1 90.2.12.002.1 90.2.15.001.1 90.7.20.010.1 90.7.25.011.1 90.7.30.002.1	1 2 2 7 7 7
650i Coupe, Convertible (F12)	12-13	5x120	72.5	Bolt	14x1.25	12mm 15mm 20mm 20mm 25mm 30mm	S46	90.2.12.002.7 90.2.15.001.7 90.2.20.020.7 90.7.20.036.7 90.7.25.038.7 90.7.30.032.7	2 2 2 7 7 7
735i, 740i, 740iL, (E32)	88-94	5x120	72.5	Bolt	12x1.5	5mm 15mm 25mm 30mm	S11	90.1.05.017.1 90.2.15.001.1 90.7.25.011.1 90.7.30.002.1	1 2 7 7
740i, 750iL, (E38)	94-01	5x120	72.5	Bolt	12x1.5	5mm 12mm 15mm 20mm 25mm 30mm	S11	90.1.05.017.1 90.2.12.002.1 90.2.15.001.1 90.7.20.010.1 90.7.25.011.1 90.7.30.002.1	1 2 2 7 7 7
745i, 745iL, 750i, (E65/E66)	02-08	5x120	72.5	Bolt	14x1.5	5mm 12mm 15mm 20mm 25mm 30mm	S11	90.1.05.017.2 90.2.12.002.2 90.2.15.001.2 90.7.20.011.2 90.7.25.012.2 90.7.30.003.2	1 2 2 7 7 7

WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
BMW (continued)									
740i/ 740Li/ 750i/ 750Li, (Incl. xDrive) (F01)	09-12	5x120	72.5	Bolt	14x1.25	12mm		90.2.12.002.7	2
						15mm		90.2.15.001.7	2
						20mm		90.2.20.020.7	2
						25mm		90.7.25.038.7	7
						30mm		90.7.30.032.7	7
840ci, 840i, 850i, (E31)	90-97	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
X3, (E83)	04-10	5x120	72.5	Bolt	14x1.5	5mm	S11	90.1.05.017.2	1
						12mm		90.2.12.002.2	2
						15mm		90.2.15.001.2	2
						20mm		90.2.20.020.2	2
						25mm		90.7.25.012.2	7
						30mm		90.7.30.003.2	7
X5, (E53)	00-06	5x120	72.5	Bolt	14x1.5	5mm	S11	90.1.05.017.2	1
						12mm		90.2.12.002.2	2
						15mm		90.2.15.001.2	2
						20mm		90.2.20.020.2	2
						25mm		90.7.25.012.2	7
						30mm		90.7.30.003.2	7
X5, 35i, 35d,50i (E70)	07-12	5x120	74	Bolt	14x1.25	4mm	S46	90.1.04.007.7	1
						12mm		90.2.12.014.7	2
						15mm		90.2.15.002.7	2
						20mm		90.2.20.027.7	2
						20mm		90.7.20.035.7	7
						25mm		90.7.25.032.7	7
						30mm		90.7.30.026.7	7
Z3, M-Coupe, M-Roadster, (E36/7)	96-02	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						12mm		90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
Z4 (E85)	03-08	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						12mm		90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
Z4 Roadster 30i, 35i (E89)	09-11	5x120	72.5	Bolt	12x1.5	12mm	S67	90.2.12.002.1	2
						15mm		90.2.15.001.1	2
						20mm		90.7.20.010.1	7
						25mm		90.7.25.011.1	7
						30mm		90.7.30.002.1	7
Z8 (E52)	00-03	5x120	72.5	Bolt	12x1.5	5mm	S11	90.1.05.017.1	1
						15mm		90.2.15.001.1	2
CHEVROLET									
Camaro	93-97	5x120.65	70.5	Stud	12x1.5	15mm		90.6.15.033.1	6
Camaro	10-12	5x120	67	Stud	14x1.5	15mm	S9	90.4.15.027.2	4

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
						20mm	S9	90.4.20.035.2	4
						25mm	S9	90.4.25.051.2	4
						30mm	S9	90.4.30.044.2	4
Cruze Sedan	11-13	5x105	56.5	Stud	12x1.5	15mm	S9	90.4.15.028.1	4
						20mm	S9	90.4.20.036.1	4
						25mm	S9	90.4.25.052.1	4
						30mm	S9	90.4.30.045.1	4
S-10	82-04	5x120.65	70.5	Stud	12x1.5	15mm		90.6.15.033.1	6
						20mm	S33	90.8.20.001.1	8
						25mm	S9,S47	90.8.25.005.1	8
						30mm	S9,S47	90.8.30.005.1	8
S-10	82-04	5x120.65	70.5	Stud	14x1.5	25mm		90.4.25.025.2	4
CHRYSLER									
300 2WD, 300C 2WD	05-10	5x115	71.4	Bolt	14x1.5	25mm	S33,S37	90.4.25.030.2	4
						30mm	S33,S37	90.4.30.017.2	4
Crossfire	04-07	5x112	66.5	Bolt	12x1.5	5mm	S6,S11	90.1.05.014.1	1
						10mm	S6	90.2.10.002.1	2
						15mm	S6	90.2.15.017.1	2
						20mm	S6	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
Neon (Front)	95-06	5x100	57.1	Stud	12x1.5	5mm	S11,S30,S33	90.5.05.032.1	5
						10mm	S30,S33	90.6.10.006.1	6
						15mm	S30,S33	90.6.15.028.1	6
						20mm	S30,S33	90.6.20.020.1	6
						30mm	S9	90.4.30.006.1	4
Neon (Rear)	95-06	5x100	57.1	Stud	12x1.5	10mm	S30,S33	90.6.10.007.1	6
						15mm	S30,S33	90.6.15.029.1	6
						20mm	S30,S33	90.6.20.021.1	6
						30mm	S9	90.4.30.006.1	4
PT Cruiser (Front)	00-10	5x100	57.1	Stud	12x1.5	5mm	S11,S30,S33	90.5.05.032.1	5
						10mm	S30,S33	90.6.10.006.1	6
						15mm	S30,S33	90.6.15.028.1	6
						20mm	S30,S33	90.6.20.020.1	6
						30mm	S9	90.4.30.006.1	4
PT Cruiser (Rear)	00-10	5x100	57.1	Stud	12x1.5	10mm	S30,S33	90.6.10.007.1	6
						15mm	S30,S33	90.6.15.029.1	6
						20mm	S30,S33	90.6.20.021.1	6
						30mm	S9	90.4.30.006.1	4
Sebring Cabrio	00-10	5x100	57.1	Stud	12x1.5	10mm	S30,S33	90.6.10.006.1	6
						15mm	S30,S33	90.6.15.028.1	6
						20mm	S30,S33	90.6.20.020.1	6
						30mm	S9	90.4.30.006.1	4
DODGE									
Magnum 2WD	05-10	5x115	71.4	Bolt	14x1.5	25mm	S33,S37	90.4.25.030.2	4
						30mm	S33,S37	90.4.30.017.2	4
Charger 06-12 2WD						25mm	S33,S37	90.4.25.030.2	4
						30mm	S33,S37	90.4.30.017.2	4
Challenger 11-12						25mm	S33,S37	90.4.25.030.2	4
						30mm	S33,S37	90.4.30.017.2	4

WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
FERRARI									
360 Modena	99-05	5x108	67	Bolt	14x1.5	30mm		90.3.30.004.2	3
FIAT									
500 (312)	2012	4x98	58	Bolt	12x1.25	5mm 10mm 15mm 20mm 25mm 30mm	S3	90.1.05.011.4 90.2.10.021.4 90.2.15.020.4 90.7.20.012.4 90.7.25.006.4 90.7.30.005.4	1 2 2 7 7 7
FORD									
Contour	95-00	4x108	63.3	Stud	12x1.5	5mm 15mm 20mm 25mm 30mm	S33 S33 S33 S9 S9	90.5.05.004.1 90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	5 6 6 4 4
Escort	85-01	4x108	63.3	Stud	12x1.5	5mm 15mm 20mm 25mm 30mm	S33 S33 S33 S9 S9	90.5.05.004.1 90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	5 6 6 4 4
Fiesta	11-13	4x108	63.3	Stud	12x1.5	15mm 20mm 25mm 30mm	S33 S33 S9,S23 S9,S23	90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	6 6 4 4
Focus	00-06	4x108	63.3	Stud	12x1.5	5mm 15mm 20mm 25mm 30mm	S33 S33 S33 S9 S9	90.5.05.004.1 90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	5 6 6 4 4
Fusion	06-12	4x108	63.3	Stud	12x1.5	5mm 15mm 20mm 25mm 30mm	S33 S33 S33 S9,S23 S9,S23	90.5.05.004.1 90.6.15.015.1 90.6.20.005.1 90.4.25.008.1 90.4.30.003.1	6 6 6 4 4
Explorer	90-04	5x114.3	70.5	Stud	1/2 UNF	25mm 30mm 35mm 45mm	S9 S9 S9 S9	90.4.25.010.3 90.4.30.005.3 90.4.35.001.3 90.4.45.001.3	4 4 4 4
Ranger	98-06	5x114.3	70.5	Stud	1/2 UNF	25mm 30mm 35mm 45mm	S9 S9 S9 S9	90.4.25.010.3 90.4.30.005.3 90.4.35.001.3 90.4.45.001.3	4 4 4 4
Mustang (FOX)	79-93	5x114.3	70.5	Stud	1/2 UNF	5mm 25mm 30mm 35mm 45mm	S9 S9 S9 S9 S9	90.5.05.038.3 90.4.25.010.3 90.4.30.005.3 90.4.35.001.3 90.4.45.001.3	5 4 4 4 4
Mustang (SN95)	94-04	5x114.3	70.5	Stud	1/2 UNF	5mm 25mm 30mm 35mm 45mm	S9, S23 S9, S23 S9, S23 S9, S23	90.5.05.038.3 90.4.25.010.3 90.4.30.005.3 90.4.35.001.3 90.4.45.001.3	5 4 4 4 4

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
Mustang, (Front) (S197)	05-12	5x114.3	70.5	Stud	1/2 UNF	5mm	S23, S37	90.5.05.038.3	5
						20mm		90.4.20.016.3	4
						25mm		90.4.25.032.3	4
						30mm		90.4.30.019.3	4
						35mm		90.4.35.005.3	4
Mustang, (Rear) (S197)	05-12	5x114.3	70.5	Stud	1/2 UNF	5mm	S23, S37	90.5.05.038.3	5
						20mm		90.4.20.017.3	4
						25mm		90.4.25.033.3	4
						30mm		90.4.30.020.3	4
						35mm		90.4.35.006.3	4
GMC									
S-15	82-04	5x120.65	70.5	Stud	12x1.5	15mm		90.6.15.033.1	6
S-15	82-04	5x120.65	70.5	Stud	14x1.5	25mm		90.4.25.025.2	4
JEEP									
Gr. Cherokee (ZJ)	93-98	5x114.3	71.5	Stud	1/2 UNF	30mm	S9	90.4.30.008.3	4
Gr. Cherokee (WH)	05-10	5x127	71.5	Stud	1/2 UNF	25mm	S9,S41	90.4.25.013.3	4
						27mm	S9,S41	90.4.27.001.3	4
						30mm	S9,S41	90.4.30.007.3	4
Wrangler (TJ)	96-06	5x114.3	71.5	Stud	1/2 UNF	30mm	S9	90.4.30.008.3	4
Wrangler (JK)	07-11	5x127	71.5	Stud	1/2 UNF	25mm	S9	90.4.25.013.3	4
						27mm	S9	90.4.27.001.3	4
						30mm	S9	90.4.30.007.3	4
HONDA									
Accord, 2 & 4-door, Incl. Wagon, 4 Cyl. (CB/CD)	90-02	4x114.3	64	Stud	12x1.5	5mm	S33	90.5.05.018.1	5
						15mm	S33	90.6.15.021.1	6
Civic / CRX (EF,EG,EK,EM)	84-02	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
Civic Si (EM1)	99-00	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
Civic (FA,FD,FG,FK,FN)	06-11	5x114.3	64	Stud	12x1.5	10mm	S33	90.6.10.012.1	6
						15mm	S33	90.6.15.038.1	6
						20mm	S33	90.6.20.015.1	6
						30mm	S9	90.4.30.027.1	4
Del Sol (EG)	93-97	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
Prelude, Incl. AWS	83-91	4x100	56.1	Stud	12x1.5	5mm	S33	90.5.05.005.1	5
INFINITI									
G25, G35, G37, Coupe & Sedan (Incl. AWD)	03-11	5x114.3	66.1	Stud	12x1.25	5mm	S16,S33	90.5.05.030.4	5
						15mm	S16,S33	90.6.15.026.4	6
						15mm	S9,S23	90.4.15.001.4	4
						20mm	S16,S33	90.6.20.019.4	6
						20mm	S9,S23	90.4.20.003.4	4
25mm	S9,S23	90.4.25.019.4	4						
LEXUS									
GS 300, GS 350, GS 430	06-11	5x114.3	60	Stud	12x1.5	15mm	S33	90.6.15.034.1	6
						20mm	S9	90.4.20.013.1	4
						25mm	S9	90.4.25.029.1	4
						30mm	S9	90.4.30.016.1	4

WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type	
LEXUS (continued)										
IS300	99-05	5x114.3	60	Stud	12x1.5	15mm	S33	90.6.15.034.1	6	
						20mm	S9	90.4.20.013.1	4	
						25mm	S9	90.4.25.029.1	4	
						30mm	S9	90.4.30.016.1	4	
IS 250, IS 350	06-13	5x114.3	60	Stud	12x1.5	15mm	S33	90.6.15.034.1	6	
						20mm	S9	90.4.20.013.1	4	
						25mm	S9	90.4.25.029.1	4	
						30mm	S9	90.4.30.016.1	4	
MAZDA										
323	89-98	4x100	54.1	Stud	12x1.5	5mm	S16,S33 S16, S24, S33	90.5.05.008.1	5	
						15mm		90.6.15.010.1	6	
3 Sedan, Mazdaspeed3, Incl. 5-door	04-09	5x114.3	67.1	Stud	12x1.5	5mm	S16,S11,S33	90.5.05.031.1	5	
						10mm		S16,S33	90.6.10.005.1	6
						15mm		S16,S33	90.6.15.027.1	6
						15mm		S1,S23	90.4.15.002.1	4
						20mm		S1,S23	90.4.20.005.1	4
25mm	S1,S23	90.4.25.016.1	4							
3 Sedan, Mazdaspeed3, Incl. 5-door	10-11	5x114.3	67.1	Stud	12x1.5	10mm	S16,S33	90.6.10.005.1	6	
						15mm		S16,S33	90.6.15.027.1	6
						15mm		S1,S23	90.4.15.002.1	4
						20mm		S1,S23	90.4.20.005.1	4
						25mm		S1,S23	90.4.25.016.1	4
6, Sedan & Wagon	03-08	5x114.3	67.1	Stud	12x1.5	5mm	S16,S11,S33	90.5.05.031.1	5	
						10mm		S3,S16,S33	90.6.10.005.1	6
						15mm		S16,S33	90.6.15.027.1	6
						15mm		S1,S23	90.4.15.002.1	4
						20mm		S1,S23	90.4.20.005.1	4
						25mm		S1,S23	90.4.25.016.1	4
MX3	92-95	4x100	54.1	Stud	12x1.5	5mm	S16,S33 S16, S24, S33	90.5.05.008.1	5	
						15mm		90.6.15.010.1	6	
Miata	90-05	4x100	54.1	Stud	12x1.5	5mm	S16,S33 S16, S24, S33	90.5.05.008.1	5	
						15mm		90.6.15.010.1	6	
MX-5	06-13	5x114.3	67	Stud	12x1.5	10mm	S16,S33	90.6.10.019.1	6	
						15mm		S16,S33	90.6.15.043.1	6
						20mm		S16,S33	90.6.20.028.1	6
						25mm		S9	90.4.25.016.1	4
						30mm		S9	90.4.30.015.1	4
RX-8	03-11	5x114.3	67.1	Stud	12x1.5	5mm	S16,S11,S33	90.5.05.031.1	5	
						10mm		S16,S33	90.6.10.005.1	6
						15mm		S16,S33	90.6.15.027.1	6
						15mm		S1,S6,S23	90.4.15.002.1	4
						20mm		S1,S23	90.4.20.001.1	4
						25mm		S1,S23	90.4.25.016.1	4
MERCEDES										
C-Class (W201)	82-93	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1	
						15mm		S51,S57	90.2.15.017.1	2
						20mm		S52,S57	90.2.20.007.1	2
						25mm		S6	90.7.25.009.1	7
						30mm		S6	90.7.30.001.1	7

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
C-Class (W202)	94-02	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						10mm	S48,S57	90.2.10.002.1	2
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6,S15	90.7.25.009.1	7
						30mm	S6,S15	90.7.30.001.1	7
C-Class (W203)	02-07	5x112	66.5	Bolt	12x1.5	10mm	S48,S57	90.2.10.002.1	2
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6,S15	90.7.25.009.1	7
						30mm	S6,S17	90.7.30.001.1	7
						C300 / C350 (W204)	07-12	5x112	66.5
15mm	S57	90.2.15.017.2	2						
20mm		90.7.20.016.2	7						
25mm		90.7.25.016.2	7						
30mm		90.7.30.007.2	7						
CL (W215)	98-04	5x112	66.5	Bolt	14x1.5				
						10mm	S6	90.2.10.002.2	2
						15mm	S6	90.2.15.017.2	2
						20mm	S6	90.2.20.035.2	2
CLK (W208)	97-02	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6,S15	90.7.25.009.1	7
						30mm	S6,S15	90.7.30.001.1	7
						CLK (W209)	02-08	5x112	66.5
15mm	S51,S57	90.2.15.017.1	2						
20mm	S52,S57	90.2.20.007.1	2						
25mm	S6,S15	90.7.25.009.1	7						
30mm	S6,S15	90.7.30.001.1	7						
CLS (W219)	05-10	5x112	66.5	Bolt	14x1.5				
						15mm	S6,S57	90.2.15.017.2	2
						25mm	S6	90.7.25.016.2	7
						30mm	S6	90.7.30.007.2	7
E-Class (W124)	92-95	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
						E-Class (W210)	95-02	5x112	66.5
10mm	S48,S57	90.2.10.002.1	2						
15mm	S51,S57	90.2.15.017.1	2						
20mm	S52,S57	90.2.20.007.1	2						
25mm	S6	90.7.25.009.1	7						
30mm	S6	90.7.30.001.1	7						
E-Class (W211)	95-09	5x112	66.5	Bolt	14x1.5	10mm	S57	90.2.10.002.2	2
						15mm	S57	90.2.15.017.2	2
						20mm	S57	90.2.20.035.2	2
						25mm	S57	90.7.25.016.2	7
						30mm	S57	90.7.30.007.2	7

WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
MERCEDES (continued)									
E350, Coupe 3.5L V6 (C207)	09-12	5x112	66.5	Bolt	14x1.5	10mm	S6,S57	90.2.10.002.2	2
						15mm	S57	90.2.15.017.2	2
						20mm		90.7.20.016.2	7
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
S-Class (W126)	79-91	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
S-Class (W140,W220)	91-06	5x112	66.5	Bolt	14x1.5	5mm	S11,S57	90.1.05.014.2	1
						10mm	S48,S57	90.2.10.002.2	2
						15mm	S51,S57	90.2.15.017.2	2
						20mm	S52,S57	90.2.20.035.2	2
SL (R107,R129)	72-81, 89-01	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
SL (R230)	03-10	5x112	66.5	Bolt	14x1.5	15mm	S6,S57	90.2.15.017.2	2
						20mm	S6,S57	90.2.20.035.2	2
						25mm	S6	90.7.25.016.2	7
						30mm	S6	90.7.30.007.2	7
SLK (R170,R171)	96-10	5x112	66.5	Bolt	12x1.5	5mm	S11,S57	90.1.05.014.1	1
						10mm	S48,S57	90.2.10.002.1	2
						15mm	S51,S57	90.2.15.017.1	2
						20mm	S52,S57	90.2.20.007.1	2
						25mm	S6	90.7.25.009.1	7
						30mm	S6	90.7.30.001.1	7
M-Class (W163)	97-05	5x112	66.5	Bolt	14x1.5	5mm	S57	90.1.05.014.2	1
						10mm	S57	90.2.10.002.2	2
						15mm	S57	90.2.15.017.2	2
						20mm	S57	90.2.20.035.2	2
						25mm	S57	90.7.25.016.2	7
						30mm	S57	90.7.30.007.2	7
M-Class (W164)	06-11	5x112	66.5	Bolt	14x1.5	10mm	S50,S53,S57	90.2.10.002.2	2
						15mm	S53,S57	90.2.15.017.2	2
						20mm	S53,S57	90.2.20.035.2	2
						25mm		90.7.25.016.2	7
						30mm		90.7.30.007.2	7
MERCURY									
Cougar	89-00	4x108	63.3	Stud	12x1.5	5mm	S33	90.5.05.004.1	5
						15mm	S33	90.6.15.015.1	6
						20mm	S33	90.6.20.005.1	6
						25mm	S9	90.4.25.008.1	4
						30mm	S9	90.4.30.003.1	4
Mystique	95-00	4x108	63.3	Stud	12x1.5	5mm	S33	90.5.05.004.1	5
						15mm	S33	90.6.15.015.1	6
						20mm	S9	90.6.20.005.1	6
						25mm	S9	90.4.25.008.1	4
						30mm	S9	90.4.30.003.1	4

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
Capri	79-89	5x114.3	70.5	Stud	1/2 UNF	25mm	S9	90.4.25.010.3	4
						30mm	S9	90.4.30.005.3	4
						35mm	S9	90.4.35.001.3	4
						45mm	S9	90.4.45.001.3	4
MINI									
Clubman, Clubman-S (N)	08-13	4x100	56	Bolt	14x1.25	5mm		90.1.05.025.2	1
						15mm		90.2.15.027.2	2
						20mm		90.2.20.016.2	2
						25mm		90.7.25.034.2	7
Cooper, Cooper-S (R50)	01-06	4x100	56	Bolt	12x1.5	5mm		90.1.05.025.1	1
						15mm		90.2.15.027.1	2
						20mm		90.2.20.016.1	2
						25mm		90.7.25.029.1	7
Cooper, Cooper-S, Convertible, Convertible-S (N)	07-13	4x100	56	Bolt	14x1.25	5mm		90.1.05.025.2	1
						15mm		90.2.15.027.2	2
						20mm		90.2.20.016.2	2
						25mm		90.7.25.034.2	7
Countryman (R60)	11-12	5x120	72.5	Bolt	14x1.25	12mm		90.2.12.002.7	2
						15mm		90.2.15.001.7	2
NISSAN									
350Z (Z33)	03-08	5x114.3	66.1	Stud	12x1.25	5mm	S16,S33	90.5.05.030.4	5
						10mm	S16,S33	90.6.10.004.4	6
						15mm	S16,S33	90.6.15.026.4	6
						15mm	S9,S23	90.4.15.001.4	4
						20mm	S16,S33	90.6.20.019.4	6
						20mm	S9,S23	90.4.20.003.4	4
370Z (Z34)	09-13	5x114.3	66.1	Stud	12x1.25	10mm	S16,S33	90.6.10.004.4	6
						15mm	S16,S33	90.6.15.026.4	6
						15mm	S9,S23	90.4.15.026.4	4
						20mm	S16,S33	90.6.20.019.4	6
						20mm	S9,S23	90.4.20.034.4	4
						25mm	S9,S23	90.4.25.050.4	4
						30mm	S9,S23	90.4.30.043.4	4
Maxima	89-06	5x114.3	66.1	Stud	12x1.25	5mm	S16,S33	90.5.05.030.4	5
						15mm	S16,S33	90.6.15.026.4	6
						25mm	S9,S23	90.4.25.019.4	4
Murano (T50)	06-07	5x114.3	66.1	Stud	12x1.25	10mm	S16,S33	90.6.10.004.4	6
						15mm	S16,S33	90.6.15.026.4	6
						20mm	S16,S33	90.6.20.019.4	6
						20mm	S9,S23	90.4.20.003.4	4
						25mm	S9,S23	90.4.25.019.4	4
Pathfinder, (Incl. Compact Truck) (WD21,R20,R50,MD21,D22)	86-04	6x139.7	110	Stud	12x1.25	25mm	S9,S11	90.8.25.003.4	8
						30mm	S9,S11	90.8.30.003.4	8
PORSCHE									
911 Carrera (930,959,964,993)	63-98	5x130	71.5	Stud	14x1.5	7mm	S32	90.5.07.001.2	5
						7mm	S25,S32	90.6.07.001.2	6
						15mm	S33	90.6.15.018.2	6
						18mm	S33	90.6.18.001.2	6

WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type	
PORSCHE (continued)										
911 (Incl. Cabrio, Turbo & GT3) (996)	98-05	5x130	71.5	Bolt	14x1.5	7mm	S40	90.2.07.001.2	2	
						15mm		90.2.15.018.2	2	
						18mm		90.2.18.001.2	2	
						S46	23mm	S46	90.2.23.001.2	2
							18mm		90.7.18.001.2	7
							21mm		90.7.21.001.2	7
							23mm		90.7.23.001.2	7
911 (997)	05-11	5x130	71.5	Bolt	14x1.5	7mm	S40	90.2.07.001.2	2	
						15mm		90.2.15.018.2	2	
						18mm		90.2.18.001.2	2	
						S46	23mm	S46	90.2.23.001.2	2
							18mm		90.7.18.001.2	7
							21mm		90.7.21.001.2	7
							23mm		90.7.23.001.2	7
928	77-95	5x130	71.5	Stud	14x1.5	7mm	S32	90.6.07.001.2	6	
						15mm		S33	90.6.15.018.2	6
						18mm		S33	90.6.18.001.2	6
944, 959	82-91	5x130	71.5	Stud	14x1.5	7mm	S32	90.6.07.001.2	6	
						15mm		S33	90.6.15.018.2	6
						18mm		S33	90.6.18.001.2	6
968, Coupe & Cabrio	92-95	5x130	71.5	Stud	14x1.5	7mm	S32	90.6.07.001.2	6	
						15mm		S33	90.6.15.018.2	6
						18mm		S33	90.6.18.001.2	6
Boxster (986,987)	96-10	5x130	71.5	Bolt	14x1.5	7mm	S22	90.2.07.001.2	2	
						15mm		S22	90.2.15.018.2	2
						18mm		S22	90.2.18.001.2	2
						23mm		S22	90.2.23.001.2	2
Cayenne (995)	03-10	5x130	71.5	Bolt	14x1.5	7mm	S22	90.2.07.001.2	2	
						15mm		S22	90.2.15.018.2	2
						18mm		S22	90.2.18.001.2	2
						23mm		S22	90.2.23.001.2	2
Cayman	06-12	5x130	71.5	Bolt	14x1.5	7mm	S22	90.2.07.001.2	2	
						15mm		S22	90.2.15.018.2	2
						18mm		S22	90.2.18.001.2	2
						23mm		S22	90.2.23.001.2	2
						S46	18mm	S46	90.7.18.001.2	7
							21mm		90.7.21.001.2	7
							23mm		90.7.23.001.2	7
SAAB										
900, 9000	93-98	5x110	65	Bolt	12x1.5	5mm		90.1.05.013.1	1	
9.3	98-09	5x110	65	Bolt	12x1.5	5mm	S11	90.1.05.013.1	1	
						10mm		90.1.10.002.1	1	
						16mm	S3	90.2.16.001.1	2	
						20mm		90.2.20.006.1	2	
9.5	98-01	5x110	65	Bolt	12x1.5	5mm	S11	90.1.05.013.1	1	
						10mm		90.1.10.002.1	1	
						16mm	S3	90.2.16.001.1	2	
						20mm		90.2.20.006.1	2	
SMART										
Fortwo, Roadster	05-07	3x112	57.1	Bolt	12x1.5	5mm		90.1.05.026.1	1	
						15mm		90.2.15.028.1	2	
						20mm		90.2.20.017.1	2	

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
						25mm 30mm		90.7.25.035.1 90.7.30.028.1	7 7
Fortwo (Incl. Cabrio) (451)	08-13	3x112	57.1	Bolt	12x1.5	15mm 20mm 25mm 30mm		90.2.15.028.1 90.2.20.017.1 90.7.25.035.1 90.7.30.028.1	2 2 7 7
SUBARU									
Impreza, WRX (Exc. STI)	93-07	5x100	56	Stud	12x1.25	5mm 10mm 20mm 25mm	S11,S16,S32 S16,S33 S9 S9	90.5.05.028.4 90.6.10.003.4 90.4.20.002.4 90.4.25.017.4	5 6 4 4
Impreza, WRX, (Incl. STI)	08-11	5x100	56	Stud	12x1.25	20mm 20mm 25mm 30mm	S16,S33 S9 S9 S9	90.6.20.034.4 90.4.20.002.4 90.4.25.017.4 90.4.30.030.4	6 4 4 4
TOYOTA									
Yaris, 1.5L 4 Cyl (Incl. Hatchback, Sedan, S-Sedan)	07-11	4x100	54	Stud	12x1.5	10mm 12mm 15mm 20mm 30mm	S33 S33 S33 S33 S9	90.6.10.017.1 90.6.12.001.1 90.6.15.041.1 90.6.20.032.1 90.4.30.021.1	6 6 6 6 4
VOLKSWAGEN									
Beetle (Incl. Cabrio)	98-10	5x100	57.1	Bolt	14x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11	90.1.05.006.2 90.1.08.001.2 90.2.15.005.2 90.2.20.004.2 90.7.25.003.2	1 1 2 2 7
Corrado	88-96	5x100	57.1	Bolt	14x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11	90.1.05.006.2 90.1.08.001.2 90.2.15.005.2 90.2.20.004.2 90.7.25.003.2	1 1 2 2 7
Golf II, Golf III, Incl. Station Wagon, Cabrio (19E,1HX, 1H45, 1E/1E7)	83-99	4x100	57.1	Bolt	12x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11 S13	90.1.05.010.1 90.1.08.003.1 90.2.15.004.1 90.2.20.011.1 90.7.25.001.1	1 1 2 2 7
Golf III, Golf IV, Golf R32, Incl. Station Wagon, Cabrio (1HX,1H45,1E/1E7,1J1,1J5)	91-05	5x100	57.1	Bolt	14x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11	90.1.05.006.2 90.1.08.001.2 90.2.15.005.2 90.2.20.004.2 90.7.25.003.2	1 1 2 2 7
Golf V, Golf VI, GTI	06-13	5x112	57.1	Bolt	14x1.5	12mm 15mm 20mm 20mm 25mm 30mm	S63	90.2.12.003.2 90.2.15.013.2 90.2.20.003.2 90.7.20.017.2 90.7.25.005.2 90.7.30.012.2	2 2 2 7 7 7
Jetta (1HX0)	91-98	4x100	57.1	Bolt	12x1.5	5mm 8mm 15mm 20mm 25mm	S11 S11 S13	90.1.05.010.1 90.1.08.003.1 90.2.15.004.1 90.2.20.011.1 90.7.25.001.1	1 1 2 2 7

WHEEL SPACERS | Car, Truck & SUV's

Manufacture / Model	YEAR	P.C.D Bolt Pattern	Center Bore/ Hub Diameter	Bolt / Stud	Thread Type	Spacer Width (Each)	Notes	Pro-Spacer With Bolts/Studs (Pair)	System Type
VOLKSWAGEN (continued)									
Jetta (1HX0, 1J2,1J6)	91-05	5x100	57.1	Bolt	14x1.5	5mm	S11	90.1.05.006.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.005.2	2
						20mm		90.2.20.004.2	2
						25mm		90.7.25.003.2	7
Passat, Incl. Station Wagon (35 I)	88-96	4x100	57.1	Bolt	12x1.5	5mm	S11	90.1.05.010.1	1
						8mm	S11	90.1.08.003.1	1
						15mm	S13	90.2.15.004.1	2
						20mm		90.2.20.011.1	2
						25mm		90.7.25.001.1	7
Passat, Incl. Station Wagon (35 I)	96-00	5x100	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.003.2	7
Passat, Incl. Station Wagon (35 I)	96-00	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						8mm	S11	90.1.08.001.2	1
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						25mm		90.7.25.003.2	7
CC (3CC)	09-12	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.016.2	1
						12mm	S63	90.2.12.003.2	2
						15mm		90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						20mm		90.7.20.017.2	7
						25mm		90.7.25.005.2	7
						30mm		90.7.30.012.2	7
Eurovan	91-03	5x112	57.1	Bolt	14x1.5	5mm	S11	90.1.05.033.2	1
						15mm	S11	90.2.15.051.2	2
						20mm		90.2.20.033.2	2
						25mm		90.7.25.005.2	7
Tiguan	09-13	5x112	57.1	Bolt	14x1.5	12mm	S11	90.2.12.003.2	2
						15mm	S11	90.2.15.013.2	2
						20mm		90.2.20.003.2	2
						20mm		90.7.20.017.2	7
						25mm		90.7.25.005.2	7
						30mm		90.7.30.012.2	7
Touareg, V6 & V8	10/02-08	5x130	71.5	Bolt	14x1.5	15mm	S35	90.2.15.018.2	2
VOLVO									
850	93-97	4x108	65	Bolt	12x1.75	5mm	S21	90.1.05.012.5	1
						15mm	S21	90.2.15.008.5	2
850	93-97	5x108	65	Bolt	12x1.75	5mm	S21	90.1.05.020.5	1
						15mm		90.2.15.016.5	2
C70	97-05	5x108	65	Bolt	12x1.75	5mm	S21	90.1.05.020.5	1
						15mm	S21	90.2.15.016.5	2
S70, V70	97-00	4x108	65	Bolt	12x1.75	5mm	S21	90.1.05.012.5	1
						15mm	S21	90.2.15.008.5	2
S70, V70	97-00	5x108	65	Bolt	12x1.75	5mm	S21	90.1.05.020.5	1
						15mm	S21	90.2.15.016.5	2